

Author index*

A

- ABBATE, ROSANNA. (See Serneri et al.), 185
- ABINADER, E. G. Relationship of neurocirculatory asthenia to mitral valve prolapse syndrome, 864 (Letter to Editor)
- ACHUFF, STEPHEN C. (See Fuchs and Achuff), 351
- ACKERMAN, WILLIAM. (See Slutsky et al.), 414
- ADOLPH, ROBERT J. (See Brockmeier et al.), 32
- AHMAD, SAEED. Tricyclic antidepressant overdose, 357 (Letter to Editor)
- ALI, NAYAB. (See Sheikh et al.), 37
- ALLEN, HUGH D. (See Canale et al.), 255
- (See Goldberg et al.), 793
- ALPERT, JOSEPH S. (See Berman, Haffajee, and Alpert), 750
- ALTER, BARRY R., LEWIS, MICHAEL E., VARGAS, ABELARDO, ROSENTHAL, STEPHEN P., AND CHANDARLAPATY, S. K. C. Noninvasive diagnosis of left ventricular pseudoaneurysm by radioangiography and echography, 236
- ALVAREZ, A. (See Candell-Riera et al.), 281
- AMANN, FRANZ W., BURCKHARDT, DIETER, HASSE, JOACHIM, AND GRADEL, ERICH. Echocardiographic features of the correctly functioning St. Jude Medical valve prosthesis, 45
- AMSTERDAM, EZRA A., LASLETT, LAWRENCE J., DRESSENDORFER, RUDOLPH H., AND MASON, DEAN T. Exercise training in coronary heart disease: Is there a cardiac effect? 870
- , AND MASON, DEAN T. Coronary spasm: Old problems, new questions, 242
- (See Awan, Amsterdam, and Mason), 516
- (See Awan et al.), 386
- ANGELINI, PAOLO, SPRINGER, ARTHUR, SULBARAN, TULIO, AND LIVESAY, WILLIAM. Right ventricular myopathy with an unusual intraventricular conduction defect (epsilon potential), 680
- APTECAR, MOISES, GARZON, CARLOS A., OTEROY, VASQUEZ, ALBERTO, VARINI, SERGIO, COLLIA, LUIS, ESTEGUY, ALFREDO, AND CARUSO, SALVADOR. Hemodynamic effects of molsidomine vasodilator therapy in acute myocardial infarction, 369
- AREIAS, JOSE C., GOLDBERG, STANLEY J., AND DE VILLENEUVE, VOLKERT H. Use and limitations of time interval histogram output from echo Doppler to detect mitral regurgitation, 805
- ARIZA, RAUL. (See Estañol and Ariza), 864
- ARONOW, WILBERT S. Aggravation of angina pectoris by two percent carboxyhemoglobin, 154
- ARVAN, STEPHAN, AND DELAVERDAC, CLAUDE. Early echocardiographic changes in a patient with gonococcal endocarditis, 112
- ASHBURN, WILLIAM. (See Slutsky et al.), 414
- AWAN, NAJAM A., AMSTERDAM, EZRA A., AND MASON, DEAN T. Vasodilator therapy in acute myocardial infarction: Enhancement of cardiac function and potential to limit infarct size, 516 (Letter to Editor)
- , DEMARIA, ANTHONY N., MILLER, RICHARD R., AMSTERDAM, EZRA A., AND MASON, DEAN T. Beneficial effects of nitroprusside administration on left ventricular dysfunction and myocardial ischemia in severe aortic stenosis, 386
- , EVENSON, MARK K., NEEDHAM, KATHLEEN E., WIN, AUNG, AND MASON, DEAN T. Efficacy of oral angiotensin-converting enzyme inhibition with captopril therapy in severe chronic normotensive congestive heart failure, 22
- , LEE, GARRETT, DEMARIA, ANTHONY N., AND MASON, DEAN T. Ambulatory prazosin treatment of chronic congestive heart failure: Development of late tolerance reversible by higher dosage and interrupted substitution therapy, 541

- , AND MASON, DEAN T. Oral vasodilator therapy with prazosin in severe congestive heart failure, 695
- , NEEDHAM, KATHLEEN E., EVENSON, MARK K., WIN, AUNG, AND MASON, DEAN T. Hemodynamic actions of prenalterol in severe congestive heart failure due to chronic coronary disease, 158
- (See Low et al.), 713

B

- BAIRD, MICHAEL G. Left atrial myxoma causing fluttering of the posterior mitral leaflet, 851 (Brief comm.)
- BAKER, BONNIE J., MCNEE, VALERIE D., SCOVIL, JAMES A., BASS, KAYE M., WATSON, JOHN W., AND BISSETT, JOE K. Tricuspid insufficiency in carcinoid heart disease: An echocardiographic description, 107
- BALKE, C. WILLIAM, KAPLINSKY, ELIESER, MICHELSON, ERIC L., NAITO, MASAHITO, AND DREIFUS, LEONARD S. Reperfusion ventricular tachyarrhythmias: Correlation with antecedent coronary artery occlusion tachyarrhythmias and duration of myocardial ischemia, 449
- BALL, ROBERT M. (See Feldman et al.), 534
- BALTAR, ROMULO, MOWER, MORTON M., SALOMON, JOSEPH, AND LABIB, ATEF. Exertional ventricular tachycardia, 354
- BARZILAY, ZOHAR. (See Motro et al.), 679
- BASS, KAYE M. (See Baker et al.), 107
- BASSLER, T. J. Consideration of jogger's hematuria, 116 (Letter to Editor)
- BATTLER, ALEXANDER. (See Motro et al.), 679
- BAUERNFEIND, ROBERT A. (See Rosen et al.), 691
- (See Sobotka et al.), 753
- BAUMANN, GERT, RIESS, GOTTHARD, ERHARDT, WOLFGANG D., FELIX, STEPHAN B., LUDWIG, LIESEL, BLÜMEL, GÜNTHER, AND BLÖMER, HANS. Impaired beta-adrenergic stimulation in the uninvolved ventricle post-acute myocardial infarction: Reversible defect due to excessive circulating catecholamine-induced decline in number and affinity of beta-receptors, 569
- BECKER, LEWIS C. (See McDonnell, Becker, and Bulkley), 809
- BEHRENDT, DOUGLAS M. (See Byrum et al.), 352
- (See Dick et al.), 496
- BENNETT, MATTHEW. (See Garcia et al.), 783
- BENSON, WOODROW D. (See Davis et al.), 677
- BERGER, ROBERT L. (See Weiner et al.), 149
- BERMAN, DANIEL. (See Elkayam et al.), 657
- (See Garcia et al.), 783
- BERMAN, DANIEL S. (See Brachman et al.), 288
- (See Freeman et al.), 169
- BERMAN, JAY, HAFFAJEE, CHARLES I., AND ALPERT, JOSEPH S. Therapy of symptomatic pericarditis after myocardial infarction: Retrospective and prospective studies of aspirin, indomethacin, prednisone, and spontaneous resolution, 750
- BERTEL, OSMUND, BURKART, FELIX, AND BÜHLER, FRITZ R. Sustained effectiveness of chronic prazosin therapy in severe chronic congestive heart failure, 529
- BESOZZI, MYRWOD C. (See Rizi et al.), 347
- BHARATI, SAROJA, GRANSTON, ARTHUR S., LIEBSON, PHILIP R., LOEB, HENRY S., ROSEN, KENNETH M., AND LEV, MAURICE. The conduction system in mitral valve prolapse syndrome with sudden death, 667
- BISHOP, RICHARD L. (See Doi et al.), 234
- (See Sugiura et al.), 309
- BISSET, GEORGE S., III, SEIGEL, SELMA F., GAUM, WINSTON E., AND KAPLAN, SAMUEL. Chaotic atrial tachycardia in childhood, 268
- BISSETT, JOE K. (See Baker et al.), 107
- BLACKBURN, HENRY. (See Crow, Prineas, and Blackburn), 244
- BLACKLOCK, N. J. Reply, 116 (Letter to Editor)
- BLÖMER, HANS. (See Baumann et al.), 569
- BLÜMEL, GÜNTHER. (See Baumann et al.), 569
- BOEN, JAMES R. (See Gillum et al.), 689
- BOMMER, WILLIAM J. (See DeMaria, Bommer, and Mason), 514

*January, pp. 1-126; February, pp. 127-248; March, pp. 249-368; April, pp. 369-520; May, pp. 521-700; June, pp. 701-898.

- BONCHEK, LAWRENCE I. Current status of cardiac valve replacement: Selection of a prosthesis and indications for operation, 96
- BONISKE, CHARLES H., AND JAFFE, JEFFREY P. Spontaneous severe constrictive pericarditis in congenital afibrinogenemia: Mechanism, evaluation, and successful surgical treatment, 503
- BORTOLOTTI, UBERTO. (See Thiene et al.), 339
- BOUCHER, CHARLES A. (See Kirshenbaum et al.), 734
- BOVE, ALFRED A. (See Santamore et al.), 428
- BRACHMAN, MICHAEL B., ROZANSKI, ALAN, CHARUZI, YZHAR, MADDAHI, JAMSHID, WAXMAN, ALAN D., AND BERMAN, DANIEL S. Thallium-201 stress redistribution abnormalities of the right ventricle: A manifestation of proximal right coronary artery stenosis, 288
- BREZIS, MEIR, STALNIKOWICZ, RUTH, AND HASIN, JONATHAN. Beta blockade in congestive cardiomyopathy, 357 (Letter to Editor)
- BROCKMEIER, LOUIS B., ADOLPH, ROBERT J., GUSTIN, BYRON W., HOLMES, JOHN C., AND SACKS, JOEL G. Calcium emboli to the retinal artery in calcific aortic stenosis, 32
- BRUNELLI, CLAUDIO. (See Serneri et al.), 185
- BUCHBINDER, NEIL. (See Ganz et al.), 4
- (See Freeman et al.), 169
- BUCHELERES, H. GUNTHER. (See Goren et al.), 504
- BUGNI, WILLIAM J. (See Kralios et al.), 440
- BÜHLER, FRITZ R. (See Bertel, Burkart, and Bühler), 529
- BULKLEY, BERNADINE H. (See McDonnell, Becker, and Bulkley), 809
- BURCKHARDT, DIETER. (See Amann et al.), 45
- BURKART, FELIX. (See Bertel, Burkart, and Bühler), 529
- BURNAM, MICHAEL. (See Hecht et al.), 726
- , CROUCH, MARISA A., CHEW, CHRISTOPHER Y. C., CARNEGIE, WINIFRED, HECHT, HARVEY, AND SINGH, BRAMAH N. Detection of coronary disease patients at high risk for recurrent myocardial infarction by elevated plasma inactive creatine kinase B protein levels, 561
- BURRIS, ALFRED. (See Zatzuchi et al.), 674
- BYRUM, CRAIG J., ROCCHINI, ALBERT P., BEHRENDT, DOUGLAS M., DIMARCO, ROSS, AND CROWLEY, DENNIS. Transposition of the great arteries, right aortic arch, coarctation, and isolation of the left subclavian artery: Report of surgical therapy, 352
- (See Dick et al.), 496
- (See Weesner, Byrum, and Rosenthal), 622
- C
- CABIN, HENRY SCOTT, AND ROBERTS, WILLIAM C. Ebstein's anomaly of the tricuspid valve and prolapse of the mitral valve, 177
- , AND —. Quantification of amounts of coronary arterial narrowing in patients with types II and IV hyperlipoproteinemia and in those with known normal lipoprotein patterns, 52
- CANALE, JESUS M., SAHN, DAVID J., VALDES-CRUZ, LILLIAM M., ALLEN, HUGH D., GOLDBERG, STANLEY J., AND OVITT, THERON W. Accuracy of two-dimensional echocardiography in the detection of aneurysms of the ventricular septum, 255
- CANDELL-RIERA, J., FIGUERAS, J., VALLE, V., ALVAREZ, A., GUTIERREZ, L., CORTADELLAS, J., CINCA, J., SALAS, A., AND RIUS, J. Right ventricular infarction: Relationships between ST segment elevation in V_{4R} and hemodynamic, scintigraphic, and echocardiographic findings in patients with acute inferior myocardial infarction, 281
- CANNOM, DAVID S. (See Nademanee et al.), 759
- CAREY, RITA. (See Santamore et al.), 428
- CARLYLE, PETER F. (See Schwartz, Carlyle, and Cohn), 435
- CARNEGIE, WINIFRED. (See Burnam et al.), 561
- CARUSO, SALVADOR. (See Aptekar et al.), 369
- CERETTO, WILLIAM J., MILLER, MICHAEL L., SHEA, PEDER M., GREGORY, C. W., AND VIEWEG, W. V. R. Malignant mesenchymoma obstructing the right ventricular outflow tract, 114
- CHANDARLAPATY, S. K. C. (See Alter et al.), 236
- CHARUZI, YZHAR. (See Brachman et al.), 288
- (See Ganz et al.), 4
- CHEN, CHUNG-HSIUNG, SAKURAI, TSUNETARO, FUJITA, MASATOSHI, NOBUYOSHI, MASAKIYO, AND KAWAI, CHUICHI. Transient intraventricular conduction disturbances in hypertrophic obstructive cardiomyopathy, 672
- CHEW, CHRISTOPHER Y. (See Hecht et al.), 726
- (See Burnam et al.), 561
- CHIERCHIA, SERGIO. (See Serneri et al.), 185
- CHILD, JOHN S., KRIVOKAPICH, JANINE, PERLOFF, JOSEPH K. Effect of left ventricular size on mitral E point to ventricular septal separation in assessment of cardiac performance, 797
- CHRISTIANSEN, CLAUS. (See Grande et al.), 582
- CHUN, PATRICK K. C., ROCCHINI, ALBERT P., GIBBS, HARRY R., ROBINOWITZ, MAX, GREEN, DAVID, AND VIRMANI, RENU. Pannus formation in a Hancock-valved conduit resulting in proximal intraconduit obstruction: Late complication of Rastelli procedure for complete transposition of the great vessels with ventricular septal defect and pulmonic stenosis, 855 (Brief comm.)
- CINCA, J. (See Candell-Riera et al.), 281
- CIPRIANO, PAUL R., KOCH, FRANCIS H., ROSENTHAL, STEVEN J., AND SCHROEDER, JOHN S. Clinical course of patients following the demonstration of coronary artery spasm by angiography, 127
- CLARK, DAVID G. (See Greves et al.), 300
- COHN, JAY N. (See Schwartz, Carlyle, and Cohn), 435
- COLLIA, LUIS. (See Aptekar et al.), 369
- COMA-CANELLA, ISABEL, LOPEZ-SENDON, JOSE, AND OLIVER, JOSE. Premature pulmonic valve opening and inverted septal convexity in acute ischemic right ventricular dysfunction, 684
- COMESS, KEITH A., FENSTER, PAUL E., EWY, GORDON A., AND COPELAND, JACK G. Late thrombotic occlusion of a Björk-Shiley valve producing hemolysis without hemodynamic compromise, 112
- CONNOR, THOMAS M. (See Maron, Connor, and Roberts), 857
- CONTI, C. RICHARD. (See Pepine et al.), 719
- COPELAND, JACK G. (See Comess et al.), 112
- CORDAY, ELIOT. (See Fishbein et al.), 593
- (See Garcia et al.), 783
- CORDAY, STEPHEN. (See Garcia et al.), 783
- CORTADELLAS, J. (See Candell-Riera et al.), 281
- COSGROVE, DELOS M., III (See Loop et al.), 86
- COSIO, FRANCISCO G., SÁNCHEZ, ANTONIO, VIDAL, JOSÉ M., IGLESIAS, JAVIER, AND GARCIA-MARTINEZ, JESÚS. Preexcitation patterns in hypertrophic cardiomyopathy, 233
- COSTAS, PAUL, JR. (See Sorlie et al.), 456
- COTOI, S. Precordial thump and termination of cardiac reentrant tachyarrhythmias, 675
- COTTRILL, CAROL M. (See Johnson et al.), 612
- COVARRUBIAS, EDGAR A. (See Sheikh et al.), 37
- COVELL, JAMES W. (See Ryan et al.), 162
- COWLEY, MICHAEL J., VETROVEC, GEORGE W., AND WOLFGANG, TIMOTHY C. Efficacy of percutaneous transluminal coronary angioplasty: Technique, patient selection, salutary results, limitations and complications, 272
- CRAIG, M. W. MILLAR. (See Subramanian et al.), 849
- CREAGER, MARK A. (See Faxon et al.), 548
- CROSSLEY, KENT B. (See Lofgren, Nelson, and Crossley), 502
- CROUCH, MARISA A. (See Burnam et al.), 561
- CROW, RICHARD, PRINEAS, RONALD, AND BLACKBURN, HENRY. The prognostic significance of ventricular ectopic beats among the apparently healthy, 244
- CROWLEY, DENNIS. (See Byrum et al.), 352
- CURRY, R. CHARLES. (See Pepine et al.), 719
- CUTLER, SALLY S. (See Weiner et al.), 149
- D
- DALEN, JAMES E., AND HICKLER, ROGER B. Oral contraceptives and cardiovascular disease, 626
- DANILEWITZ, MERVYN, MCKIBBIN, J., AND DERMAN, DENNIS. Cessation of gastrointestinal bleeding after valve replacement of aortic stenosis, 686 (Letter to Editor)

- DANILOWICZ, DELORES, ISOM, A. WAYNE, AND WHIDDON, LONNI. Superior vena caval syndrome after Mustard repair: Surgical decompression using a saphenous vein homograft, 862 (Brief comm.)
- DAVIES, A. B. (See Subramanian et al.), 849
- DAVIS, DWIGHT, PRITCHETT, EDWARD L. C., KLEIN, GEORGE J., BENSON, D. WOODROW, AND GALLAGHER, JOHN J. Persistent left superior vena cava in patients with congenital atrioventricular preexcitation conduction abnormalities, 677
- DAWKINS, K. D., AND GIBSON, D. G. Asymmetric septal hypertrophy in conditions other than hypertrophic cardiomyopathy, 865 (Letter to Editor)
- DEBAKEY, MICHAEL E. (See Reduto et al.), 59
- DELAVERDAD, CLAUDE. (See Arvan and Delaverdad), 112
- DEL MASCHIO, ALESSANDRO. (See Thiene et al.), 339
- DELUCA, MARLENE. (See Ryan et al.), 162
- DEMARIA, ANTHONY N., BOMMER, WILLIAM J., AND MASON, DEAN T. Evaluation of cardiac performance and pressures by ultrasound: Past promises and future potentials, 514 (Letter to Editor)
- (See Awan et al.), 386, 541
- (See Low et al.), 713
- DEMOTS, HENRY. (See Greves et al.), 300
- DENES, PABLO. (See Goren et al.), 504
- DERMAN, DENNIS. (See Danilewitz, McKibbin, and Derman), 686
- DE VILLENEUVE, VOLKERT H. (See Areias, Goldberg, and de Villeneuve), 805
- DIAMOND, MORTON A. (See Jacobs et al.), 346
- DICK, MACDONALD, BEHRENDT, DOUGLAS M., BYRUM, CRAIG J., SEALY, WILL C., STERN, AARON M., HEES, PAUL, AND ROSENTHAL, AMNON. Tricuspid atresia and the Wolff-Parkinson-White Syndrome: Evaluation methodology and successful surgical treatment of the combined disorders, 496
- DI MARCO, ROSS. (See Byrum et al.), 352
- DI SESSA, THOMAS G., HAGAN, ARTHUR D., ISABEL-JONES, JOSEPHINE B., TI, CHING C., MERCIER, JEAN C., FRIEDMAN, WILLIAM F., SAMTQY, LINDA, AND STERNLIGHT, BARBARA. Two-dimensional echocardiographic evaluation of discrete subaortic stenosis from the apical long axis view, 774
- DITCHEY, ROY V., WATKINS, JOHN, MCKIRNAN, M. DAN, AND FROELICHER, VICTOR. Effects of exercise training on left ventricular mass in patients with ischemic heart disease, 701
- DOI, YOSHINORI L., SUGIURA, TETSURO, BISHOP, RICHARD L., AND SPODICK, DAVID H. Syncope electrical alternans, 234
- (See Sugiura et al.), 309
- DORSEE, JOHN R. The hypertrophic heart syndromes: A glance at the chromosome, 124 (Letter to Editor)
- DOVE, HENRY G. (See Hughes et al.), 408
- DOWNING, S. EVANS. (See Frupp, Lee, and Downing), 17
- DREIFUS, LEONARD S. (See Balke et al.), 449
- DRESSENDORFER, RUDOLPH H. (See Amsterdam et al.), 870
- DUTHIE, EDMUND H., JR., AND GAMBERT, STEVEN R. Anemia and cardiac disease in the elderly, 240 (Letter to Editor)
- E**
- ELKAYAM, URI, WEINSTEIN, MARK, BERMAN, DANIEL, MADDAHI, JAMSHID, STANILOFF, HOWARD, FREEMAN, MICHAEL, WAXMAN, ALAN, SWAN, H. J. C., AND FORRESTER, JAMES. Stress thallium-201 myocardial scintigraphy and exercise technetium ventriculography in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination, 657
- ENGLER, ROBERT L., AND LEWINTER, MARTIN. Tocainide-induced ventricular fibrillation, 494
- ERHARDT, WOLFGANG D. (See Baumann et al.), 569
- ESTANOL, BRUNO, AND ARIZA, RAUL. Detection and mechanisms of arrhythmogenic epilepsy, 864 (Letter to Editor)
- ESTEGUY, ALFREDO. (See Aptekar et al.), 369

- ETEMADI, NASROLLAH. (See Gillum et al.), 689
- EVEMY, KEITH, AND HUNTER, A. STEWART. 2D echo position of septal tricuspid leaflet in Ebstein's anomaly and normal hearts, 358 (Letter to Editor)
- EVENSON, MARK K. (See Awan et al.), 22, 158
- EWY, GORDON A. (See Comess et al.), 112

F

- FAVILLA, STEFANIA. (See Seneri et al.), 185
- FAXON, DAVID P., HALPERIN, JONATHAN L., CREAGER, MARK A., GAVRAS, HARALAMBOS, SCHICK, EDGAR C., AND RYAN, THOMAS J. Angiotensin inhibition in severe heart failure: Acute central and limb hemodynamic effects of captopril with observations on sustained oral therapy, 548
- FEINSTEIN, ALVAN R. (See Hughes et al.), 408
- FELDMAN, LINDA. (See Goldberg et al.), 793
- FELDMAN, ROBERT C., BALL, ROBERT M., WINCHESTER, MARK A., JAILLON, PATRICK, KATES, ROBERT E., AND HARRISON, DONALD C. Beneficial hemodynamic response to chronic prazosin therapy in congestive heart failure, 534
- FELDMAN, ROBERT L. (See Pepine et al.), 719
- FELIX, STEPHAN B. (See Baumann et al.), 569
- FENSTER, PAUL E. (See Comess et al.), 112
- FERGUSON, ROGER K., AND VLASSES, PETER H. Clinical pharmacology and therapeutic applications of the new oral angiotensin converting enzyme inhibitor, captopril, 650
- FIGUERAS, J. (See Candell-Riera et al.), 281
- FISHBEIN, MICHAEL C., MEERBAUM, SAMUEL, RIT, JACOB, LANDO, ULF, KANMATSUSE, KATSUO, MERCIER, JEAN C., CORDAY, ELIOT, AND GANZ, WILLIAM. Early phase acute myocardial infarct size quantification: Validation of the triphenyl tetrazolium chloride tissue enzyme staining technique, 593
- (See Ganz et al.), 4
- FONTAINE, GUY H. (See Marcus et al.), 480
- FORMOLO, JOHN M., GIRALDO, ALVARO, AND SHORS, CLAYTON M. Fatal pulmonary embolism from massive right atrial thrombus post-coronary artery bypass surgery, 510
- FORRESTER, JAMES. (See Elkayam et al.), 657
- (See Freeman et al.), 169
- FRANCIOSE, JOSEPH A., AND HECKEL, RICHARD. Significance of hypotension preceding fatal ventricular tachyarrhythmias in post-coronary obstruction sudden death, 421
- FRANK, ROBERT. (See Marcus et al.), 480
- FREEMAN, MICHAEL. (See Elkayam et al.), 657
- , BERMAN, DANIEL S., STANILOFF, HOWARD M., WAXMAN, ALAN D., MADDAHI, JAMSHID, BUCHBINDER, NEIL A., FORRESTER, JAMES S., AND SWAN, H. J. C. Improved assessment of inferior segmental wall motion by the addition of a 70 degree left anterior oblique view in multiple gated equilibrium scintigraphy, 169
- FRESCURA, CARLA. (See Thiene et al.), 339
- FRIEDMAN, GARY D. Cigarette smoking and coronary disease, 357 (Letter to Editor)
- FRIEDMAN, WILLIAM F. (See DiSessa et al.), 774
- FRIPP, RAYMOND R., LEE, JOHN C., AND DOWNING, S. EVANS. Inotropic responsiveness of the heart in catecholamine cardiomyopathy, 17
- FROELICHER, VICTOR. (See Ditchey et al.), 701
- FUCHS, RICHARD M., AND ACHUFF, STEPHEN C. Auscultatory findings of mitral prolapse mimicking aortic stenosis and regurgitation, 351
- FUJIMI, SATORU. (See Mitsuake et al.), 683
- FUJIMOTO, KAZUHIRO. (See Kambara et al.), 230
- FUJIMOTO, TOSHIFUMI, PETER, THOMAS, AND MANDEL, WILLIAM J. Electrophysiologic and hemodynamic actions of diltiazem: Disparate temporal effects shown by experimental dose-response studies, 403
- FUJITA, MASATOSHI. (See Chen et al.), 672
- FUJITA, TOSHIRO, YAMASHITA, NOBUKI, AND YAMASHITA, KAMEJIRO. Effects of angiotensin-converting enzyme inhibition on blood pressure and plasma renin activity in essential hypertension, 259

G

- GADEKAR, H. A. (See Sharma, Nair, and Gadekar), 500
 GALLAGHER, JOHN J. (See Davis et al.), 677
 —. (See Hammill et al.), 263
 —. (See Pritchett, McNamara, and Gallagher), 864
 GALLAGHER, KIM P. (See Osakada et al.), 707
 GAMBERT, STEVEN R. (See Duthie and Gambert), 240
 GANZ, WILLIAM, BUCHBINDER, NEIL, MARCUS, HAROLD, MOND-
 KAR, AVINASH, MADDAHI, JAMSHID, CHARUZI, YZHAR,
 O'CONNOR, LAWRENCE, SHELL, WILLIAM, FISHBEIN,
 MICHAEL C., KASS, ROBERT, MIYAMOTO, ALFONSO,
 AND SWAN, H. J. C. Intracoronary thrombolysis in
 evolving myocardial infarction, 4
 —. (See Fishbein et al.), 593
 GARCIA, ERNEST, GUERET, PASCAL, BENNETT, MATTHEW, COR-
 DAY, ELIOT, ZWEHL, WERNER, MEERBAUM, SAMUEL,
 CORDAY, STEPHEN, SWAN, H. J. C., AND BERMAN,
 DANIEL. Real time computerization of two-dimen-
 sional echocardiography, 783
 GARCIA-MARTINEZ, JESUS. (See Cosio et al.), 233
 GARCIA-PALMIERI, MARIO R. (See Sorlie et al.), 456
 GARZON, CARLOS A. OTEROY. (See Aptekar et al.), 369
 GAUM, WINSTON E. (See Bisset et al.), 268
 GAVRAS, HARALAMBOS. (See Faxon et al.), 548
 GENSINI, GIAN FRANCO. (See Serneri et al.), 185
 GERBER, KENNETH. (See Slutsky et al.), 414
 GIBBS, HARRY R. (See Chun et al.), 855
 GIBSON, D. G. (See Dawkins and Gibson), 865
 GIFFORD, RAY W., JR. (See Hughes et al.), 408
 GILLUM, RICHARD F., ETEMADI, NASROLLAH, BOEN, JAMES R.,
 KEBEDE, JOSEPH, AND PRINEAS, RONALD J. Cost
 effectiveness of home vs clinic blood pressure measure-
 ments, 689 (Letter to Editor)
 GILPIN, ELIZABETH A. (See Ryan et al.), 162
 GIRALDO, ALVARO. (See Formolo, Giraldo, and Shors), 510
 GLASSER, STEPHEN P. Bayes' theorem in perspective: Toward
 improved interpretation of the exercise test, 116 (Let-
 ter to Editor)
 GOLDBERG, STANLEY J., VALDES-CRUZ, LILLIAM M., FELDMAN,
 LINDA, SAHN, DAVID J., AND ALLEN, HUGH D. Range
 gated Doppler ultrasound detection of contrast echo-
 graphic microbubbles for cardiac and great vessel
 blood flow patterns, 793
 —. (See Areias, Goldberg, and de Villeneuve), 805
 —. (See Canale et al.), 255
 GOLDRYER, BRUCE N. (See Nademanee et al.), 759
 GONDA, NOBUYUKI. (See Takagi et al.), 852
 GOREN, CAROLYN, SANTUCCI, BARBARA A., BUCHELERES, H.
 GUNTHER, AND DENES, PABLO. Chronic recurrent
 ectopic junctional tachycardia resembling triggered
 automaticity in mitral valve prolapse syndrome, 504
 GORFINKEL, H. JOEL. (See Klaus et al.), 110
 GOTTO, ANTONIO M., JR. (See Hartung, Squires, and Gotto),
 181
 GRÄDEL, ERICH. (See Amann et al.), 45
 GRAHAM, BRUCE W. (See Klaus et al.), 110
 GRANDE, PEER, HANSEN, BIRGIT FISCHER, CHRISTIANSEN,
 CLAUD, AND NAESTOFT, JØRGEN. Acute myocardial
 infarct size estimated by serum CK-MB determina-
 tions: Clinical accuracy and prognostic relevance uti-
 lizing a practical modification of the isoenzyme
 approach, 582
 GRANSTON, ARTHUR S. (See Bharati et al.), 667
 GREEN, DAVID. (See Chun et al.), 855
 GREENBERG, BARRY. (See Greves et al.), 300
 GREENGART, ALVIN, HOLLANDER, GERALD M., LICHSTEIN,
 EDGAR, AND SANDERS, MICHAEL R. Right ventricular
 outflow obstruction in acute myocardial infarction,
 350
 GREGORY, C. W. (See Ceretto et al.), 114
 GREHL, TODD M. (See Klein et al.), 292
 GREVES, JOHN, RAHIMTOOLA, SHAHBUDIN H., MCANULTY, JOHN
 H., DEMOTS, HENRY, CLARK, DAVID G., GREENBERG,
 BARRY, AND STARR, ALBERT. Preoperative criteria
 predictive of late survival following valve replacement
 for severe aortic regurgitation, 300
 GROSE, RICHARD, AND SPINDOLA-FRANCO, HUGO. Right ventric-
 ular dysfunction in acute ventricular septal defect,
 67
 GROSGOGEAT, YVES. (See Marcus et al.), 480

- GUERET, PASCAL. (See Garcia et al.), 783
 GUSTIN, BYRON W. (See Brockmeier et al.), 32
 GUTIERREZ, L. (See Candell-Riera et al.), 281

H

- HAFFAJEE, CHARLES I. (See Berman, Haffajee, Alpert), 750
 HAFPTY, BRUCE G. (See Sugiyama et al.), 309
 HAGAN, ARTHUR D. (See DiSessa et al.), 774
 HAIAT, ROBERT. Post-myocardial infarction constrictive pericar-
 ditis, 358 (Letter to Editor)
 HALPERIN, JONATHAN L. (See Faxon et al.), 548
 HAMBY, ROBERT I. Hereditary aspects of coronary artery disease,
 639
 HAMER, ANGAS, PETER, THOMAS, PLATT, MARC, AND MANDEL,
 WILLIAM J. Effects of verapamil on supraventricular
 tachycardia in patients with overt and concealed
 Wolff-Parkinson-White syndrome, 600
 HAMMILL, STEPHEN C., PRITCHETT, EDWARD L. C., KLEIN,
 GEORGE J., AND GALLAGHER, JOHN J. A comparison of
 clinical electrophysiologic studies in different institu-
 tions, 263
 HANSEN, BIRGIT FISCHER. (See Grande et al.), 582
 HARRISON, DONALD C. (See Feldman et al.), 534
 —. (See Schwartz et al.), 380
 HARTUNG, G. HARLEY, SQUIRES, WILLIAM G., AND GOTTO,
 ANTONIO M., JR. Effect of exercise training on plasma
 high-density lipoprotein cholesterol in coronary dis-
 ease patients, 181
 HASIN, JONATHAN. (See Brezis, Stalniewicz, and Hasin), 357
 HASSE, JOACHIM. (See Amann et al.), 45
 HASTREITER, ALOIS R. (See van der Horst, and Hastreiter), 345
 HAVLIK, RICHARD J. (See Sorlie et al.), 456
 HAYDEN, MOLLY T. (See Steinberg and Hayden), 461
 HECHT, HARVEY. (See Burnam et al.), 561
 —, CHEW, CHRISTOPHER Y., BURNAM, MICHAEL, SCHNUGG,
 STEPHEN J., HOPKINS, JAMES M., AND SINGH, BRA-
 MAH N. Radionuclide ejection fraction and regional
 wall motion during atrial pacing in stable angina
 pectoris: Comparison with metabolic and hemody-
 namic parameters, 726
 —, TAYLOR, RICHARD, WONG, MAYLENE, AND SHAH, PRAVIN M.
 Comparative evaluation of segmental asynergy in
 remote myocardial infarction by radionuclide angiog-
 raphy, two-dimensional echocardiography, and con-
 trast ventriculography, 740
 HECKEL, RICHARD. (See Franciosa and Heckel), 421
 HEES, PAUL. (See Dick et al.), 496
 HENDRICKSON, JO ANN. (See Nademanee et al.), 759
 HEYMANN, MICHAEL A. Pharmacologic use of prostaglandin E, in
 infants with congenital heart disease, 837
 HICKLER, ROGER B. (See Dalen and Hickler), 626
 HIGGINS, JAMES E. (See Zmyslinski et al.), 586
 HIRATA, TSUNEO. (See Koiwaya et al.), 507
 HODSDEN, JAMES, AND NANDA, NAVIN C. Dissecting aneurysm of
 the ventricular septum following acute myocardial
 infarction: Diagnosis by real time two-dimensional
 echocardiography, 671
 HOLFORD, FRED. (See Wilson et al.), 249
 HOLLANDER, GERALD M. (See Greengart et al.), 350
 HOLMES, JOHN C. (See Brockmeier et al.), 32
 HOOPER, WAYNE. (See Slutsky et al.), 414
 HOPKINS, JAMES M. (See Hecht et al.), 726
 HORAN, MICHAEL J., PADGETT, NEIL E., AND KENNEDY, HAROLD
 L. Ambulatory blood pressure monitoring: Recent
 advances and clinical applications, 843
 HORTON, JACK D. (See Sotolongo and Horton), 853
 HORWITZ, LAWRENCE D. (See O'Rourke and Horwitz), 769
 HOSEA, STEPHEN W. Virulent *Streptococcus viridans* bacterial
 endocarditis, 174
 HUGHES, JOHN S., DOVE, HENRY G., GIFFORD, RAY W., JR., AND
 FEINSTEIN, ALVAN R. Duration of blood pressure
 elevation in accurately predicting surgical cure of
 renovascular hypertension, 408
 HUNG, JUI-SUNG. (See Wu, Hung, and Kuo), 521
 HUNTER, A. STEWART. (See Every and Hunter), 358

I

- IGLESIAS, JAVIER. (See Cosio et al.), 233
 INOU, TETSUJI. (See Mitsutake et al.), 683

- IRVIN, WILLIAM S. (See Wanner and Irvin), 687
ISABEL-JONES, JOSEPHINE B. (See DiSessa et al.), 774
ISOM, A. WAYNE. (See Danilowicz, Isom, and Whiddon), 862

J

- JACKSON, GRAHAM. (See Schwartz et al.), 380
JACOBS, LAWRENCE J., KERZNER, JAY S., DIAMOND, MORTON A., AND SPRUNG, CHARLES L. Myopotential inhibition of demand pacemakers: Detection of ambulatory electrocardiography, 346
JAFEE, JEFFREY P. (See Boniske and Jaffe), 503
JAILLON, PATRICE. (See Feldman et al.), 534
JOHNSON, GREGORY L., TWYMAN, ROY E., TODD, EDWARD P., COTTRILL, CAROL M., AND NOONAN, JACQUELINE A. Echocardiographic classification of complete atrioventricular canal defects, 612
JOUVE, ANDRE. (See Puddu et al.), 118
JOUVE, REMY. (See Puddu et al.), 118

K

- KAMBARA, HIROFUMI, FUJIMOTO, KAZUHIRO, WAKABAYASHI, AKIRA, AND KAWAI, CHUICHI. Primary pulmonary hypertension: Beneficial therapy with diltiazem, 230
KANAKIS, CHARLES. (See Sobotka et al.), 753
KANMATSUSE, KATSUO. (See Fishbein et al.), 593
KANNEL, WILLIAM B. Update on the role of cigarette smoking in coronary artery disease, 319
KANO, SHOGA. (See Takagi et al.), 852
KANON, DONNA. (See Reduto et al.), 59
KAPLAN, NORMAN M. Whom to treat: The dilemma of mild hypertension, 867
KAPLAN, SAMUEL. (See Bisset et al.), 268
KAPLINSKY, ELIESER. (See Balke et al.), 449
KARLINER, JOEL. (See Slutsky et al.), 414
— (See Ryan et al.), 162
KASS, ROBERT. (See Ganz et al.), 4
KATES, ROBERT E. (See Feldman et al.), 534
— (See Schwartz et al.), 380
KATZ, MURRAY A. (See Mukherjee et al.), 313
KAWAI, CHUICHI. (See Chen et al.), 672
— (See Kambara et al.), 230
— (See Matsumori et al.), 14
KEBEDE, JOSEPH. (See Gillum et al.), 689
KEIL, JULIAN E. (See Zmyslinski et al.), 586
KEMPER, W. SCOTT. (See Osakada et al.), 707
KENNEDY, HAROLD L. (See Horan, Padgett, and Kennedy), 843
KERZNER, JAY S. (See Jacobs et al.), 346
KESSLER, KENNETH M. (See Mehta et al.), 231
KESSLER, RHONDA M. (See Mehta et al.), 231
KEYES, JOHN W., JR. (See Rizi et al.), 347
KIKUCHI, YUTAKA. (See Mitsutake et al.), 683
KIRSCHENBAUM, HOWARD D., OKADA, ROBERT D., BOUCHER, CHARLES A., KUSHNER, FREDERICK G., STRAUSS, H. WILLIAM, AND POHOST, GERALD M. Relationship of thallium-201 myocardial perfusion pattern to regional and global left ventricular function with exercise, 734
KISHON, Y. (See Motro et al.), 229
KLAUS, ANDREW P., GORFINKEL, H. JOEL, LEMMO, JOHN J., AND GRAHAM, BRUCE W. Early coronary graft thrombosis following surgery for Prinzmetal's angina: Treatment with nifedipine and thrombolysis, 110
KLEIN, GEORGE J. (See Davis et al.), 677
— (See Hammill et al.), 263
KLEIN, RICHARD C., GREHL, TODD M., STENGERT, KRZYSZTOF B., AND MASON, DEAN T. Evaluation of the effects of systemic nitroglycerin on perfusion of ischemic myocardium in coronary heart disease assessed intraoperatively by antegrade blood flow through intact saphenous vein bypass grafts, 292
KLINE, ROBERT C. (See Rizi et al.), 347
KOC, FRANCIS H. (See Cipriano et al.), 127
KOIWAYA, YASUSHI, NAKAMURA, MOTOOMI, MITSUTAKE, ARAHITO, TANAKA, SENICHI, AND TAKESHITA, AKIRA. Increased exercise tolerance after oral diltiazem, a calcium antagonist, in angina pectoris, 143

- , WATANABE, KUNIHIRO, ORITA, YASUHIKO, NAKAMURA, MOTOMI AND HIRATA, TSUNEO. Contrast two-dimensional echocardiography in diagnosis of tricuspid atresia, 507
KRALIOS, ALEXANDROS C., BUGNI, WILLIAM J., McDONNELL, MARY ANN, TSAGARIS, THEOFILOU J., AND KUIDA, HIROSHI. Dependence of ventricular fibrillation propensity on coronary blood flow without myocardial ischemia, 440
KRISHNASWAMI, VENKATARAMAN, MURPHY, JUDITH H., AND SHREINER, DAVID P. Exercise-induced coronary spasm: Role of myocardial scintigraphy in noninvasive detection, 511 (Letter to Editor)
KRIVOKAPICH, JANINE. (See Child, Krivokapich, and Perloff), 797
KUIDA, HIROSHI. (See Kralios et al.), 440
KUMADA, TOSHIKI. (See Osakada et al.), 707
KUO, CHI-TAI. (See Wu, Hung, and Kuo), 521
KUSHNER, FREDERICK G. (See Kirshenbaum et al.), 734

L

- LABIB, ATEF. (See Baltazar et al.), 354
LACKLAND, DANIEL T. (See Zmyslinski et al.), 586
LANDO, ULF. (See Fishbein et al.), 593
LARAGH, JOHN H. Anti-renin system therapy: A new horizon for understanding and treating hypertension, 364 (Letter to Editor)
LASLETT, LAWRENCE J. (See Amsterdam, Laslett, and Mason), 870
LAWRIE, GERALD M. (See Reduto et al.), 59
LEE, GARRETT, AND MASON, DEAN T. Percutaneous transluminal coronary recanalization: A new approach to acute myocardial infarction therapy with the potential for widespread application, 121 (Letter to Editor)
— (See Awan et al.), 541
— (See Low et al.), 713
LEE, IHN P. (See Rizi et al.), 347
LEE, JOHN C. (See Fripp, Lee, and Downing), 17
LEE, WON RO. (See Sheikh et al.), 37
LEFER, ALLAN M. (See Smith and Lefer), 394
LEIJALA, MAURI A., LINCOLN, CHRISTOPHER R., SHINBOURNE, ELLIOTT A., AND NELLEN, MAURICE. A rare congenital cardiac malformation with situs inversus and discordant atrioventricular and concordant ventricular arterial connections: Diagnosis and surgical treatment, 355
LEMMO, JOHN J. (See Klaus et al.), 110
LEV, MAURICE. (See Bharati et al.), 667
LEWINTER, MARTIN. (See Engler and LeWinter), 494
LEWIS, MICHAEL E. (See Alter et al.), 236
LICHSTEIN, EDGAR. (See Greengart et al.), 350
LIEBSON, PHILIP R. (See Bharati et al.), 667
LINCOLN, CHRISTOPHER R. (See Leijala et al.), 355
LIVESAY, WILLIAM R. (See Angelini et al.), 680
LOEB, HENRY S. (See Bharati et al.), 667
LOFGREN, RICHARD P., NELSON, AVERIL E., AND CROSSLEY, KENT B. Prosthetic valve endocarditis due to *Archaeobacter xylosoxidans*, 502
LOOP, FLOYD D., SHELTON, WILLIAM C., LYTLE, BRUCE W., COSGROVE, DELOS M., III, AND PROUDFIT, WILLIAM L. The efficacy of coronary artery surgery, 86
LOPEZ-SENDON, JOSE. (See Coma-Canella, Lopez-Sendon, and Oliver), 684
LOW, REGINALD I., TAKEDA, PATRICIA, LEE, GARRETT, MASON, DEAN T., AWAN, NAJAM A., AND DEMARIA, ANTHONY N. Effects of diltiazem-induced calcium blockade upon exercise capacity in effort angina due to chronic coronary artery disease, 713
LOWN, BERNARD. (See Podrid and Lown), 374
LUDWIG, LIESEL. (See Baumann et al.), 569
LYTLE, BRUCE W. (See Loop et al.), 86

M

- MADDAHI, JAMSHID. (See Brachman et al.), 288
— (See Elkayam et al.), 657
— (See Freeman et al.), 169
— (See Ganz et al.), 4
MANDEL, WILLIAM J. (See Fujimoto, Peter, and Mandel), 403
— (See Hamer et al.), 600

- MANTLE, JOHN A. (See Rackley et al.), 75, 215
- MARCUS, FRANK I., FONTAINE, GUY H., FRANK, ROBERT, AND GROSOGGEAT, YVES. Clinical pharmacology and therapeutic applications of the antiarrhythmic agent, amiodarone, 480
- MARCUS, HAROLD. (See Ganz et al.), 4
- MARDINI, M. K., SAKATI, N. A., AND NYHAN, W. L. Anomalous left pulmonary venous drainage to the inferior vena cava and through the pericardiophrenic vein to the innominate vein: Left-sided Scimitar syndrome, 860 (Brief comm.)
- MARON, BARRY J., CONNOR, THOMAS M., AND ROBERTS, WILLIAM C. Hypertrophic cardiomyopathy and complete heart block in infancy, 857 (Brief comm.)
- MASON, DEAN T. The AMERICAN HEART JOURNAL: Enhanced service to the cardiovascular community, 1
- (See Amsterdam et al.), 870
- (See Amsterdam and Mason), 242
- (See Awan, Amsterdam, and Mason), 516
- (See Awan and Mason), 695
- (See Awan et al.), 22, 158, 386, 541
- (See DeMaria, Bommer, and Mason), 514
- (See Klein et al.), 292
- (See Lee and Mason), 121
- (See Low et al.), 713
- (See Vera and Mason), 329
- MATHEWSON, FRANCIS A. L. (See Rabkin, Mathewson, and Tate), 135
- MATSUMORI, AKIRA, KAWAI, CHUICHI, TERASAKI, PAUL I., WAKABAYASHI, AKIRA, SAKURAMI, TAKEHIKO, AND UENO, YUKIO. HLA-DRW4 antigen linkage in patients with hypertrophic obstructive cardiomyopathy, 14
- MAYER, JOSEPH H. (See Sobotka et al.), 753
- MCANULTY, JOHN H. (See Greves et al.), 300
- MCCABE, CAROLYN H. (See Weiner et al.), 149
- MCDONNELL, MARY ANN. (See Kralios et al.), 440
- MCDONNELL, PETER J., BECKER, LEWIS C., AND BULKLEY, BERNADINE H. Thallium imaging in cardiac lymphoma, 809
- McKIBBIN, J. (See Danilewitz, McKibbin, and Derman), 686
- McKIRNAN, M. DAN. (See Ditchey et al.), 701
- McNAMARA, JAMES O. (See Pritchett, McNamara, and Gallagher), 864
- MCNEE, VALERIE D. (See Baker et al.), 107
- MEERBAUM, SAMUEL. (See Fishbein et al.), 593
- (See Garcia et al.), 733
- MEHTA, ASHOK K., KESSLER, KENNETH M., TAMER, DOLORES, PEFKAROS, KYRIACOS, KESSLER, RHONDA M., AND MEERBAUM, SAMUEL. Two-dimensional echographic observation in major detachment of prosthetic aortic valve, 231
- MERCIER, JERRY C. (See DiSessa et al.), 774
- (See Fishbein et al.), 593
- MICHAEL, ULRICH F. (See Mukherjee et al.), 319
- MICHELSON, ERIC L. (See Balke et al.), 449
- MILLER, MICHAEL L. (See Ceretto et al.), 114
- MILLER, RICHARD R. (See Awan et al.), 386
- (See Reduto et al.), 59
- MITSUTAKE, ARAHITO, NAKAMURA, MOTOOMI, INOU, TETSUJI, KIKUCHI, YUTAKA, TAKESHITA, AKIRA, AND FUJIMI, SATORU. Intense, persistent myocardial avid technetium-99m-pyrophosphate scintigraphy in acute myocarditis, 683
- (See Koiwaya et al.), 143
- MIYAMOTO, ALFONSO. (See Ganz et al.), 4
- MIYATA, KATSUNOBU. (See Takagi et al.), 852
- MONDKAR, AVINASH. (See Ganz et al.), 4
- MOSER, KENNETH. (See Slutsky et al.), 414
- MOSER, MARVIN. "Less severe" hypertension: Should it be treated, 465
- MOTRO, M., KISHON, Y., SHEM-TOV, A., AND NEUFELD, H. N. Identification of a tricuspid valve in the mitral position in corrected transposition of the great vessels by cross-sectional echocardiography, 229
- , BARZILAY, ZOHAR, SCHNEEWEISS, ADAM, BATTLER, ALEXANDER, SHEM-TOV, ABRAHAM, AND NEUFELD, HENRY N. Isolated right ventricular infarction and aneurysm due to blunt chest trauma: Value of two-dimensional echocardiography and radionuclide angiography, 679
- MOWER, MORTON M. (See Baltazar et al.), 354
- MUGNAINI, CRISTINA. (See Serner et al.), 185
- MUKHERJEE, SUNITI KUMAR, KATZ, MURRAY A., MICHAEL, ULRICH F., AND OGDEN, DAVID A. Mechanisms of hemodynamic actions of furosemide: Differentiation of vascular and renal effects on blood pressure in functionally anephric hypertensive patients, 313
- MURPHY, JUDITH H. (See Krishnaswami, Murphy, and Shreiner), 511
- MYERBURG, ROBERT J. (See Mehta et al.), 231

N

- NADEMANEE, KOONLAWEE, HENDRICKSON, JO ANN, CANNOM, DAVID S., GOLDBREYER, BRUCE N., AND SINGH, BRAHMAH N. Control of refractory life-threatening ventricular tachyarrhythmias by amiodarone, 759
- NAESTOFT, JØRGEN. (See Grande et al.), 582
- NAIR, K. G. (See Sharma, Nair, and Gadekar), 500
- NAITO, MASAHIRO. (See Balke et al.), 449
- NAKAMURA, MOTOOMI. (See Koiwaya et al.), 143, 507
- (See Mitsutake et al.), 683
- NANDA, NAVIN C. (See Hodsdon and Nanda), 671
- (See Rahilly and Nanda), 237
- NEEDHAM, KATHLEEN E. (See Awan et al.), 22, 158
- NELLEN, MAURICE. (See Leijala et al.), 355
- NELSON, AVERIAL E. (See Lofgren, Nelson, and Crossley), 502
- NELSON, CLIFFORD, V. Vectorcardiography: Correction for displace body size, 240 (Letter to Editor)
- NEUFELD, H. N. (See Motro et al.), 229
- (See Motro et al.), 679
- NOBUYOSHI, MASAHIRO. (See Chen et al.), 672
- NOON, GEORGE P. (See Reduto et al.), 59
- NOONAN, JACQUELINE A. (See Johnson et al.), 612
- NYHAN, W. L. (See Mardini, Sakati, and Nyhan), 860

O

- O'CONNOR, LAWRENCE. (See Ganz et al.), 4
- OGDEN, DAVID A. (See Mukherjee et al.), 313
- OKADA, ROBERT D. (See Kirshenbaum et al.), 734
- OLIVER, JOSE. (See Coma-Canella, Lopez-Sendon, and Oliver), 684
- ORITA, YASUHIKO. (See Koiwaya et al.), 507
- O'Rourke, ROBERT A., AND HORWITZ, LAWRENCE D. Effects of chronic oral quinidine on left ventricular performance, 769
- OSAKADA, GENTA, KUMADA, TOSHIKI, GALLAGHER, KIM P., KEMPER, W. SCOTT, AND ROSS, JOHN, JR. Reduction of exercise-induced ischemic regional myocardial dysfunction by verapamil in conscious dogs, 707
- OSHIMI, KAZUO. (See Takagi et al.), 852
- OVITT, THERON W. (See Canale et al.), 255

P

- PADGETT, NEIL E. (See Horan, Padgett, and Kennedy), 843
- PALILEO, EDWIN V. (See Rosen et al.), 691
- PAPAPIETRO, SILVIO E. (See Rackley et al.), 75, 215
- PARODI, OBERDAN. (See Serner et al.), 185
- PARSONNET, VICTOR, AND WERRES, ROLAND. Entrapment of a temporary atrial loop pacing electrode, 227
- PEFKAROS, KYRIACOS. (See Mehta et al.), 231
- PEPINE, CARL J., FELDMAN, ROBERT L., WHITTLE, JAMES, CURRY, R. CHARLES, AND CONTI, C. RICHARD. Effect of diltiazem in patients with variant angina: A randomized double-blind trial, 719
- PERLOFF, JOSEPH K. Pathogenesis of hypertrophic cardiomyopathy: Hypotheses and speculations, 219
- (See Child, Krivokapich, and Perloff), 797
- PESONEN, ERKKI, AND SIITONEN, ONNI. Acute myocardial infarction precipitated by infectious disease, 512 (Letter to Editor)
- PETER, THOMAS. (See Fujimoto, Peter, and Mandel), 403
- (See Hamer et al.), 600
- PITT, BERTRAM. (See Rizi et al.), 347
- PLATT, MARC. (See Hamer et al.), 600

- PODRID, PHILIP J., AND LOWN, BERNARD. Amiodarone therapy in symptomatic, sustained refractory atrial and ventricular tachyarrhythmias, 374
- POHOST, GERALD M. (See Kirshenbaum et al.), 734
- PRINEAS, RONALD. (See Crow, Prineas, and Blackburn), 244
— (See Gillum et al.), 689
- PRITCHETT, EDWARD L. C., McNAMARA, JAMES O., AND GALLAGHER, JOHN J. Reply, 864 (Letter to Editor)
- (See Davis et al.), 677
— (See Hammill et al.), 263
- PROUDFIT, WILLIAM L. (See Loop et al.), 86
- PUDDU, PAOLO E., JOUVE, REMY, TORRESANI, JEAN, JOUVE, ANDRE. QT interval and primary ventricular fibrillation in acute myocardial infarction, 118 (Letter to Editor)

R

- RABKIN, SIMON W., MATHEWSON, FRANCIS A. L., AND TATE, ROBERT B. Relationship of ventricular ectopy in men without apparent heart disease to occurrence of ischemic heart disease and sudden death, 135
- RACKLEY, CHARLES E., RUSSELL, RICHARD O., JR., MANTLE, JOHN A., ROGERS, WILLIAM J., AND PAPAPIETRO, SILVIO E. Modern approach to myocardial infarction: Determination of prognosis and therapy, 75
- , —, —, —, AND SCHWARTZ, KERRY M. Right ventricular infarction and function, 215
- RAFTERY, E. B. (See Subramanian et al.), 849
- RAHILLY, G. THOMAS, JR., AND NANDA, NAVIN C. Two-dimensional echographic identification of tumor hemorrhages in atrial myxomas, 237
- RAHIMTOOLA, SHAHBUDIN H. (See Greves et al.), 300
- REDUTO, LAWRENCE A., LAWRIE, GERALD M., REID, JOHN WARREN, WHISENAND, HARTWELL, H., NOON, GEORGE P., KANON, DONNA, DEBAKEY, MICHAEL E., AND MILLE, RICHARD R. Sequential postoperative assessment of left ventricular performance with gated cardiac blood pool imaging following aortocoronary bypass surgery, 59
- REICHEK, NATHANIEL. (See Wilson et al.), 249
- REID, JOHN WARREN. (See Reduto et al.), 59
- RIESS, GOTTHARD. (See Baumann et al.), 569
- RIT, JACOB. (See Fishbein et al.), 593
- RIUS, J. (See Candell-Riera et al.), 281
- RIZI, H. RAJAI, KLINE, ROBERT C., THRALL, JAMES H., BESOZZI, MYRWOOD C., LEE, IHN P., KEYES, JOHN W., JR., AND PITT, BERTRAM. Pericardial effusion swinging heart phenomenon by dynamic radionuclide ventriculography, 347
- ROBERTS, WILLIAM C. Aortic dissection: Anatomy, consequences, and causes, 195
- , AND WALLER, BRUCE F. Mitral valve "anular" calcium forming a complete circle or "O" configuration: Clinical and necropsy observations, 619
- (See Cabin and Roberts), 52, 177
- ROBERTS, WILLIAM C. (See Maron, Connor, and Roberts), 857
— (See Sheikh et al.), 37
— (See Waller, Sheikh, and Roberts), 108
- ROBERTSON, JAMES F. (See Wilson et al.), 249
- ROBINOWITZ, MAX. (See Chun et al.), 855
- ROCCHINI, ALBERT P. (See Byrum et al.), 352
— (See Chun et al.), 855
- ROGERS, WILLIAM J. (See Rackley et al.), 75, 215
- ROSEN, KENNETH M., BAUFERFEIND, ROBERT A., SWIRYN, STEVEN, STRASBERG, BORIS, AND PALILEO, EDWIN V. Dual AV nodal pathways and AV nodal reentrant paroxysmal tachycardia, 691
- (See Bharati et al.), 667
— (See Sobotka et al.), 753
- ROSENTHAL, AMNON. (See Dick et al.), 496
— (See Weesner, Byrum, and Rosenthal), 622
- ROSENTHAL, STEVEN J. (See Cipriano et al.), 127
- ROSENTHAL, STEPHEN P. (See Alter et al.), 236
- ROSS, JOHN, JR. (See Osakada et al.), 707
— (See Ryan et al.), 162
- ROTH, RICHARD L. (See Weiner et al.), 149
- ROZANSKI, ALAN. (See Brachman et al.), 288
- RUSSELL, RICHARD O., JR. (See Rackley et al.), 75, 215
- RYAN, THOMAS J. (See Faxon et al.), 548
— (See Weiner et al.), 149

- RYAN, WILLIAM, KARLINER, JOEL S., GILPIN, ELIZABETH A., COVELL, JAMES W., DELUCA, MARLENE, AND ROSS, JOHN, JR. The creatine kinase curve area and peak creatine kinase after acute myocardial infarction: Usefulness and limitations, 162

S

- SACKS, JOEL G. (See Brockmeier et al.), 32
- SAHN, DAVID J. (See Canale et al.), 255
— (See Goldberg et al.), 793
- SAKATI, N. A. (See Mardini, Sakati, and Nyhan), 860
- SAKURAI, TSUNETARO. (See Chen et al.), 672
- SAKURAMI, TAKEHIKO. (See Matsumori et al.), 14
- SALAS, A. (See Candell-Riera et al.), 281
- SALOMON, JOSEPH. (See Baltazar et al.), 354
- SAMTOY, LINDA. (See DiSessa et al.), 774
- SÁNCHEZ, ANTONIO. (See Cosio et al.), 233
- SANDERS, MICHAEL R. (See Greengart et al.), 350
- SANTAMORE, WILLIAM P., BOVE, ALFRED A., CAREY, RITA, WALINSKY, PAUL, AND SPANN, JAMES F. Synergistic relation between vasoconstriction and fixed epicardial vessel stenosis in coronary artery disease, 428
- SANTUCCI, BARBARA A. (See Goren et al.), 504
- SCHICK, EDGAR C. (See Faxon et al.), 548
- SCHNEEWEISS, ADAM. (See Motro et al.), 679
- SCHNUGG, STEPHEN J. (See Hecht et al.), 726
- SCHROEDER, JOHN S. (See Cipriano et al.), 127
- SCHWARTZ, JANICE B., JACKSON, GRAHAM, KATES, ROBERT E., AND HARRISON, DONALD C. Long-term benefit of cardioselective beta blockade with once-daily atenolol therapy in angina pectoris, 380
- SCHWARTZ, JEFFREY S., CARLYLE, PETER F., AND COHN, JAY N. Decline in blood flow in stenotic coronary arteries during increased myocardial energetic demand in response to pacing-induced tachycardia, 435
- SCHWARTZ, KERRY M. (See Rackley et al.), 215
- SCOVIL, JAMES A. (See Baker et al.), 107
- SEALY, WILL C. (See Dick et al.), 496
- SEIGEL, SELMA F. (See Bisset et al.), 268
- SELZER, ARTHUR. The Bayes theorem and clinical electrocardiography, 360 (Letter to Editor)
- SERNERI, GIAN GASTONE NERI, GENSINI, GIAN FRANCO, ABBATE, ROSANNA, MUGNAINI, CRISTINA, FAVILLA, STEFANIA, BRUNELLI, CLAUDIO, CHERCHIA, SERGIO, AND PARODI, OBERDAN. Increased fibrinopeptide A formation and thromboxane A₂ production in patients with ischemic heart disease: Relationship to coronary pathoanatomy, risk factors, and clinical manifestations, 185
- SHAH, PRAVIN M. (See Hecht et al.), 740
- SHARMA, SATYAVAN, NAIR, K. G., AND GADEKAR, H. A. Romano-Ward prolonged QT syndrome with intermittent T wave alternans and atrioventricular block, 500
- SHEA, PETER M. (See Cretto et al.), 114
- SHEIKH, MAZHAR U., COVARRUBIAS, EDGAR A., ALI, NAYAB, LEE, WON RO, SHEIKH, NASREEN M., AND ROBERTS, WILLIAM C. M-mode echocardiographic observations during and after healing of active bacterial endocarditis limited to the mitral valve, 37
- (See Waller, Sheikh, and Roberts), 108
- SHEIKH, NASREEN M. (See Sheikh et al.), 37
- SHELDON, WILLIAM C. (See Loop et al.), 86
- SHELL, WILLIAM. (See Ganz et al.), 4
- SHEM-TOV, A. (See Motro et al.), 229
— (See Motro et al.), 679
- SHINBOURNE, ELLIOTT A. (See Leijala et al.), 355
- SHORS, CLAYTON M. (See Formolo, Giraldo, and Shors), 510
- SHREINER, DAVID P. (See Krishnaswami, Murphy, and Shreiner), 511
- SITONEN, ONNI. (See Pesonen and Sütönen), 512
- SINGH, BRAMAH N. (See Burnam et al.), 561
— (See Hecht et al.), 726
— (See Nademanee et al.), 759
- SLUTSKY, ROBERT. Hemodynamic effects of inhaled terbutaline in congestive heart failure patients without lung disease: Beneficial cardiostimulant and vasodilator beta-agonist properties evaluated by ventricular catheterization and radionuclide angiography, 556

- , HOOPER, WAYNE, ACKERMAN, WILLIAM, ASHBURN, WILLIAM, GERBER, KENNETH, MOSER, KENNETH, AND KARLINER, JOEL. Evaluation of left ventricular function in chronic pulmonary disease by exercise gated equilibrium radionuclide angiography, 414
- SMITH, EDWARD F., III, AND LEFER, ALLAN M. Stabilization of cardiac lysosomal and cellular membranes in protection of ischemic myocardium due to coronary occlusion: Efficacy of the nonsteroidal anti-inflammatory agent, naproxen, 394
- SMITH, JEAN B. Dipyridamole may be more effective with sodium salicylate than with aspirin, 686 (Letter to Editor)
- SOBOTKA, PAUL A., MAYER, JOSEPH H., BAUERNEFELD, ROBERT A., KANAKIS, CHARLES JR., AND ROSEN, KENNETH M. Arrhythmias documented by 24-hour continuous ambulatory electrocardiographic monitoring in young women without apparent heart disease, 753
- SORLIE, PAUL D., GARCIA-PALMIERI, MARIO R., COSTAS, PAUL, JR., AND HAVLIK, RICHARD J. Hematocrit and risk of coronary heart disease: the Puerto Rico Health Program, 456
- SOTOLONGO, RODOLFO P., AND HORTON, JACK D. Total electrical alternans in pericardial tamponade, 853 (Brief comm.)
- SPANN, JAMES F. (See Santamore et al.), 428
- SPINDOLA-FRANCO, HUGO. (See Grose and Spindola-Franco), 67
- SPODICK, DAVID H. (See Doi et al.), 234
- (See Sugiura et al.), 309
- SPRINGER, ARTHUR. (See Angelini et al.), 680
- SPRUNG, CHARLES L. (See Jacobs et al.), 346
- SQUIRES, WILLIAM G. (See Hartung, Squires, and Gotto), 181
- STALNIKOWICZ, RUTH. (See Brezis, Stalnikowicz, and Hasin), 357
- STANILOFF, HOWARD. (See Elkayam et al.), 657
- (See Freeman et al.), 169
- STARR, ALBERT. (See Greves et al.), 300
- STEINBERG, JOEL D., AND HAYDEN, MOLLY T. Prevalence of clinically occult cariomypathy in chronic alcoholism, 461
- STENGERT, KRZYSZTOF B. (See Klein et al.), 292
- STERN, AARON M. (See Dick et al.), 496
- STERNLIGHT, BARBARA. (See DiSessa et al.), 774
- STRASBERG, BORIS. (See Rosen et al.), 691
- STRAUSS, H. WILLIAM. (See Kirshenbaum et al.), 734
- STRONG, WILLIAM B. (See Voller and Strong), 815
- SUBRAMANIAN, V. BALA., CRAIG, M. W. MILLAR, DAVIES, A. B., AND RAFTERY, E. B. Verapamil therapy in variant angina: Assessment by high-fidelity frequency modulated ambulatory ECG, 849 (Brief comm.)
- SUGIURA, TETSURO, DOI, YOSHINORI L., BISHOP, RICHARD L., HAFETY, BRUCE G., AND SPODICK, DAVID H. Elucidation of physiologic lengthening of left ventricular ejection time during early upright exercise, 309
- (See Doi et al.), 234
- SULBARAN, TULLIO. (See Angelini et al.), 680
- SUMIYA, MORITO. (See Takagi et al.), 852
- SWAN, H. J. C. (See Elkayam et al.), 657
- (See Freeman et al.), 169
- (See Ganz et al.), 4
- SWIRYN, STEVEN. (See Rosen et al.), 691
- T
- TAKAGI, SHOJIRO, OSHIMI, KAZUO, SUMIYA, MORITO, GONDA, NOBUYUKI, KANO, SHOGA, TAKAKU, FUMIMARO, MIYATA, KATSUNOBU, AND YAGINUMA, TOSHIO. Adult onset mucocutaneous lymph node syndrome with coronary aneurysm, 852 (Brief comm.)
- TAKAKU, FUMIMARO. (See Takagi et al.), 852
- TAKEDA, PATRICIA. (See Low et al.), 713
- TAKESHITA, AKIRA. (See Koiwaya et al.), 143
- (See Mitsutake et al.), 683
- TAMER, DOLORES. (See Mehta et al.), 231
- TANAKA, SENICHI. (See Koiwaya et al.), 143
- TATE, ROBERT B. (See Rabkin, Mathewson, and Tate), 135
- TAYLOR, RICHARD. (See Hecht et al.), 740
- TERASAKI, PAUL I. (See Matsumori et al.), 14
- THIENE, GAETANO, FRESCURA, CARLA, BORTOLOTTI, UBERTO, DEL MASCHIO, ALESSANDRO, AND VALENTE, MARIA-LUISA. The systemic pulmonary circulation in pulmonary atresia with ventricular septal defect: Concept of reciprocal development of the fourth and sixth aortic arches, 339
- THRALL, JAMES H. (See Rizi et al.), 347
- TI, CHING C. (See DiSessa et al.), 774
- TODD, EDWARD P. (See Johnson et al.), 612
- TORRESANI, JEAN. (See Puddu et al.), 118
- TSAGARIS, THEOFILOS J. (See Kralios et al.), 440
- TWYMAN, ROY E. (See Johnson et al.), 612
- U
- UENO, YUKIO. (See Matsumori et al.), 14
- V
- VALDES-CRUZ, LILLIAM M. (See Canale et al.), 255
- (See Goldberg et al.), 793
- VALENTE, MARIA-LUISA. (See Thiene et al.), 339
- VALLE, V. (See Candell-Riera et al.), 281
- VAN DER HORST, RONALD L., AND HASTREITER, ALOIS R. Ascending aortic obstruction of retrograde coronary blood flow in aortic atresia, 345
- VARGAS, ABELARDO. (See Alter et al.), 236
- VARINI, SERGIO. (See Aptekar et al.), 369
- VASQUEZ, ALBERTO. (See Aptekar et al.), 369
- VEJVIBOONSOM, PITTAYA. (See Zatuchni et al.), 674
- VERA, ZAKAUDDIN AND MASON, DEAN T. Reentry versus automaticity: Role in tachyarrhythmia genesis and antiarrhythmic therapy, 329
- VETROVEC, GEORGE W. (See Cowley, Vetrovec, and Wolfgang), 272
- VIDAL, JOSÉ M. (See Cosio et al.), 233
- VIEWEG, W. V. R. (See Ceretto et al.), 114
- VIRMANI, RENU. (See Chun et al.), 855
- VLASSES, PETER H. (See Ferguson and Vlasses), 650
- VOCI, GERARDO. (See Zatuchni et al.), 674
- VOLLER, ROBERT D., JR., AND STRONG, WILLIAM B. Pediatric aspects of atherosclerosis, 815
- W
- WAKABAYASHI, AKIRA. (See Kambara et al.), 230
- (See Matsumori et al.), 14
- WALINSKY, PAUL. (See Santamore et al.), 428
- WALLER, BRUCE F., SHEIKH, MAZHAR U., AND ROBERTS, WILLIAM C. Prolapsing atrioventricular valve in partial atrioventricular defect, 108
- (See Roberts and Waller), 619
- WANNER, WILLIAM R., AND IRVIN, WILLIAM S. Disopyramide and anticardiac antibodies, 687 (Letter to Editor)
- WARD, C. The Aschoff body and the etiology of acquired valvular heart disease, 117 (Letter to Editor)
- WATANABE, KUNIHIRO. (See Koiwaya et al.), 507
- WATKINS, JOHN. (See Ditchey et al.), 701
- WATSON, JOHN W. (See Baker et al.), 107
- WAXMAN, ALAN. (See Elkayam et al.), 657
- (See Brachman et al.), 288
- (See Freeman et al.), 169
- WEESNER, KENNETH M., BYRUM, CRAIG, AND ROSENTHAL, AMNON. Left ventricular aneurysms associated with intraoperative venting of the cardiac apex in children, 622
- WEINER, DONALD A., MCCABE, CAROLYN H., ROTH, RICHARD L., CUTLER, SALLY S., BERGER, ROBERT L., AND RYAN, THOMAS J. Serial exercise testing after coronary artery bypass surgery, 149
- WEINSTEIN, MARK. (See Elkayam et al.), 657
- WERRES, ROLAND. (See Paronnet and Werres), 227
- WHIDDON, LONNI. (See Danilowicz, Isom, and Whiddon), 862
- WHISSENAND, HARTWELL H. (See Reduto et al.), 59
- WHITTLE, JAMES. (See Pepine et al.), 719
- WILLIAMS, DAVID O. Effects of antianginal agents on the coronary circulation, 473

- WILSON, JOHN R., ROBERTSON, JAMES F., HOLFORD, FRED, AND REICHEK, NATHANIEL. Evaluation of M-mode echographic estimates of left ventricle function: Relationship of selected ultrasonic and hemodynamic parameters, 249
- WIN, AUNG. (See Awan et al.), 22, 158
- WINCHESTER, MARK A. (See Feldman et al.), 534
- WOLFGANG, TIMOTHY C. (See Cowley, Vetovec, and Wolfgang), 272
- WONG, MAYLENE. (See Hecht et al.), 740
- WU, DELON, HUNG, JUI-SUNG, AND KUO, CHI-TAI. Determinants of sustained slow pathway conduction and relation to reentrant tachycardia in patients with dual atrioventricular nodal transmission, 521

Y

- YAGINUMA, TOSHIO. (See Takagi et al.), 852
- YAMASHITA, KAMEJIRO. (See Fujita, Yamashita, and Yamashita), 259

- YAMASHITA, NOBUKI. (See Fujita, Yamashita, and Yamashita), 259

Z

- ZATUCHNI, JACOB, BURRIS, ALFRED, VEJVIBOONSOM, PITTAYA, AND VOGLI, GERARDO. Metastatic epidermoid cardiac tumor manifested by persistent ST segment elevation, 674
- ZMYSLINSKI, RONALD W., LACKLAND, DANIEL T., KEIL, JULIAN E., AND HIGGINS, JAMES E. Increased fatality and difficult diagnosis of in-hospital acute myocardial infarction: Comparison to lower mortality and more easily recognized pre-hospital infarction, 586
- ZWEHL, WERNER. (See Garcia et al.), 783

Subject index*

A

- Achromobacter xylosoxidans*, prosthetic valve endocarditis due to (Lofgren, Nelson, and Crossley), 502 (Brief comm.)
- Adult onset mucocutaneous lymph node syndrome with coronary aneurysm (Takagi et al.), 852 (Brief comm.)
- Afibrinogenemia, congenital, spontaneous severe constrictive pericarditis in: mechanism, evaluation, and successful surgical treatment (Boniske and Jaffe), 503 (Brief comm.)
- Alcoholism, chronic, prevalence of clinically occult cardiomyopathy in (Steinberg and Hayden), 461
- Alternans, electrical, syncope (Doi et al.), 234 (Brief comm.)
- total, in pericardial tamponade (Sotolongo and Horton), 853 (Brief comm.)
- T wave, intermittent, Romano-Ward prolonged QT syndrome with and atrioventricular block (Sharma, Nair, and Gadekar), 500 (Brief comm.)
- Ambulatory blood pressure monitoring: recent advances and clinical applications (Horan et al.), 843
- electrocardiography, detection of in myopotential inhibition of demand pacemakers (Jacobs et al.), 346 (Brief comm.)
- prazosin treatment of chronic congestive heart failure: development of late tolerance reversible by higher dosage and interrupted substitution therapy (Awan et al.), 541
- AMERICAN HEART JOURNAL: Enhanced service to the cardiovascular community (Mason), 1
- Amiodarone, clinical pharmacology and therapeutic applications of the antiarrhythmic agent (Marcus et al.), 480
- control of refractory life-threatening ventricular tachyarrhythmias by (Nademanee et al.), 759
- therapy in symptomatic, sustained refractory atrial and ventricular tachyarrhythmias (Podrid and Lown), 374
- Anemia and cardiac disease in the elderly (Duthie and Gambert), 240 (Letter)
- Anephric hypertensive patients, functionally, differentiation of vascular and renal effects on blood pressure in: mechanisms of hemodynamic actions of furosemide (Mukherjee et al.), 313
- Aneurysm(s), coronary, adult onset mucocutaneous lymph node syndrome with (Takagi et al.), 852 (Brief comm.)
- and isolated right ventricular infarction due to blunt chest trauma: value of two-dimensional echocardiography and radionuclide angiography (Schneeweiss et al.), 679 (Brief comm.)
- left ventricular, associated with intraoperative venting of the cardiac apex in children (Weesner, Byrum, and Rosenthal), 622
- of the ventricular septum, accuracy of two-dimensional echocardiography in the detection of (Canale et al.), 255
- dissecting, following acute myocardial infarction: diagnosis by real time two-dimensional echocardiography (Hodsdon and Nanda), 671 (Brief comm.)
- Angina, effort, effects of diltiazem-induced calcium blockade upon exercise capacity in due to chronic coronary artery disease (Low et al.), 713
- pectoris, increased exercise tolerance after oral diltiazem, a calcium antagonist, in (Koiwaya et al.), 143
- long-term benefit of cardioselective beta blockade with once-daily atenolol therapy in (Schwartz et al.), 380
- stable, radionuclide ejection fraction and regional wall motion during atrial pacing in: comparison with metabolic and hemodynamic parameters (Hecht et al.), 726
- by two percent carboxyhemoglobin, aggravation of (Aronow), 154
- Prinzmetal's, early coronary graft thrombosis following surgery for: treatment with nifedipine and thrombolysis (Klaus et al.), 110, (Brief comm.)

Angina—continued

- variant, effect of diltiazem in patients with: a randomized double-blind trial (Pepine et al.), 719
- verapamil therapy in: assessment by high fidelity frequency modulated ambulatory ECG (Subramanian et al.), 849 (Brief comm.)
- Angiography, demonstration of coronary artery spasm by: clinical course of patients following (Cipriano et al.), 127
- radionuclide, exercise gated equilibrium, evaluation of left ventricular function in chronic pulmonary disease by (Slutsky et al.), 414
- Angioplasty, coronary, percutaneous transluminal, efficacy of: technique, patient selection, salutary results, limitations and complications (Cowley, Vetrovec, and Wolfgang), 272
- Angiotensin-converting enzyme inhibition on blood pressure and plasma renin activity in essential hypertension, effects of (Fujita, Yamashita, and Yamashita), 259
- oral, efficacy of with captopril therapy in severe chronic normotensive congestive heart failure (Awan et al.), 22
- inhibitor, new oral, captopril, clinical pharmacology and therapeutic applications of the (Ferguson and Vlases), 650
- inhibition in severe heart failure: acute central and limb hemodynamic effects of captopril with observations on sustained oral therapy (Faxon et al.), 548
- Anomalous left pulmonary venous drainage to the inferior vena cava and through the pericardiophrenic vein to the innominate vein: left-sided Scimitar syndrome (Mardini, Sakati, and Nyhan), 860 (Brief comm.)
- Antianginal agents on the coronary circulation, effects of (Williams), 473
- Antiarrhythmic agent, amiodarone, clinical pharmacology and therapeutic applications of the (Marcus et al.), 480
- therapy and tachyarrhythmia genesis, role of reentry versus automaticity in (Vera and Mason), 329
- Antibodies, antinuclear, and disopyramide (Wanner and Irvin), 687 (Letter)
- Antidepressant overdose, tricyclic (Ahmad), 357 (Letter)
- Antigen linkage (HLA-DRW4) in patients with hypertrophic obstructive cardiomyopathy (Matsumori et al.), 14
- Antinuclear antibodies and disopyramide (Wanner and Irvin), 687 (Letter)
- Anti-renin system therapy: a new horizon for understanding and treating hypertension (Laragh), 364
- "Anular" calcium, mitral valve, forming a complete circle or "O" configuration: clinical and necropsy observations (Roberts and Waller), 619
- Aortic arch, right, transposition of the great arteries, coarctation, and isolation of the left subclavian artery: report of surgical therapy (Byrum et al.), 352 (Brief comm.)
- atresia, ascending aortic obstruction of retrograde coronary blood flow in (van der Horst and Hastreiter), 345 (Brief comm.)
- dissection: anatomy, consequences, and causes (Roberts), 195
- obstruction, ascending, of retrograde coronary blood flow in aortic atresia (van der Horst and Hastreiter), 345 (Brief comm.)
- regurgitation, severe, preoperative criteria predictive of late survival following valve replacement for (Greves et al.), 300
- stenosis, calcific, calcium emboli to the retinal artery in (Brockmeier et al.), 32
- and regurgitation, auscultatory findings of mitral prolapse mimicking (Fuchs and Achuff), 351 (Brief comm.)
- severe, beneficial effects of nitroprusside administration on left ventricular dysfunction and myocardial ischemia in (Awan et al.), 386
- valve replacement of, cessation of gastrointestinal bleeding after (Danilewitz, McKibbin, and Derman), 686 (Letter)

*January, pp. 1-126; February, pp. 127-248; March, pp. 249-368; April, pp. 369-520; May, pp. 521-700; June, pp. 701-898.

- Aortocoronary bypass surgery, sequential postoperative assessment of left ventricular performance with gated cardiac blood pool imaging following (Reduto et al.), 59
- Arches, aortic, fourth and sixth, concept of reciprocal development of the: systemic pulmonary circulation in pulmonary atresia with ventricular septal defect (Thiene et al.), 339
- Arrhythmias documented by 24-hour continuous ambulatory electrocardiographic monitoring in young women without apparent heart disease (Sobotka et al.), 753
- Arrhythmogenic epilepsy, detection and mechanisms of (Estañol and Ariza), 864 (Letter)
- Reply (Pritchett, McNamara, and Gallagher), 864
- Arterial narrowing, coronary, quantification of amounts of in patients with types II and IV hyperlipoproteinemia and in those with known normal lipoprotein patterns (Cabin and Roberts), 52
- Artery disease, coronary, hereditary aspects of (Hamby), 639
- update on the role of cigarette smoking in (Kannel), 319
- spasm, coronary, by angiography, clinical course of patients following the demonstration of (Cipriano et al.), 127
- surgery, coronary, the efficacy of (Loop et al.), 86
- Aschoff body and the etiology of acquired valvular heart disease, the (Ward), 117 (Letter)
- Aspirin, dipyridamole may be more effective with sodium salicylate than with (Smith), 686 (Letter)
- indomethacin, prednisone, and spontaneous resolution, retrospective and prospective studies of: therapy of symptomatic pericarditis after myocardial infarction (Berman, Haffajee, and Alpert), 750
- Asthenia, neurocirculatory, relationship to mitral valve prolapse syndrome (Abinader), 864 (Letter)
- Asynergy, segmental, comparative evaluation of in remote myocardial infarction by radionuclide angiography, two-dimensional echocardiography, and contrast ventriculography (Hecht et al.), 740
- Atenolol therapy, once-daily, in angina pectoris, long-term benefit of cardioselective beta blockade with (Schwartz et al.), 380
- Atherosclerosis, pediatric aspects of (Voller and Strong), 815
- Atresia, aortic, ascending aortic obstruction of retrograde coronary blood flow in (van der Horst and Hastreiter), 345 (Brief comm.)
- pulmonary, with ventricular septal defect, systemic pulmonary circulation in: concept of reciprocal development of the fourth and sixth aortic arches (Thiene et al.), 339
- tricuspid, contrast two-dimensional echocardiography in diagnosis of (Koiwaya et al.), 507 (Brief comm.)
- and the WPW syndrome: evaluation, methodology and successful surgical treatment of the combined disorders (Dick et al.), 496 (Brief comm.)
- Atrial loop pacing electrode, entrapment of a temporary (Parsonnet and Werres), 227 (Brief comm.)
- myxoma(s), left, causing fluttering of the posterior mitral leaflet (Baird), 851 (Brief comm.)
- two-dimensional echographic identification of tumor hemorrhages in (Rahilly and Nanda), 237 (Brief comm.)
- pacing in stable angina pectoris, radionuclide ejection fraction and regional wall motion during: comparison with metabolic and hemodynamic parameters (Hecht et al.), 726
- tachycardia, chaotic, in childhood (Bisset et al.), 268
- thrombus, massive right, fatal pulmonary embolism from post-coronary artery bypass surgery (Formolo, Giraldo, and Shors), 510 (Brief comm.)
- and ventricular tachyarrhythmias, refractory, amiodarone therapy in symptomatic, sustained (Podrid and Lown), 374
- Atrioventricular block, Roman-Ward prolonged QT syndrome with intermittent T wave alternans and (Sharma, Nair, and Gadekar), 500 (Brief comm.)
- canal defects, echocardiographic classification of complete (Johnson et al.), 612
- connections, discordant, and concordant ventriculoarterial connections, a rare congenital cardiac malformation with situs inversus and: diagnosis and surgical treatment (Leijala et al.), 355 (Brief comm.)

Atrioventricular—continued

- defect, partial, prolapsing atrioventricular valve in (Waller, Sheikh, and Roberts), 108 (Brief comm.)
- nodal pathways, dual, and AV nodal reentrant paroxysmal tachycardia (Rosen et al.), 691
- reentrant paroxysmal tachycardia and dual AV nodal pathways (Rosen et al.), 691
- transmission, dual, determinants of sustained slow pathway conduction and relation to reentrant tachycardia in patients with (Wu, Hung, and Kuo), 521
- preexcitation conduction abnormalities, congenital, persistent left superior vena cava in patients with (Davis et al.), 677 (Brief comm.)
- valve, prolapsing, in partial atrioventricular defect (Waller, Sheikh, and Roberts), 108 (Brief comm.)
- Auscultatory findings of mitral prolapse mimicking aortic stenosis and regurgitation (Fuchs and Achuff), 351 (Brief comm.)
- Automaticity, triggered, chronic recurrent ectopic junctional tachycardia resembling in mitral valve prolapse syndrome (Goren et al.), 504 (Brief comm.)
- versus reentry: role in tachyarrhythmia genesis and antiarrhythmic therapy (Vera and Mason), 329

B

- Bacterial endocarditis, active, limited to the mitral valve, M-mode echocardiographic observations during and after healing of (Sheikh et al.), 37
- virulent *Streptococcus viridans* (Hosea), 174
- Bayes' theorem, the, and clinical electrocardiography (Selzer), 360
- in perspective: toward improved interpretation of the exercise test (Glasser), 116 (Letter)
- Beats, ventricular ectopic, among the apparently healthy, prognostic significance of (Crow, Prineas, and Blackburn), 244
- Beta-adrenergic stimulation, impaired, in the uninvolved ventricle post-acute myocardial infarction: reversible defect due to excessive circulating catecholamine-induced decline in number and affinity of beta-receptors (Baumann, et al.), 569
- blockade, cardioselective, with once-daily atenolol therapy in angina pectoris, long-term benefit of (Schwartz et al.), 380
- in congestive cardiomyopathy (Brezis, Stalniewicz, and Hasin), 357 (Letter)
- receptors, reversible defect due to excessive circulating catecholamine-induced decline in number and affinity of: impaired beta-adrenergic stimulation in the uninvolved ventricle post-acute myocardial infarction (Baumann et al.), 569
- Björk-Shiley valve, late thrombotic occlusion of a producing hemolysis without hemodynamic compromise (Comess et al.), 112 (Brief comm.)
- Bleeding, gastrointestinal, cessation of after valve replacement of aortic stenosis (Danilewitz, McKibbin, and Derman), 686 (Letter)
- Block, heart, complete, and hypertrophic cardiomyopathy in infancy (Maron, Connor, and Roberts), 857 (Brief comm.)
- Blockade, beta, in congestive cardiomyopathy (Brezis, Stalniewicz, and Hasin), 357 (Letter)
- Blood flow, antegrade, through intact saphenous vein bypass grafts, evaluation of effects of systemic nitroglycerin on perfusion of ischemic myocardium in coronary heart disease assessed intraoperatively by (Klein et al.), 292
- decline in, in stenotic coronary arteries during increased myocardial energetic demand in response to pacing-induced tachycardia (Schwartz, Carlyle, and Cohn), 435
- patterns, cardiac and great vessel, range gated Doppler ultrasound detection of contrast echographic microbubbles for (Goldberg et al.), 793
- pool imaging, gated cardiac, following aortocoronary bypass surgery, sequential postoperative assessment of left ventricular performance with (Reduto et al.), 59

Blood—continued

- pressure, differentiation of vascular and renal effects on in functionally anephric hypertensive patients: mechanisms of hemodynamic actions of furosemide (Mukherjee et al.), 313
- elevation, duration of in accurately predicting surgical cure of renovascular hypertension (Hughes et al.), 408
- measurements, cost effectiveness of home vs clinic (Gillum et al.), 689 (Letter)
- monitoring, ambulatory: recent advances and clinical applications (Horan et al.), 843
- and plasma renin activity in essential hypertension, effects of angiotensin-converting enzyme inhibition on (Fujita, Yamashita, and Yamashita), 259
- Blunt chest trauma, isolated right ventricular infarction and aneurysm due to: value of two-dimensional echocardiography and radionuclide angiography (Schneeweiss et al.), 679 (Brief comm.)
- Body size, disparate, correction for in vectorcardiography (Nelson), 240 (Letter)
- Bookshelf, 126, 248, 520, 874
- Bypass grafts, intact saphenous vein, evaluation of effects of systemic nitroglycerin on perfusion of ischemic myocardium in coronary heart disease assessed intraoperatively by antegrade blood flow through (Klein et al.), 292
- surgery, aortocoronary, sequential postoperative assessment of left ventricular performance with gated cardiac blood pool imaging following (Reduto et al.), 59
- coronary artery, serial exercise testing after (Weiner et al.), 149
- post-coronary artery, fatal pulmonary embolism from massive right atrial thrombus (Formolo, Giraldo, and Shors), 510 (Brief comm.)

C

- Calcific aortic stenosis, calcium emboli to the retinal artery in (Brockmeier et al.), 32
- Calcium, "annular," mitral valve, forming a complete circle or "O" configuration: clinical and necropsy observations (Roberts and Waller), 619
- blockade, diltiazem-induced, effects of upon exercise capacity in effort angina due to chronic coronary artery disease (Low et al.), 713
- emboli to the retinal artery in calcific aortic stenosis (Brockmeier et al.), 32
- Canal defects, atrioventricular, echocardiographic classification of complete (Johnson et al.), 612
- Captopril, acute central and limb hemodynamic effects of, with observations on sustained oral therapy: angiotensin inhibition in severe heart failure (Faxon et al.), 548
- new oral angiotensin converting enzyme inhibitor, clinical pharmacology and therapeutic applications of the (Ferguson and Vlasses), 650
- therapy with oral angiotensin-converting enzyme inhibition, efficacy of in severe chronic normotensive congestive heart failure (Awan et al.), 22
- Carboxyhemoglobin, two percent, aggravation of angina pectoris by (Aronow), 154
- Carcinoid heart disease, tricuspid insufficiency in: an echocardiographic description (Baker et al.), 107 (Brief comm.)
- Cardiac apex in children, intraoperative venting of the, left ventricular aneurysms associated with (Weesner, Byrum, and Rosenthal), 622
- disease and anemia in the elderly (Duthie and Gambert), 240 (Letter)
- effect, is there a in exercise training in coronary heart disease (Amsterdam et al.), 870
- function and potential to limit infarct size, enhancement of: vasodilator therapy in acute myocardial infarction (Awan, Amsterdam, and Mason), 516
- lymphoma, thallium imaging in (McDonnell, Becker, and Bulkley), 809
- lysosomal and cellular membranes, stabilization of in protection of ischemic myocardium due to coronary occlusion: efficacy of the nonsteroidal anti-inflammatory agent, naproxen (Smith and Lefer), 394

Cardiac—continued

- malformation, congenital, a rare, with situs inversus and discordant atrioventricular and concordant ventricular-loarterial connections: diagnosis and surgical treatment (Leijala et al.), 355 (Brief comm.)
- performance, effect of left ventricular size on mitral E point to ventricular septal separation in assessment of (Child, Krivokapich, and Perloff), 797
- and pressures, evaluation of by ultrasound: past promises and future potentials (DeMaria, Bommer, and Mason), 514
- reentrant tachyarrhythmias, precordial thump and termination of (Cotoi), 675 (Brief comm.)
- tumor, metastatic epidermoid, manifested by persistent ST segment elevation (Zatuchni et al.), 674 (Brief comm.)
- valve replacement, current status of: selection of a prosthesis and indications for operation (Bonchek), 96
- Cardiomyopathy, catecholamine, inotropic responsiveness of the heart in (Fripp, Lee, and Downing), 17
- clinically occult, in chronic alcoholism, prevalence of (Steinberg and Hayden), 461
- congestive, beta blockade in (Brezis, Stalnikowicz, and Hasin), 357 (Letter)
- hypertrophic, asymmetric septal hypertrophy in conditions other than (Dawkins and Gibson), 865 (Letter)
- and complete heart block in infancy (Maron, Connor, and Roberts), 857 (Brief comm.)
- obstructive, HLA-DRW4 antigen linkage in patients with (Matsumori et al.), 14
- transient intraventricular conduction disturbances in (Chen et al.), 672 (Brief comm.)
- pathogenesis of: hypotheses and speculations (Perloff), 219
- preexcitation patterns in (Cosio et al.), 233 (Brief comm.)
- Cardioselective beta blockade with once-daily atenolol therapy in angina pectoris, long-term benefit of (Schwartz et al.), 380
- Cardiotonic and vasodilator beta-agonist properties, beneficial, evaluated by ventricular catheterization and radionuclide angiography: hemodynamic effects of inhaled terbutaline in congestive heart failure patients without lung disease (Slutsky), 556
- Cardiovascular community, enhanced service to by the American Heart Journal (Mason), 1
- disease, oral contraceptives and (Dalen and Hickler), 626
- Catecholamine cardiomyopathy, inotropic responsiveness of the heart in (Fripp, Lee, and Downing), 17
- induced decline in number and affinity of beta-receptors, reversible defect due to excessive circulating: impaired beta-adrenergic stimulation in the uninvolved ventricle post-acute myocardial infarction (Baumann et al.), 569
- Chaotic atrial tachycardia in childhood (Bisset et al.), 268
- Chest trauma, blunt, isolated right ventricular infarction and aneurysm due to: value of two-dimensional echocardiography and radionuclide angiography (Schneeweiss et al.), 679 (Brief comm.)
- Childhood, chaotic atrial tachycardia in (Bisset et al.), 268
- Children, intraoperative venting of the cardiac apex in, left ventricular aneurysms associated with (Weesner, Byrum, and Rosenthal), 622
- Chromosome, a glance at the: the hypertrophic heart syndrome (Darsee), 124
- Chronic alcoholism, prevalence of clinically occult cardiomyopathy in (Steinberg and Hayden), 461
- recurrent ectopic junctional tachycardia resembling triggered automaticity in mitral valve prolapse syndrome (Goren et al.), 504 (Brief comm.)
- Cigarette smoking in coronary artery disease, update on the role of (Kannel), 319
- and coronary disease (Friedman), 357 (Letter)
- Circulation, coronary, effects of antianginal agents on the (Williams), 473
- pulmonary, systemic in pulmonary atresia with ventricular septal defect: concept of reciprocal development of the fourth and sixth aortic arches (Thiene et al.), 339
- CK-MB determinations, serum, acute myocardial infarct size estimated by: clinical accuracy and prognostic relevance utilizing a practical modification of the isoenzyme approach (Grande et al.), 582

Clinic vs home blood pressure measurements, cost effectiveness of (Gillum et al.), 689 (Letter)

Clinical electrocardiography and the Bayes theorem (Selzer), 360

electrophysiologic studies, comparison of in different institutions (Hammill et al.), 263

pharmacology and therapeutic applications of the antiarrhythmic agent, amiodarone (Marcus et al.), 480

Clinically occult cardiomyopathy in chronic alcoholism, prevalence of (Steinberg and Hayden), 461

Coarctation (of the aorta), transposition of the great arteries, right aortic arch, and isolation of the left subclavian artery: report of surgical therapy (Byrum et al.), 352 (Brief comm.)

Computerization of two-dimensional echocardiography, real time (Garcia et al.), 783

Conduction abnormalities, congenital atrioventricular preexcitation, persistent left superior vena cava in patients with (Davis et al.), 677 (Brief comm.)

defect, unusual intraventricular (epsilon potential), right ventricular myopathy with an (Angelini et al.), 680 (Brief comm.)

disturbances, intraventricular, transient, in hypertrophic obstructive cardiomyopathy (Chen et al.), 672 (Brief comm.)

system in mitral valve prolapse syndrome with sudden death, the (Bharati et al.), 667 (Brief comm.)

Congenital cardiac malformation, a rare, with situs inversus and discordant atrioventricular and concordant ventriculoarterial connections: diagnosis and surgical treatment (Leijala et al.), 355 (Brief comm.)

heart disease, pharmacologic use of prostaglandin E₁ in infants with (Heymann), 837

Congestive cardiomyopathy, beta blockade in (Brezis, Stalniewicz, and Hasin), 357 (Letter)

heart failure, beneficial hemodynamic response to chronic prazosin therapy in (Feldman et al.), 534

chronic, ambulatory prazosin treatment of: development of late tolerance reversible by higher dosage and interrupted substitution therapy (Awan et al.), 541

patients without lung disease, hemodynamic effects of inhaled terbutaline in: beneficial cardiotoxic and vasodilator beta-agonist properties evaluated by ventricular catheterization and radionuclide angiography (Slutsky), 556

severe chronic normotensive, efficacy of oral angiotensin-converting enzyme inhibition with captopril therapy in (Awan et al.), 22

sustained effectiveness of chronic prazosin therapy in (Bertel, Burkhart, and Bühler), 529

due to chronic coronary disease, hemodynamic actions of prenalatorol in (Awan et al.), 158

oral vasodilator therapy with prazosin in (Awan and Mason), 695

Constrictive pericarditis, post-myocardial infarction (Haïat), 358 (Letter)

spontaneous severe, in congenital afibrinogenemia: mechanism, evaluation, and successful surgical treatment (Boniske and Jaffe), 503 (Brief comm.)

Contraceptives, oral, and cardiovascular disease (Dalen and Hickler), 626

Contrast echographic microbubbles, range gated Doppler ultrasound detection of for cardiac and great vessel blood flow patterns (Goldberg et al.), 793

Coronary angioplasty, percutaneous transluminal, efficacy of: technique, patient selection, salutary results, limitations and complications (Cowley, Vetrovec, and Wolfgang), 272

arterial narrowing, quantification of amounts of in patients with types II and IV hyperlipoproteinemia and in those with known normal lipoprotein patterns (Cabin and Roberts), 52

artery(ies) bypass surgery, serial exercise testing after (Weiner et al.), 149

disease, effects of diltiazem-induced calcium blockade upon exercise capacity in effort angina due to chronic (Low et al.), 713

hereditary aspects of (Hamby), 639

synergistic relation between vasoconstriction and fixed epicardial vessel stenosis in (Santamore et al.), 428

Coronary artery disease—continued

update on the role of cigarette smoking in (Kannel), 319

occlusion tachyarrhythmias, antecedent, and duration of myocardial ischemia, correlation with: reperfusion ventricular tachyarrhythmias (Balke et al.), 449

spasm by angiography, clinical course of patients following the demonstration of (Cipriano et al.), 127

stenosis, proximal right, manifestation of: thallium-201 stress redistribution abnormalities of the right ventricle (Brachman et al.), 288

stenotic, decline in blood flow in during increased myocardial energetic demand in response to pacing-induced tachycardia (Schwartz, Carlyle, and Cohn), 435

surgery, the efficacy of (Loop et al.), 86

blood flow in aortic atresia, ascending aortic obstruction of retrograde (van der Horst and Hastreiter), 345 (Brief comm.)

without myocardial ischemia, dependence of ventricular fibrillation propensity on (Kralios et al.), 440

circulation, effects of antianginal agents on the (Williams), 473

disease, chronic, hemodynamic actions of prenalatorol in severe congestive heart failure due to (Awan et al.), 158

and cigarette smoking (Friedman), 357 (Letter)

patients, effect of exercise training on plasma high-density lipoprotein cholesterol in (Hartung, Squires, and Gotto), 181

at high risk for recurrent myocardial infarction, detection of by elevated plasma inactive creatine kinase B protein levels (Burnam et al.), 561

graft thrombosis, early, following surgery for Prinzmetal's angina: treatment with nifedipine and thrombolysis (Klaus et al.), 110 (Brief comm.)

heart disease, evaluation of effects of systemic nitroglycerin on perfusion of ischemic myocardium in, assessed intraoperatively by antegrade blood flow through intact saphenous vein bypass grafts (Klein et al.), 292

exercise training in: is there a cardiac effect (Amsterdam et al.), 870

hematocrit and risk of: the Puerto Rico Health Program (Sorlie et al.), 456

occlusion, stabilization of cardiac lysosomal and cellular membranes in protection of ischemic myocardium due to: efficacy of the nonsteroidal anti-inflammatory agent, naproxen (Smith and Lefer), 394

recanalization, percutaneous transluminal: a new approach to acute myocardial infarction therapy with the potential for widespread application (Lee and Mason), 121

spasm, exercise-induced: role of myocardial scintigraphy in noninvasive detection (Krishnaswami, Murphy, and Shreiner), 511 (Letter)

old problems, new questions (Amsterdam and Mason), 242

Cost effectiveness of home vs clinic blood pressure measurements (Gillum et al.), 689 (Letter)

Creatine kinase B protein levels, elevated plasma inactive, detection of coronary disease patients at high risk for recurrent myocardial infarction by (Burnam et al.), 561

curve area and peak creatine kinase after acute myocardial infarction: usefulness and limitations (Ryan et al.), 162

D

2D echo position of septal tricuspid leaflet in Ebstein's anomaly and normal hearts (Evemy and Hunter), 358 (Letter)

Death, sudden, and ischemic heart disease, relationship of ventricular ectopy in men without apparent heart disease to occurrence of (Rabkin, Mathewson, and Tate), 135

post-coronary obstruction, significance of hypotension preceding fatal ventricular tachyarrhythmias in (Franciosa and Heckel), 421

Detection and mechanisms of arrhythmogenic epilepsy (Estañol and Ariza), 864 (Letter)

Reply (Pritchett, McNamara, and Gallagher), 864

Disease, cardiac, and anemia in the elderly (Duthie and Gambert), 240 (Letter)

Dilemma of mild hypertension: whom to treat (Kaplan), 867

- Diltiazem, beneficial therapy with in primary pulmonary hypertension (Kambara et al.), 230 (Brief comm.)
 effect of in patients with variant angina: a randomized double-blind trial (Pepine et al.), 719
 electrophysiologic and hemodynamic actions of: disparate temporal effects shown by experimental dose-response studies (Fujimoto, Peter, and Mandel), 403
 -induced calcium blockade, effects of upon exercise capacity in effort angina due to chronic coronary artery disease (Low et al.), 713
 oral, a calcium antagonist, increased exercise tolerance after in angina pectoris (Koiwaya et al.), 143
 Dipyridamole may be more effective with sodium salicylate than with aspirin (Smith), 686 (Letter)
 Disopyramide and antinuclear antibodies (Wanner and Irvin), 687 (Letter)
 Dissecting aneurysm of the ventricular septum following acute myocardial infarction: diagnosis by real time two-dimensional echocardiography (Hodsdon and Nanda), 671 (Brief comm.)
 Dissection, aortic: anatomy, consequences, and causes (Roberts), 195
 Doppler, echo, use and limitations of time interval histogram output from to detect mitral regurgitation (Areias, Goldberg, and de Villeneuve), 805
 ultrasound detection, range gated, of contrast echographic microbubbles for cardiac and great vessel blood flow patterns (Goldberg et al.), 793
 Duration of blood pressure elevation in accurately predicting surgical cure of renovascular hypertension (Hughes et al.), 408
 Dysfunction, right ventricular, in acute ventricular septal defect (Grose and Spindola-Franco), 67

E

- Ebstein's anomaly and normal hearts, 2D echo position of septal tricuspid leaflet in (Evemy and Hunter), 358 (Letter)
 of the tricuspid valve and prolapse of the mitral valve (Cabin and Roberts), 177
 Echo Doppler, use and limitations of time interval histogram output from to detect mitral regurgitation (Areias, Goldberg, and de Villeneuve), 805
 Echocardiographic changes, early, in a patient with gonococcal endocarditis (Arvan and Delaverdac), 112 (Brief comm.)
 classification of complete atrioventricular canal defects (Johnson et al.), 612
 description of tricuspid insufficiency in carcinoid heart disease (Baker et al.), 107 (Brief comm.)
 evaluation, two-dimensional, of discrete subaortic stenosis from the apical long axis view (DiSessa et al.), 774
 features of the correctly functioning St. Jude Medical valve prosthesis (Amann et al.), 45
 observations, M-mode, during and after healing of active bacterial endocarditis limited to the mitral valve (Sheikh et al.), 37
 Echocardiography, cross-sectional, identification of a tricuspid valve in the mitral position in corrected transposition of the great vessels by (Motro et al.), 229 (Brief comm.)
 two-dimensional, contrast, in diagnosis of tricuspid atresia (Koiwaya et al.), 507 (Brief comm.)
 in the detection of aneurysms of the ventricular septum, accuracy of (Canale et al.), 255
 real time computerization of (Garcia et al.), 783
 Echographic estimates of LV function, evaluation of M-mode: relationship of selected ultrasonic and hemodynamic parameters (Wilson et al.), 249
 identification, two-dimensional, of tumor hemorrhages in atrial myxomas (Rahilly and Nanda), 237 (Brief comm.)
 observations, two-dimensional, in major detachment of a prosthetic aortic valve (Mehta et al.), 231 (Brief comm.)
 Echography and radioangiography, noninvasive diagnosis of left ventricular pseudoaneurysm by (Alter et al.), 236 (Brief comm.)
 Ectopic beats, ventricular, among the apparently healthy, prognostic significance of (Crow, Princeas, and Blackburn), 244
 Ectopic—continued
 junctional tachycardia, chronic recurrent, resembling triggered automaticity in mitral valve prolapse syndrome (Goren et al.), 504 (Brief comm.)
 Ectopy, ventricular, in men without apparent heart disease, relationship of to occurrence of ischemic heart disease and sudden death (Rabkin, Mathewson, and Tate), 135
 Efficacy of coronary artery surgery, the (Loop et al.), 86
 Ejection fraction, radionuclide, and regional wall motion during atrial pacing in stable angina pectoris: comparison with metabolic and hemodynamic parameters (Hecht et al.), 726
 time, left ventricular, during early upright exercise, elucidation of physiologic lengthening of (Sugiura et al.), 309
 Elderly, anemia and cardiac disease in the (Duthie and Gambert), 240 (Letter)
 Electrical alternans, syncopated (Doi et al.), 234 (Brief comm.)
 total, in pericardial tamponade (Sotolongo and Horton), 853 (Brief comm.)
 Electrocardiogram, assessment by high-fidelity frequency modulated ambulatory: verapamil therapy in variant angina (Subramanian et al.), 849 (Brief comm.)
 Electrocardiographic monitoring, 24-hour continuous ambulatory, in young women without apparent heart disease, arrhythmias documented by (Sobotka et al.), 759
 Electrocardiography, ambulatory, detection of in myopotential inhibition of demand pacemakers (Jacobs et al.), 346 (Brief comm.)
 clinical, and the Bayes theorem (Selzer), 360
 Electrode, pacing, atrial loop, entrapment of a temporary (Parsonnet and Werres), 227 (Brief comm.)
 Electrophysiologic and hemodynamic actions of diltiazem: disparate temporal effects shown by experimental dose-response studies (Fujimoto, Peter, and Mandel), 403
 studies, clinical, comparison of in different institutions (Hamill et al.), 263
 Emboli, calcium, to the retinal artery in calcific aortic stenosis (Brockmeier et al.), 32
 Embolism, pulmonary, fatal, from massive right atrial thrombus post-coronary artery bypass surgery (Formolo, Giraldo, and Shors), 510 (Brief comm.)
 Endocarditis, bacterial, active, limited to the mitral valve, M-mode echocardiographic observations during and after healing of (Sheikh et al.), 37
 virulent *Streptococcus viridans* (Hosea), 174
 gonococcal, early echocardiographic changes in a patient with (Arvan and Delaverdac), 112 (Brief comm.)
 prosthetic valve, due to *Achromobacter xylosoxidans* (Lofgren, Nelson, and Crossley), 502 (Brief comm.)
 Entrapment of a temporary atrial loop pacing electrode (Parsonnet and Werres), 227 (Brief comm.)
 Enzyme inhibition, angiotensin-converting, effects of on blood pressure and plasma renin activity in essential hypertension (Fujita, Yamashita, and Yamashita), 259
 oral, efficacy of with captopril therapy in severe chronic normotensive congestive heart failure (Awan et al.), 22
 inhibitor, new oral angiotensin converting, captopril, clinical pharmacology and therapeutic applications of the (Ferguson and Vlasses), 650
 Epicardial vessel stenosis, fixed, in coronary artery disease, synergistic relation between vasoconstriction and (Santamore et al.), 428
 Epidermoid cardiac tumor, metastatic, manifested by persistent ST segment elevation (Zatuchni et al.), 674 (Brief comm.)
 Epilepsy, arrhythmogenic, detection and mechanisms of (Estañol and Ariza), 864 (Letter)
 Reply (Pritchett, McNamara, and Gallagher), 864
 Evaluation of cardiac performance and pressures by ultrasound: past promises and future potentials (DeMaria, Bommer, and Mason), 514
 Exercise capacity, effects of diltiazem-induced calcium blockade upon in effort angina due to chronic coronary artery disease (Low et al.), 713
 early upright, elucidation of physiologic lengthening of LV ejection time during (Sugiura et al.), 309
 gated equilibrium radionuclide angiography, evaluation of left ventricular function in chronic pulmonary disease by (Slutsky et al.), 414

Exercise—continued

- induced coronary spasm: role of myocardial scintigraphy in noninvasive detection (Krishnaswami, Murphy, and Shreiner), 511 (Letter)
 - ischemic regional myocardial dysfunction by verapamil in conscious dogs, reduction of (Osakada et al.), 707
 - test, toward improved interpretation of: Bayes' theorem in perspective (Glasser), 116 (Letter)
 - testing, serial, after coronary artery bypass surgery (Weiner et al.), 149
 - tolerance, increased, after oral diltiazem, a calcium antagonist, in angina pectoris (Koiwaya et al.), 143
 - training in coronary heart disease: is there a cardiac effect (Amsterdam et al.), 870
 - on left ventricular mass in patients with ischemic heart disease, effects of (Ditchey et al.), 701
 - on plasma high-density lipoprotein cholesterol in coronary disease patients, effect of (Hartung, Squires, and Gotto), 181
- Exertional ventricular tachycardia (Baltazar et al.), 354 (Brief comm.)

F

- Fibrillation propensity, ventricular, on coronary blood flow without myocardial ischemia, dependence of (Kralios et al.), 440
 - ventricular, primary, and QT interval in acute myocardial infarction (Puddu et al.), 118 (Letter)
- tocainide-induced (Engler and LeWinter), 494 (Brief comm.)
- Fibrinopeptide A formation, increased, and thromboxane A₂ production in patients with ischemic heart disease: relationships to coronary pathoanatomy, risk factors, and clinical manifestations (Sermeri et al.), 185
- Furosemide, mechanisms of hemodynamic actions of: differentiation of vascular and renal effects on blood pressure in functionally anephric hypertensive patients (Mukherjee et al.), 313

G

- Gastrointestinal bleeding, cessation of after valve replacement of aortic stenosis (Danilewitz, McKibbin, and Derman), 686 (Letter)
- Gated cardiac blood pool imaging following aortocoronary bypass surgery, sequential postoperative assessment of left ventricular performance with (Reduto et al.), 59
 - equilibrium scintigraphy, multiple, improved assessment of inferior segmental wall motion by the addition of a 70 degree LAO view in (Freeman et al.), 169
- Gonococcal endocarditis, early echocardiographic changes in a patient with (Arvan and Delaverdac), 112 (Brief comm.)
- Great arteries, transposition of the, right aortic arch, coarctation, and isolation of the left subclavian artery: report of surgical therapy (Byrum et al.), 352 (Brief comm.)
 - vessels, transposition of the, complete, late complication of Rastelli procedure for with ventricular septal defect and pulmonic stenosis: pannus formation in a Hancock-valved conduit resulting in proximal intraconduit obstruction (Chun et al.), 855 (Brief comm.)
 - of the, corrected, identification of a tricuspid valve in the mitral position in by cross-sectional echocardiography (Motro et al.), 229 (Brief comm.)

H

- Hancock-valved conduit, pannus formation in a resulting in proximal intraconduit obstruction: late complication of Rastelli procedure for complete transposition of the great vessels with ventricular septal defect and pulmonic stenosis (Chun et al.), 855 (Brief comm.)
- Heart block, complete, and hypertrophic cardiomyopathy in infancy (Maron, Connor, and Roberts), 857 (Brief comm.)

Heart—continued

- disease, carcinoid, tricuspid insufficiency in: an echocardiographic description (Baker et al.), 107 (Brief comm.)
- congenital, pharmacologic use of prostaglandin E₁ in infants with (Heymann), 837
- coronary, exercise training in: is there a cardiac effect (Amsterdam et al.), 870
 - hematocrit and risk of: the Puerto Rico Health Program (Sorlie et al.), 456
- ischemic, increased fibrinopeptide A formation and thromboxane A₂ production in patients with: relationships to coronary pathoanatomy, risk factors, and clinical manifestations (Sermeri et al.), 185
 - and sudden death, relationship of ventricular ectopy in men without apparent heart disease to occurrence of (Rabkin, Mathewson, and Tate), 135
- valvular, acquired, Aschoff body and the etiology of (Ward), 117 (Letter)
- young women without apparent, arrhythmias documented by 24-hour continuous ambulatory ECG monitoring in (Sobotka et al.), 759
- failure, congestive, beneficial hemodynamic response to chronic prazosin therapy in (Feldman et al.), 534
 - chronic, ambulatory prazosin treatment of: development of late tolerance reversible by higher dosage and interrupted substitution therapy (Awan et al.), 541
 - severe chronic, sustained effectiveness of chronic prazosin therapy in (Bertel, Burkhart, and Bühler), 529
 - oral vasodilator therapy with prazosin in (Awan and Mason), 695
 - severe, angiotensin inhibition in: acute central and limb hemodynamic effects of captopril with observations on sustained oral therapy (Faxon et al.), 548
- syndrome, hypertrophic, the: a glance at the chromosome (Darsee), 124
- Hematocrit and risk of coronary heart disease: the Puerto Rico Health Program (Sorlie et al.), 456
- Hematuria, jogger's, consideration of (Bassler), 116 (Letter)
 - Reply (Blacklock), 116
- Hemodynamic actions of furosemide, mechanisms of: differentiation of vascular and renal effects on blood pressure in functionally anephric hypertensive patients (Mukherjee et al.), 313
 - of prenalator in severe congestive heart failure due to chronic coronary disease (Awan et al.), 158
- effects of captopril, acute central and limb, with observations on sustained oral therapy: angiotensin inhibition in severe heart failure (Faxon et al.), 548
 - of inhaled terbutaline in congestive heart failure patients without lung disease: beneficial cardiostimulant and vasodilator beta-agonist properties evaluated by ventricular catheterization and radionuclide angiography (Slutsky), 556
 - of molsidomine vasodilator therapy in acute myocardial infarction (Aptekar et al.), 369
- and electrophysiologic actions of diltiazem: disparate temporal effects shown by experimental dose-response studies (Fujimoto, Peter, and Mandel), 403
- response to chronic prazosin therapy in congestive heart failure, beneficial (Feldman et al.), 534
- and ultrasonic parameters, relationship of selected: evaluation of M-mode echographic estimates of LV function (Wilson et al.), 249
- Hemolysis without hemodynamic compromise, late thrombotic occlusion of a Björk-Shiley valve producing (Comess et al.), 112 (Brief comm.)
- Hemorrhages, tumor, in atrial myxomas, two-dimensional echographic identification of (Rahilly and Nanda), 237 (Brief comm.)
- Hereditary aspects of coronary artery disease (Hamby), 639
- Histogram output, time interval, from echo Doppler to detect mitral regurgitation, use and limitations of (Areias, Goldberg, and de Villeneuve), 805
- HLA-DRW4 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Matsumori et al.), 14
- Home vs clinic blood pressure measurements, cost effectiveness of (Gillum et al.), 689 (Letter)
- Homograft, saphenous vein, surgical decompression using a: superior vena caval syndrome after Mustard repair (Danilowicz, Isom, and Whiddon), 862 (Brief comm.)

- Hyperlipoproteinemia, types II and IV, quantification of amounts of coronary arterial narrowing in patients with and in those with known normal lipoprotein patterns (Cabin and Roberts), 52
- Hypertension, essential, effects of angiotensin-converting enzyme inhibition on blood pressure and plasma renin activity in (Fujita, Yamashita, and Yamashita), 259
- "less severe": should it be treated? (Moser), 465
- mild, the dilemma of: whom to treat (Kaplan), 867
- a new horizon for understanding and treating: anti-renin system therapy (Laragh), 364
- primary pulmonary: beneficial therapy with diltiazem (Kambara et al.), 230 (Brief comm.)
- renovascular, duration of blood pressure elevation in accurately predicting surgical cure of (Hughes et al.), 408
- Hypertensive patients, anephric, functionally, differentiation of vascular and renal effects on blood pressure in: mechanisms of hemodynamic actions of furosemide (Mukherjee et al.), 313
- Hypertrophic cardiomyopathy, asymmetric septal hypertrophy in conditions other than (Dawkins and Gibson), 865 (Letter)
- and complete heart block in infancy (Maron, Connor, and Roberts), 857 (Brief comm.)
- pathogenesis of: hypotheses and speculations (Perloff), 219
- preexcitation patterns in (Cosio et al.), 233 (Brief comm.)
- heart syndrome, the: a glance at the chromosome (Darsee), 124
- obstructive cardiomyopathy, HLA-DRW4 antigen linkage in patients with (Matsumori et al.), 14
- transient intraventricular conduction disturbances in (Chen et al.), 672 (Brief comm.)
- Hypotension preceding fatal ventricular tachyarrhythmias in post-coronary obstruction sudden death, significance of (Franciosa and Heckel), 421

I

- Imaging in cardiac lymphoma, thallium (McDonnell, Becker, and Bulkley), 809
- Indomethacin, aspirin, prednisone, and spontaneous resolution, retrospective and prospective studies of: therapy of symptomatic pericarditis after myocardial infarction (Berman, Haffajee, and Alpert), 750
- Infants with congenital heart disease, pharmacologic use of prostaglandin E₁ in (Heymann), 837
- Infarct size, acute myocardial, estimated by serum CK-MB determinations: clinical accuracy and prognostic relevance utilizing a practical modification of the isoenzyme approach (Grande et al.), 582
- potential to limit, enhancement of cardiac function and: vasodilator therapy in acute myocardial infarction (Awan, Amsterdam, and Mason), 516
- quantification, acute myocardial, early phase: validation of the triphenyl tetrazolium chloride tissue enzyme staining technique (Fishbein et al.), 593
- Infarction, acute myocardial, precipitated by infectious disease (Pesonen and Siitonen), 512 (Letter)
- right ventricular outflow obstruction in (Greengart et al.), 350 (Brief comm.)
- constrictive pericarditis, postmyocardial (Hait), 358 (Letter)
- myocardial, acute, creatine kinase curve area and peak creatine kinase after: usefulness and limitations (Ryan et al.), 162
- hemodynamic effects of molsidomine vasodilator therapy in (Aptekar et al.), 369
- QT interval and primary ventricular fibrillation in (Puddu et al.), 118 (Letter)
- vasodilator therapy in: enhancement of cardiac function and potential to limit infarct size (Awan, Amsterdam, and Mason), 516
- evolving, intracoronary thrombolysis in (Ganz et al.), 4
- modern approach to: determination of prognosis and therapy (Rackley et al.), 75
- recurrent, coronary disease patients at high risk for, detection of by elevated plasma inactive creatine kinase B protein levels (Burnam et al.), 561
- remote, comparative evaluation of segmental asynergy in by radionuclide angiography, two-dimensional echocardiography, and contrast ventriculography (Hecht et al.), 740

Infarction—continued

- pre-hospital, comparison to lower mortality and more easily recognized: increased fatality and difficult diagnosis of in-hospital acute myocardial infarction (Zmyslinski et al.), 586
- right ventricular, and function (Rackley et al.), 215
- therapy, acute myocardial, new approach to with the potential for widespread application: percutaneous transluminal coronary recanalization (Lee and Mason), 121
- ventricular, isolated right, and aneurysm due to blunt chest trauma: value of two-dimensional echocardiography and radionuclide angiography (Schneeweiss et al.), 679 (Brief comm.)
- Infectious disease, acute myocardial infarction precipitated by (Pesonen and Siitonen), 512 (Letter)
- Inotropic responsiveness of the heart in catecholamine cardiomyopathy (Fripp, Lee, and Downing), 17
- Institutions, different, comparison of clinical electrophysiologic studies in (Hammill et al.), 263
- Intracoronary thrombolysis in evolving myocardial infarction (Ganz et al.), 4
- Intraventricular conduction defect, unusual (epsilon potential), right ventricular myopathy with an (Angelini et al.), 680 (Brief comm.)
- disturbances, transient, in hypertrophic obstructive cardiomyopathy (Chen et al.), 672 (Brief comm.)
- Ischemia, myocardial, dependence of ventricular fibrillation propensity on coronary blood flow without (Kralios et al.), 440
- and left ventricular dysfunction in severe aortic stenosis, beneficial effects of nitroprusside administration on (Awan et al.), 386
- Ischemic heart disease, effects of exercise training on left ventricular mass in patients with (Ditchey et al.), 701
- increased fibrinopeptide A formation and thromboxane A₂ production in patients with: relationships to coronary pathoanatomy, risk factors, and clinical manifestations (Sermeri et al.), 185
- and sudden death, relationship of ventricular ectopy in men without apparent heart disease to occurrence of (Rabkin, Mathewson, and Tate), 135
- myocardium due to coronary occlusion, stabilization of cardiac lysosomal and cellular membranes in protection of: efficacy of the nonsteroidal anti-inflammatory agent, naproxen (Smith and Lefer), 394
- perfusion of, evaluation of effects of systemic nitroglycerin on in coronary heart disease assessed intraoperatively by antegrade blood flow through intact saphenous vein bypass grafts (Klein et al.), 292
- regional myocardial dysfunction, reduction of exercise-induced by verapamil in conscious dogs (Osakada et al.), 707
- Isoenzyme approach, clinical accuracy and prognostic relevance utilizing a practical modification of the: acute myocardial infarct size estimated by serum CK-MB determinations (Grande et al.), 582

J

- Jogger's hematuria, consideration of (Bassler), 116 (Letter)
- Reply (Blacklock), 116
- Junctional tachycardia, chronic recurrent ectopic, resembling triggered automaticity in mitral valve prolapse syndrome (Goren et al.), 504 (Brief comm.)

L

- Leaflet, mitral, posterior, left atrial myxoma causing fluttering of the (Baird), 851 (Brief comm.)
- "Less severe" hypertension: should it be treated? (Moser), 465
- Life-threatening ventricular tachyarrhythmias, refractory, control of by amiodarone (Nademanee et al.), 759
- Lipoprotein cholesterol, plasma high-density, in coronary disease patients, effect of exercise training on (Hartung, Squires, and Gotto), 181
- patterns, normal, quantification of amounts of coronary arterial narrowing in patients with types II and IV hyperlipoproteinemia and in those with known (Cabin and Roberts), 52
- Lymph node syndrome, adult onset mucocutaneous, with coronary aneurysm (Takagi et al.), 852 (Brief comm.)

- Lymphoma, cardiac, thallium imaging in (McDonnell, Becker, and Bulkley), 809
- Lysosomal and cellular membranes, cardiac, stabilization of in protection of ischemic myocardium due to coronary occlusion: efficacy of the nonsteroidal anti-inflammatory agent, naproxen (Smith and Lefer), 394

M

- Malignant mesenchymoma obstructing the right ventricular outflow tract (Ceretto et al.), 114 (Brief comm.)
- Mesenchymoma, malignant, obstructing the right ventricular outflow tract (Ceretto et al.), 114 (Brief comm.)
- Metastatic epidermoid cardiac tumor manifested by persistent ST segment elevation (Zatuchni et al.), 674 (Brief comm.)
- Microbubbles, contrast echographic, range gated Doppler ultrasound detection of for cardiac and great vessel blood flow patterns (Goldberg et al.), 793
- Mitral E point to ventricular septal separation in assessment of cardiac performance, effect of left ventricular size on (Child, Krivokapich, and Perloff), 797
- leaflet, posterior, left atrial myxoma causing fluttering of the (Baird), 851 (Brief comm.)
- position, tricuspid valve in the, identification of in corrected transposition of the great vessels by cross-sectional echocardiography (Motro et al.), 229 (Brief comm.)
- prolapse mimicking aortic stenosis and regurgitation, auscultatory findings of (Fuchs and Achuff), 351 (Brief comm.)
- regurgitation, use and limitations of time interval histogram output from echo Doppler to detect (Areias, Goldberg, and de Villeneuve), 805
- valve "anular" calcium forming a complete circle or "O" configuration: clinical and necropsy observations (Roberts and Waller), 619
- M-mode echocardiographic observations during and after healing of active bacterial endocarditis limited to the (Sheikh et al.), 37
- prolapse of, Ebstein's anomaly of the tricuspid valve and (Cabin and Roberts), 177
- syndrome, chronic recurrent ectopic junctional tachycardia resembling triggered automaticity in (Goren et al.), 504 (Brief comm.)
- relationship of neurocirculatory asthenia to (Abinader), 864 (Letter)
- with sudden death, the conduction system in (Bharati et al.), 667 (Brief comm.)
- M-mode echocardiographic observations during and after healing of active bacterial endocarditis limited to the mitral valve (Sheikh et al.), 37
- echographic estimates of LV function, evaluation of: relationship of selected ultrasonic and hemodynamic parameters (Wilson et al.), 249
- Modern approach to myocardial infarction: determination of prognosis and therapy (Rackley et al.), 75
- Molsidomine vasodilator therapy, hemodynamic effects of in acute myocardial infarction (Aptekar et al.), 369
- Monitoring, ambulatory blood pressure: recent advances and clinical applications (Horan et al.), 843
- Mucocutaneous lymph node syndrome, adult onset, with coronary aneurysm (Takagi et al.), 852 (Brief comm.)
- Mustard repair, superior vena caval syndrome after: surgical decompression using a saphenous vein homograft (Danilowicz, Isom, and Whiddon), 862 (Brief comm.)
- Myocardial avid technetium-99m-pyrophosphate scintigraphy, intense, persistent, in acute myocarditis (Mitsutake et al.), 683 (Brief comm.)
- dysfunction, exercise-induced ischemic regional, reduction of by verapamil in conscious dogs (Osakada et al.), 707
- energetic demand, increased, in response to pacing-induced tachycardia, decline in blood flow in stenotic coronary arteries during (Schwartz, Carlyle, and Cohn), 435
- infarct size, acute, estimated by serum CK-MB determinations: clinical accuracy and prognostic relevance utilizing a practical modification of the isoenzyme approach (Grande et al.), 582
- quantification, early phase acute: validation of the triphenyl tetrazolium chloride tissue enzyme staining technique (Fishbein et al.), 593

Myocardial—continued

- infarction, acute, creatine kinase curve area and peak creatine kinase after: usefulness and limitations (Ryan et al.), 162
- dissecting aneurysm of the ventricular septum following: diagnosis by real time two-dimensional echocardiography (Hodsdon and Nanda), 671 (Brief comm.)
- hemodynamic effects of molsidomine vasodilator therapy in (Aptekar et al.), 369
- inferior, relationships between ST segment elevation in V_{4R} and hemodynamic, scintigraphic, and echocardiographic findings in patients with: right ventricular infarction (Candell-Riera et al.), 281
- in-hospital, increased fatality and difficult diagnosis of: comparison to lower mortality and more easily recognized pre-hospital infarction (Zmyalinski et al.), 586
- precipitated by infectious disease (Pesonen and Siitonen), 512 (Letter)
- QT interval and primary ventricular fibrillation in (Puddu et al.), 118 (Letter)
- right ventricular outflow obstruction in (Greengart et al.), 350 (Brief comm.)
- vasodilator therapy in: enhancement of cardiac function and potential to limit infarct size (Awan, Amsterdam, and Mason), 516
- evolving, intracoronary thrombolysis in (Ganz et al.), 4
- modern approach to: determination of prognosis and therapy (Rackley et al.), 75
- post-acute, impaired beta-adrenergic stimulation in the uninvolved ventricle: reversible defect due to excessive circulating catecholamine-induced decline in number and affinity of beta-receptors (Baumann et al.), 569
- recurrent, coronary disease patients at high risk for, detection of by elevated plasma inactive creatine kinase B protein levels (Burnam et al.), 561
- remote, comparative evaluation of segmental asynergy in by radionuclide angiography, two-dimensional echocardiography, and contrast ventriculography (Hecht et al.), 740
- therapy, acute, new approach to with the potential for widespread application: percutaneous transluminal coronary recanalization (Lee and Mason), 121
- of symptomatic pericarditis after: retrospective and prospective studies of aspirin, indomethacin, prednisone, and spontaneous resolution (Berman, Haffajee, and Alpert), 750
- ischemia, correlation with antecedent coronary artery occlusion tachyarrhythmias and duration of: reperfusion ventricular tachyarrhythmias (Balke et al.), 449
- dependence of ventricular fibrillation propensity on coronary blood flow without (Kralios et al.), 440
- and left ventricular dysfunction in severe aortic stenosis, beneficial effects of nitroprusside administration on (Awan et al.), 386
- perfusion pattern, thallium-201, relationship of to regional and global left ventricular function with exercise (Kirshenbaum et al.), 734
- scintigraphy, role of in noninvasive detection of exercise-induced coronary spasm (Krishnaswami, Murphy, and Shreiner), 511 (Letter)
- Myocarditis, acute, intense, persistent myocardial avid technetium-99m-pyrophosphate scintigraphy in (Mitsutake et al.), 683 (Brief comm.)
- Myocardium, ischemic, due to coronary occlusion, stabilization of cardiac lysosomal and cellular membranes in protection of: efficacy of the nonsteroidal anti-inflammatory agent, naproxen (Smith and Lefer), 394
- perfusion of, evaluation of effects of systemic nitroglycerin on in coronary heart disease assessed intraoperatively by antegrade blood flow through intact saphenous vein bypass grafts (Klein et al.), 292
- Myopathy, right ventricular, with an unusual intraventricular conduction defect (epsilon potential) (Angelini et al.), 680 (Brief comm.)
- Myopotential inhibition of demand pacemakers: detection of ambulatory electrocardiography (Jacobs et al.), 346 (Brief comm.)
- Myxoma(s), atrial, two-dimensional echographic identification of tumor hemorrhages in (Rahilly and Nanda), 237 (Brief comm.)

Myxoma (s)—continued

- left atrial, causing fluttering of the posterior mitral leaflet (Baird), 851 (Brief comm.)

N

- Naproxen, nonsteroidal anti-inflammatory agent, efficacy of: stabilization of cardiac lysosomal and cellular membranes in protection of ischemic myocardium due to coronary occlusion (Smith and Lefer), 394
- Neurocirculatory asthenia to mitral valve prolapse syndrome, relationship to (Abinader), 864 (Letter)
- Nifedipine and thrombolysis, treatment with: early coronary graft thrombosis following surgery for Prinzmetal's angina (Klaus et al.), 110 (Brief comm.)
- Nitroglycerin, systemic, evaluation of effects of on perfusion of ischemic myocardium in coronary heart disease assessed intraoperatively by antegrade blood flow through intact saphenous vein bypass grafts (Klein et al.), 292
- Nitroprusside administration, beneficial effects of on left ventricular dysfunction and myocardial ischemia in severe aortic stenosis (Awan et al.), 386
- Nodal pathways, dual AV, and AV nodal reentrant paroxysmal tachycardia (Rosen et al.), 691
- Normotensive congestive heart failure, severe chronic, efficacy of oral angiotensin-converting enzyme inhibition with captopril therapy in (Awan et al.), 22

O

- "O" configuration, or complete circle, mitral valve "anular" calcium forming a: clinical and necropsy observations (Roberts and Waller), 619
- Oral angiotensin converting enzyme inhibitor, captopril, clinical pharmacology and therapeutic applications of the new (Ferguson and Vlases), 650
- contraceptives and cardiovascular disease (Dalen and Hickler), 626
- quinidine, effects of chronic on left ventricular performance (O'Rourke and Horwitz), 769
- vasodilator therapy with prazosin in severe congestive heart failure (Awan and Mason), 695
- Outflow obstruction, right ventricular, in acute myocardial infarction (Greengart et al.), 350 (Brief comm.)
- tract, right ventricular, malignant mesenchymoma obstructing the (Ceretto et al.), 114 (Brief comm.)
- Overdose, tricyclic antidepressant (Ahmad), 357 (Letter)

P

- Pacemakers, demand, myopotential inhibition of: detection of ambulatory electrocardiography (Jacobs et al.), 346 (Brief comm.)
- Pacing electrode, atrial loop, entrapment of a temporary (Parsonnet and Werres), 227 (Brief comm.)
- Pannus formation in a Hancock-valved conduit resulting in proximal intraconduit obstruction: late complication of Rastelli procedure for complete transposition of the great vessels with ventricular septal defect and pulmonary stenosis (Chun et al.), 855 (Brief comm.)
- Paroxysmal tachycardia, AV nodal reentrant, and dual AV nodal pathways (Rosen et al.), 691
- Pathogenesis of hypertrophic cardiomyopathy: hypotheses and speculations (Perloff), 219
- Pediatric aspects of atherosclerosis (Voller and Strong), 815
- Percutaneous transluminal coronary angioplasty, efficacy of: technique, patient selection, salutary results, limitations and complications (Cowley, Vetovec, and Wolfgang), 272
- recanalization: a new approach to acute myocardial infarction therapy with the potential for widespread application (Lee and Mason), 121
- Pericardial effusion swinging heart phenomenon by dynamic radionuclide ventriculography (Rizi et al.), 347 (Brief comm.)
- tamponade, total electrical alternans in (Sotolongo and Horton), 853 (Brief comm.)

- Pericardiophrenic vein to the innominate vein, anomalous left pulmonary venous drainage to the inferior vena cava and through the: left-sided Scimitar syndrome (Mardini, Sakati, and Nyhan), 860 (Brief comm.)
- Pericarditis, constrictive, post-myocardial infarction (Haïat), 358 (Letter)
- spontaneous severe, in congenital afibrinogenemia: mechanism, evaluation, and successful surgical treatment (Boniske and Jaffe), 503 (Brief comm.)
- symptomatic, therapy of after myocardial infarction: retrospective and prospective studies of aspirin, indomethacin, prednisone, and spontaneous resolution (Berman, Haffajee, and Alpert), 750
- Pharmacologic use of prostaglandin E₁ in infants with congenital heart disease (Heymann), 837
- Physiologic lengthening of LV ejection time during early upright exercise, elucidation of (Sugiura et al.), 309
- Plasma high-density lipoprotein cholesterol in coronary disease patients, effect of exercise training on (Hartung, Squires, and Gotto), 181
- renin activity and blood pressure in essential hypertension, effects of angiotensin-converting enzyme inhibition on (Fujita, Yamashita, and Yamashita), 259
- Post-myocardial infarction constrictive pericarditis (Haïat), 358 (Letter)
- Prazosin, oral vasodilator therapy with in severe congestive heart failure (Awan and Mason), 695
- therapy, chronic, beneficial hemodynamic response to in congestive heart failure (Feldman et al.), 534
- sustained effectiveness of in severe chronic congestive heart failure (Bertel, Burkhardt, and Bühler), 529
- treatment of chronic congestive heart failure, ambulatory: development of late tolerance reversibly by higher dosage and interrupted substitution therapy (Awan et al.), 541
- Precordial thump and termination of cardiac reentrant tachyarrhythmias (Cotoi), 675 (Brief comm.)
- Prednisone, aspirin, indomethacin, and spontaneous resolution, retrospective and prospective studies of: therapy of symptomatic pericarditis after myocardial infarction (Berman, Haffajee, and Alpert), 750
- Preexcitation conduction abnormalities, congenital atrioventricular, persistent left superior vena cava in patients with (Davis et al.), 677 (Brief comm.)
- patterns in hypertrophic cardiomyopathy (Cosio et al.), 233 (Brief comm.)
- Prenalator, hemodynamic actions of in severe congestive heart failure due to chronic coronary disease (Awan et al.), 158
- Preoperative criteria predictive of late survival following valve replacement for severe aortic regurgitation (Greves et al.), 300
- Pressure(s), cardiac, and performance, evaluation of by ultrasound: past promises and future potentials (DeMaria, Bommer, and Mason), 514
- monitoring, blood, ambulatory: recent advances and clinical applications (Horan et al.), 843
- Prinzmetal's angina, early coronary graft thrombosis following surgery for: treatment with nifedipine and thrombolysis (Klaus et al.), 110 (Brief comm.)
- Prognosis and therapy determination in modern approach to myocardial infarction (Rackley et al.), 75
- Prognostic significance of ventricular ectopic beats among the apparently healthy (Crow, Prineas, and Blackburn), 244
- Prolapse, mitral, mimicking aortic stenosis and regurgitation, auscultatory findings of (Fuchs and Achuff), 351 (Brief comm.)
- valve, Ebstein's anomaly of the tricuspid valve and (Cabin and Roberts), 177
- syndrome, mitral valve, relationship of neurocirculatory asthenia to (Abinader), 864 (Letter)
- with sudden death, the conduction system in (Bharati et al.), 667 (Brief comm.)
- Prolapsing atrioventricular valve in partial atrioventricular defect (Waller, Sheikh, and Roberts), 108 (Brief comm.)
- Prostaglandin E₁, pharmacologic use of in infants with congenital heart disease (Heymann), 837
- Prosthesis, selection of a and indications for operation: current status of cardiac valve replacement (Bonchek), 96

- Prosthetic aortic valve, two-dimensional echographic observations in major detachment of a (Mehta et al.), 231 (Brief comm.)
- valve endocarditis due to *Achromobacter xylosoxidans* (Lofgren, Nelson, and Crossley), 502 (Brief comm.)
- Pseudoaneurysm, left ventricular, noninvasive diagnosis of by radiography and echography (Alter et al.), 236 (Brief comm.)
- Puerto Rico Health Program: hematocrit and risk of coronary heart disease (Sorlie et al.), 456
- Pulmonary atresia with ventricular septal defect, systemic pulmonary circulation in: concept of reciprocal development of the fourth and sixth aortic arches (Thiene et al.), 339
- circulation, systemic, in pulmonary atresia with ventricular septal defect: concept of reciprocal development of the fourth and sixth aortic arches (Thiene et al.), 339
- disease, chronic, evaluation of left ventricular function in by exercise gated equilibrium radionuclide angiography (Slutsky et al.), 414
- embolism, fatal, from massive right atrial thrombus post-coronary artery bypass surgery (Formolo, Giraldo, and Shors), 510 (Brief comm.)
- hypertension, primary: beneficial therapy with diltiazem (Kambara et al.), 230 (Brief comm.)
- venous drainage, anomalous left, to the inferior vena cava and through the pericardiophrenic vein to the innominate vein: left-sided Scimitar syndrome (Mardini, Sakati, and Nyhan), 860 (Brief comm.)
- Pulmonic stenosis and ventricular septal defect, late complication of Rastelli procedure for complete transposition of the great vessels with: pannus formation in a Hancock-valved conduit resulting in proximal intra-conduit obstruction (Chun et al.), 855 (Brief comm.)
- valve opening, premature, and inverted septal convexity in acute ischemic right ventricular dysfunction (Coma-Canella, Lopez-Sendon, and Oliver), 684 (Brief comm.)
- Q**
- QT interval and primary ventricular fibrillation in acute myocardial infarction (Puddu et al.), 118 (Letter)
- syndrome, prolonged, Romano-Ward, with intermittent T wave alternans and atrioventricular block (Sharma, Nair, and Gadekar), 500 (Brief comm.)
- Quinidine, oral, effects of chronic on left ventricular performance (O'Rourke and Horwitz), 769
- R**
- Radioangiography and echography, noninvasive diagnosis of left ventricular pseudoaneurysm by (Alter et al.), 236 (Brief comm.)
- Radionuclide angiography, exercise gated equilibrium, evaluation of left ventricular function in chronic pulmonary disease by (Slutsky et al.), 414
- and ventricular catheterization, beneficial cardiotoxic and vasodilator beta-agonist properties evaluated by: hemodynamic effects of inhaled terbutaline in congestive heart failure patients without lung disease (Slutsky), 556
- ejection fraction and regional wall motion during atrial pacing in stable angina pectoris: comparison with metabolic and hemodynamic parameters (Hecht et al.), 726
- ventriculography, dynamic, pericardial effusion swinging heart phenomenon by (Rizi et al.), 347 (Brief comm.)
- Range gated Doppler ultrasound detection of contrast echographic microbubbles for cardiac and great vessel blood flow patterns (Goldberg et al.), 793
- Rastelli procedure, late complication of for complete transposition of the great vessels with ventricular septal defect and pulmonic stenosis: pannus formation in a Hancock-valved conduit resulting in proximal intra-conduit obstruction (Chun et al.), 855 (Brief comm.)
- Real time computerization of two-dimensional echocardiography (Garcia et al.), 783
- Recanalization, percutaneous transluminal coronary: a new approach to acute myocardial infarction therapy with the potential for widespread application (Lee and Mason), 121

- Reentrant tachyarrhythmias, cardiac, precordial thump and termination of (Cotoi), 675 (Brief comm.)
- tachycardia and relation to determinants of sustained slow pathway conduction in patients with dual AV nodal transmission (Wu, Hung, and Kuo), 521
- Reentry versus automaticity: role in tachyarrhythmia genesis and antiarrhythmic therapy (Vera and Mason), 329
- Refractory life-threatening ventricular tachyarrhythmias by amiodarone, control of (Nademanee et al.), 759
- Regurgitation, aortic, and aortic stenosis, auscultatory findings of mitral prolapse mimicking (Fuchs and Achuff), 351 (Brief comm.)
- severe, preoperative criteria predictive of late survival following valve replacement for (Greves et al.), 300
- Renovascular hypertension, duration of blood pressure elevation in accurately predicting surgical cure of (Hughes et al.), 408
- Retinal artery, calcium emboli to in calcific aortic stenosis (Brockmeier et al.), 32
- Romano-Ward prolonged QT syndrome with intermittent T wave alternans and atrioventricular block (Sharma, Nair, and Gadekar), 500 (Brief comm.)

S

- Saint Jude Medical valve prosthesis, echocardiographic features of the correctly functioning (Amann et al.), 45
- Saphenous vein homograft, surgical decompression using a: superior vena caval syndrome after Mustard repair (Danilowicz, Isom, and Whiddon), 862 (Brief comm.)
- Scimitar syndrome, left-sided: anomalous left pulmonary venous drainage to the inferior vena cava and through the pericardiophrenic vein to the innominate vein (Mardini, Sakati, and Nyhan), 860 (Brief comm.)
- Scintigraphy, intense, persistent myocardial avid technetium-99m-pyrophosphate, in acute myocarditis (Mitsutake et al.), 683 (Brief comm.)
- multiple gated equilibrium, improved assessment of inferior segmental wall motion by the addition of a 70 degree LAO view in (Freeman et al.), 169
- myocardial, role of in noninvasive detection of exercise-induced coronary spasm (Krishnaswami, Murphy, and Shreiner), 511 (Letter)
- stress thallium-201 myocardial, and exercise technetium ventriculography in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination (Elkayam et al.), 657
- Septal convexity, inverted, and premature pulmonic valve opening in acute ischemic right ventricular dysfunction (Coma-Canella, Lopez-Sendon, and Oliver), 684 (Brief comm.)
- defect, ventricular, acute, right ventricular dysfunction in (Grose and Spindola-Franco), 67
- hypertrophy, asymmetric, in conditions other than hypertrophic cardiomyopathy (Dawkins and Gibson), 865 (Letter)
- tricuspid leaflet, 2D echo position of in Ebstein's anomaly and normal hearts (Evemy and Hunter), 358 (Letter)
- Septum, ventricular, aneurysms of the, accuracy of two-dimensional echocardiography in the detection of (Canale et al.), 255
- Sequential postoperative assessment of left ventricular performance with gated cardiac blood pool imaging following aortocoronary bypass surgery (Reduto et al.), 59
- Situs inversus and discordant atrioventricular and concordant ventriculoarterial connections, a rare congenital cardiac malformation with: diagnosis and surgical treatment (Leijala et al.), 355 (Brief comm.)
- Smoking, cigarette, in coronary artery disease, update on the role of (Kannel), 319
- and coronary disease (Friedman), 357 (Letter)
- Sodium salicylate, dipyridamole may be more effective with than with aspirin (Smith), 686 (Letter)
- Spasm, coronary artery, demonstration of by angiography: clinical course of patients following (Cipriano et al.), 127
- exercise-induced: role of myocardial scintigraphy in noninvasive detection (Krishnaswami, Murphy, and Shreiner), 511 (Letter)
- old problems, new questions (Amsterdam and Mason), 242

- ST segment elevation, metastatic epidermoid cardiac tumor manifested by persistent (Zatuchni et al.), 674 (Brief comm.)
- in V_{1a} relationships between and hemodynamic, scintigraphic, and echocardiographic findings in patients with acute inferior myocardial infarction: right ventricular infarction (Candell-Riera et al.), 281
- Staining technique, triphenyl tetrazolium chloride tissue enzyme, validation of the: early phase acute myocardial infarct size quantification (Fishbein et al.), 593
- Stenosis, aortic, severe, beneficial effects of nitroprusside administration on left ventricular dysfunction and myocardial ischemia in (Awan et al.), 386
- coronary artery, proximal right, manifestation of: thallium-201 stress redistribution abnormalities of the right ventricle (Brachman et al.), 288
- epicardial vessel, fixed, in coronary artery disease, synergistic relation between vasoconstriction and (Santamore et al.), 428
- subaortic, discrete, two-dimensional echocardiographic evaluation of from the apical long axis view (DiSessa et al.), 774
- Stenotic coronary arteries, decline in blood flow in during increased myocardial energetic demand in response to pacing-induced tachycardia (Schwartz, Carlyle, and Cohn), 435
- Streptococcus viridans* bacterial endocarditis, virulent (Hosea), 174
- Stress redistribution abnormalities of the RV, thallium-201: a manifestation of proximal right coronary artery stenosis (Brachman et al.), 288
- thallium-201 myocardial scintigraphy and exercise technetium ventriculography in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination (Elkayam et al.), 657
- Subaortic stenosis, discrete, two-dimensional echocardiographic evaluation of from the apical long axis view (DiSessa et al.), 774
- Subclavian artery, left, isolation of the, transposition of the great arteries, right aortic arch, and coarctation: report of surgical therapy (Byrum et al.), 352 (Brief comm.)
- Sudden death, conduction system in mitral valve prolapse syndrome with (Bharati et al.), 667 (Brief comm.)
- post-coronary obstruction, significance of hypotension preceding fatal ventricular tachyarrhythmias in (Franciosa and Heckel), 421
- Superior vena cava, persistent left, in patients with congenital atrioventricular preexcitation conduction abnormalities (Davis et al.), 677 (Brief comm.)
- caval syndrome after Mustard repair: surgical decompression using a saphenous vein homograft (Danilowicz, Isom, and Whiddon), 862 (Brief comm.)
- Supraventricular tachycardia, effects of verapamil on in patients with overt and concealed Wolff-Parkinson-White syndrome (Hamer et al.), 600
- Surgery, coronary artery, the efficacy of (Loop et al.), 86
- Surgical treatment, successful, of the combined disorders tricuspid atresia and WPW syndrome, with evaluation and methodology (Dick et al.), 496 (Brief comm.)
- Swinging heart phenomenon, pericardial effusion, by dynamic radionuclide ventriculography (Rizi et al.), 347 (Brief comm.)
- Synergistic relation between vasoconstriction and fixed epicardial vessel stenosis in coronary artery disease (Santamore et al.), 428
- T
- T wave alternans, intermittent, Romano-Ward prolonged QT syndrome with and atrioventricular block (Sharma, Nair, and Gadekar), 500 (Brief comm.)
- Tachyarrhythmia(s), antecedent coronary artery occlusion, and duration of myocardial ischemia, correlation with: reperfusion ventricular tachyarrhythmias (Balke et al.), 449
- atrial and ventricular, refractory, amiodarone therapy in symptomatic, sustained (Podrid and Lown), 374
- cardiac reentrant, precordial thump and termination of (Cotui), 675 (Brief comm.)
- Tachyarrhythmia(s)—continued
- genesis and antiarrhythmic therapy, role of reentry versus automaticity in (Vera and Mason), 329
- refractory life-threatening ventricular, control of by amiodarone (Nademanee et al.), 759
- ventricular, fatal, in post-coronary obstruction sudden death, significance of hypotension preceding (Franciosa and Heckel), 421
- reperfusion: correlation with antecedent coronary artery occlusion tachyarrhythmias and duration of myocardial ischemia (Balke et al.), 449
- Tachycardia, chaotic atrial, in childhood (Bisset et al.), 268
- junctional, chronic recurrent ectopic, resembling triggered automaticity in mitral valve prolapse syndrome (Goren et al.), 504 (Brief comm.)
- pacing-induced, decline in blood flow in stenotic coronary arteries during increased myocardial energetic demand in response to (Schwartz, Carlyle, and Cohn), 435
- paroxysmal, AV nodal reentrant, and dual AV nodal pathways (Rosen et al.), 691
- reentrant, and relation to determinants of sustained slow pathway conduction in patients with dual AV nodal transmission (Wu, Hung, and Kuo), 521
- supraventricular, effects of verapamil on in patients with overt and concealed Wolff-Parkinson-White syndrome (Hamer et al.), 600
- ventricular, exertional (Baltazar et al.), 354 (Brief comm.)
- Tamponade, pericardial total electrical alternans in (Sotolongo and Horton), 853 (Brief comm.)
- Technetium ventriculography, exercise, and stress thallium-201 myocardial scintigraphy in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination (Elkayam et al.), 657
- 99m-pyrophosphate scintigraphy, intense, persistent myocardial avid, in acute myocarditis (Mitsutake et al.), 683 (Brief comm.)
- Terbutaline, inhaled, hemodynamic effects of in congestive heart failure patients without lung disease: beneficial cardiogenic and vasodilator beta-agonist properties evaluated by ventricular catheterization and radionuclide angiography (Slutsky), 556
- Test, exercise, toward improved interpretation of: Bayes' theorem in perspective (Glasser), 116 (Letter)
- Tetrazolium chloride tissue enzyme staining technique, triphenyl, validation of the: early phase acute myocardial infarct size quantification (Fishbein et al.), 593
- Thallium(-201) imaging in cardiac lymphoma (McDonnell, Becker, and Bulkley), 809
- myocardial perfusion pattern, relationship of to regional and global left ventricular function with exercise (Kirshenbaum et al.), 734
- scintigraphy, stress, and exercise technetium ventriculography in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination (Elkayam et al.), 657
- stress redistribution abnormalities of the right ventricle: a manifestation of proximal right coronary artery stenosis (Brachman et al.), 288
- Therapeutic applications and clinical pharmacology of the antiarrhythmic agent, amiodarone (Marcus et al.), 480
- Thrombolysis, intracoronary, in evolving myocardial infarction (Ganz et al.), 4
- and nifedipine, treatment with: early coronary graft thrombosis following surgery for Prinzmetal's angina (Klaus et al.), 110 (Brief comm.)
- Thrombosis, early coronary graft, following surgery for Prinzmetal's angina: treatment with nifedipine and thrombolysis (Klaus et al.), 110 (Brief comm.)
- Thrombotic occlusion, late, of a Björk-Shiley valve producing hemolysis without hemodynamic compromise (Comess et al.), 112 (Brief comm.)
- Thromboxane A_2 production and increased fibrinopeptide A formation in patients with ischemic heart disease: relationships to coronary pathoanatomy, risk factors, and clinical manifestations (Serner et al.), 185

- Thrombus, atrial, massive right, fatal pulmonary embolism from post-coronary artery bypass surgery (Formolo, Giraldo, and Shors), 510 (Brief comm.)
- Time interval histogram output from echo Doppler to detect mitral regurgitation, use and limitations of (Areias, Goldberg, and de Villeneuve), 805
- Tissue enzyme staining technique, triphenyl tetrazolium chloride, validation of the: early phase acute myocardial infarct size quantification (Fishbein et al.), 593
- Tocainide-induced ventricular fibrillation (Engler and LeWintner), 494 (Brief comm.)
- Tolerance, exercise, increased, after oral diltiazem, a calcium antagonist, in angina pectoris (Koiwaya et al.), 143
- Transluminal coronary angioplasty, percutaneous, efficacy of: technique, patient selection, salutary results, limitations and complications (Cowley, Vetovec, and Wolfgang), 272
- Transposition of the great arteries, right aortic arch, coarctation, and isolation of the left subclavian artery: report of surgical therapy (Byrum et al.), 352 (Brief comm.)
- vessels, complete, late complication of Rastelli procedure for with ventricular septal defect and pulmonary stenosis: pannus formation in a Hancock-valved conduit resulting in proximal intraconduit obstruction (Chun et al.), 855 (Brief comm.)
- corrected, identification of a tricuspid valve in the mitral position in by cross-sectional echocardiography (Motro et al.), 229 (Brief comm.)
- Tricuspid atresia, contrast two-dimensional echocardiography in diagnosis of (Koiwaya et al.), 507 (Brief comm.)
- and the Wolff-Parkinson-White Syndrome: evaluation, methodology and successful surgical treatment of the combined disorders (Dick et al.), 496 (Brief comm.)
- insufficiency in carcinoid heart disease: an echocardiographic description (Baker et al.), 107 (Brief comm.)
- leaflet, septal, 2D echo position of in Ebstein's anomaly and normal hearts (Evemy and Hunter), 358 (Letter)
- valve, Ebstein's anomaly of the and prolapse of the mitral valve (Cabin and Roberts), 177
- in the mitral position, identification of in corrected transposition of the great vessels by cross-sectional echocardiography (Motro et al.), 229 (Brief comm.)
- Tricyclic antidepressant overdose (Ahmad), 357 (Letter)
- Triphenyl tetrazolium chloride tissue enzyme staining technique, validation of the: early phase acute myocardial infarct size quantification (Fishbein et al.), 593
- Tumor hemorrhages in atrial myxomas, two-dimensional echocardiographic identification of (Rahilly and Nanda), 237 (Brief comm.)
- metastatic epidermoid cardiac, manifested by persistent ST segment elevation (Zatuchni et al.), 674 (Brief comm.)
- Two-dimensional echocardiographic evaluation of discrete subaortic stenosis from the apical long axis view (DiSessa et al.), 774
- echocardiography, contrast, in diagnosis of tricuspid atresia (Koiwaya et al.), 507 (Brief comm.)
- in the detection of aneurysms of the ventricular septum, accuracy of (Canale et al.), 255
- real time computerization of (Garcia et al.), 783
- echographic identification of tumor hemorrhages in atrial myxomas (Rahilly and Nanda), 237 (Brief comm.)
- observations in major detachment of a prosthetic aortic valve (Mehta et al.), 231 (Brief comm.)

U

- Ultrasonic and hemodynamic parameters, relationship of selected: evaluation of M-mode echographic estimates of LV function (Wilson et al.), 249
- Ultrasound detection, range gated Doppler, of contrast echographic microbubbles for cardiac and great vessel blood flow patterns (Goldberg et al.), 793
- evaluation of cardiac performance and pressures by: past promises and future potentials (DeMaria, Bommer, and Mason), 514

V

- V₁, ST segment elevation in, relationships between and hemodynamic, scintigraphic, and echocardiographic findings in patients with acute inferior myocardial infarction: right ventricular infarction (Candell-Riera et al.), 281
- Valve, atrioventricular, prolapsing, in partial atrioventricular defect (Waller, Sheikh, and Roberts), 108 (Brief comm.)
- Björk-Shiley, late thrombotic occlusion of a, producing hemolysis without hemodynamic compromise (Comess et al.), 112 (Brief comm.)
- endocarditis, prosthetic, due to *Achromobacter xylosoxidans* (Lofgren, Nelson, and Crossley), 502 (Brief comm.)
- mitral, "anular" calcium forming a complete circle or "O" configuration: clinical and necropsy observations (Roberts and Waller), 619
- prolapse of, Ebstein's anomaly of the tricuspid valve and (Cabin and Roberts), 177
- opening, premature pulmonary, and inverted septal convexity in acute ischemic right ventricular dysfunction (Coma-Canella, Lopez-Sendon, and Oliver), 684 (Brief comm.)
- prosthesis, St. Jude Medical, echocardiographic features of the correctly functioning (Amann et al.), 45
- prosthetic aortic, two-dimensional echographic observations in major detachment of a (Mehta et al.), 231 (Brief comm.)
- replacement of aortic stenosis, cessation of gastrointestinal bleeding after (Danilewitz, McKibbin, and Derman), 686 (Letter)
- cardiac, current status of: selection of a prosthesis and indications for operation (Bonchek), 96
- for severe aortic regurgitation, preoperative criteria predictive of late survival following (Greves et al.), 300
- tricuspid, Ebstein's anomaly of the and prolapse of the mitral valve (Cabin and Roberts), 177
- Valvular heart disease, acquired, Aschoff body and the etiology of (Ward), 117 (Letter)
- Variant angina, effect of diltiazem in patients with: a randomized double-blind trial (Pepine et al.), 719
- verapamil therapy in: assessment by high fidelity frequency modulated ambulatory ECG (Subramanian et al.), 849 (Brief comm.)
- Vasoconstriction and fixed epicardial vessel stenosis in coronary artery disease, synergistic relation between (Santamore et al.), 428
- Vasodilator and cardiotonic beta-agonist properties, beneficial, evaluated by ventricular catheterization and radionuclide angiography: hemodynamic effects of inhaled terbutaline in congestive heart failure patients without lung disease (Slutsky), 556
- therapy in acute myocardial infarction: enhancement of cardiac function and potential to limit infarct size (Awan, Amsterdam, and Mason), 516
- molsidomine, hemodynamic effects of in acute myocardial infarction (Aptekar et al.), 369
- oral, with prazosin in severe congestive heart failure (Awan and Mason), 695
- Vectorcardiography: correction for disparate body size (Nelson), 240 (Letter)
- Vena cava, persistent left superior, in patients with congenital atrioventricular preexcitation conduction abnormalities (Davis et al.), 677 (Brief comm.)
- caval syndrome, superior, after Mustard repair: surgical decompression using a saphenous vein homograft (Danilowicz, Isom, and Whiddon), 862 (Brief comm.)
- Venting of the cardiac apex in children, intraoperative, left ventricular aneurysms associated with (Weesner, Byrum, and Rosenthal), 622
- Ventricular aneurysms, left, associated with intraoperative venting of the cardiac apex in children (Weesner, Byrum, and Rosenthal), 622
- and atrial tachyarrhythmias, refractory, amiodarone therapy in symptomatic, sustained (Podrid and Lown), 374
- dysfunction, acute ischemic right, premature pulmonary valve opening and inverted septal convexity in (Coma-Canella, Lopez-Sendon, and Oliver), 684 (Brief comm.)

Ventricular dysfunction—continued

- left, and myocardial ischemia in severe aortic stenosis, beneficial effects of nitroprusside administration on (Awan et al.), 386
- right, in acute ventricular septal defect (Grose and Spindola-Franco), 67
- ectopic beats among the apparently healthy, prognostic significance of (Crow, Prineas, and Blackburn), 244
- ectopy in men without apparent heart disease, relationship of to occurrence of ischemic heart disease and sudden death (Rabkin, Mathewson, and Tate), 135
- fibrillation, primary, and QT interval in acute myocardial infarction (Puddu et al.), 118 (Letter)
- propensity on coronary blood flow without myocardial ischemia, dependence of (Kralios et al.), 440
- tocainide-induced (Engler and LeWinter), 494 (Brief comm.)
- function, left, evaluation of in chronic pulmonary disease by exercise gated equilibrium radionuclide angiography (Slutsky et al.), 414
 - with exercise, relationship of thallium-201 myocardial perfusion pattern to regional and global (Kirshenbaum et al.), 734
- infarction, isolated right, and aneurysm due to blunt chest trauma: value of two-dimensional echocardiography and radionuclide angiography (Schneeweiss et al.), 679 (Brief comm.)
- right, and function (Rackley et al.), 215
 - relationships between ST segment elevation in V_{4R} and hemodynamic, scintigraphic, and echocardiographic findings in patients with acute inferior myocardial infarction (Candell-Riera et al.), 281
- mass, left, in patients with ischemic heart disease, effects of exercise training on (Ditchey et al.), 701
- myopathy, right, with an unusual intraventricular conduction defect (epsilon potential) (Angelini et al.), 680 (Brief comm.)
- outflow obstruction, right, in acute myocardial infarction (Greengart et al.), 350 (Brief comm.)
- tract, right, malignant mesenchymoma obstructing the (Certo et al.), 114 (Brief comm.)
- performance, left, effects of chronic oral quinidine on (O'Rourke and Horwitz), 769
 - sequential postoperative assessment of with gated cardiac blood pool imaging following aortocoronary bypass surgery (Reduto et al.), 59
- pseudoaneurysm, left, noninvasive diagnosis of by radiography and echography (Alter et al.), 236 (Brief comm.)
- septal defect, acute, right ventricular dysfunction in (Grose and Spindola-Franco), 67
 - and pulmonic stenosis, late complication of Rastelli procedure for complete transposition of the great vessels with: pannus formation in a Hancock-valved conduit resulting in proximal intraconduit obstruction (Chun et al.), 855 (Brief comm.)
 - systemic pulmonary circulation in pulmonary atresia with: concept of reciprocal development of the fourth and sixth aortic arches (Thiene et al.), 339
- separation in assessment of cardiac performance, effect of left ventricular size on mitral E point to (Child, Krivokapich, and Perloff), 797

Ventricular—continued

- septum, aneurysms of the, accuracy of two-dimensional echocardiography in the detection of (Canale et al.), 255
- dissecting aneurysm of the following acute myocardial infarction: diagnosis by real time two-dimensional echocardiography (Hodsden and Nanda), 671 (Brief comm.)
- size, left, effect of on mitral E point to ventricular septal separation in assessment of cardiac performance (Child, Krivokapich, and Perloff), 797
- tachyarrhythmias, fatal, in post-coronary obstruction sudden death, significance of hypotension preceding (Franciosa and Heckel), 421
- life-threatening, refractory, control of by amiodarone (Nademanee et al.), 759
- reperfusion: correlation with antecedent coronary artery occlusion tachyarrhythmias and duration of myocardial ischemia (Balke et al.), 449
- tachycardia, exertional (Baltazar et al.), 354 (Brief comm.)
- Ventriculoarterial connections, concordant, and discordant atrioventricular connections, a rare congenital cardiac malformation with situs inversus and: diagnosis and surgical treatment (Leijala et al.), 355 (Brief comm.)
- Ventriculography, radionuclide, dynamic, pericardial effusion swinging heart phenomenon by (Rizi et al.), 347 (Brief comm.)
- technetium, exercise, and stress thallium-201 myocardial scintigraphy in the detection and location of chronic coronary artery disease: comparison of sensitivity and specificity of these noninvasive tests alone and in combination (Elkayam et al.), 657
- Verapamil in conscious dogs, reduction of exercise-induced ischemic regional myocardial dysfunction by (Osakada et al.), 707
 - on supraventricular tachycardia, effects of in patients with overt and concealed Wolff-Parkinson-White syndrome (Hamer et al.), 600
 - therapy in variant angina: assessment by high-fidelity frequency modulated ambulatory ECG (Subramanian et al.), 849 (Brief comm.)
- Virulent *Streptococcus viridans* bacterial endocarditis (Hosea), 174

W

- Wall motion, inferior segmental, improved assessment of by addition of 70 degree LAO view in multiple gated equilibrium scintigraphy (Freeman et al.), 169
- regional, and radionuclide ejection fraction during atrial pacing in stable angina pectoris: comparison with metabolic and hemodynamic parameters (Hecht et al.), 726
- Wolff-Parkinson-White syndrome, effects of verapamil on supraventricular tachycardia in patients with overt and concealed (Hamer et al.), 600
- and tricuspid atresia: evaluation, methodology and successful surgical treatment of the combined disorders (Dick et al.), 496 (Brief comm.)

Author index*

A

- AAGAARD, GEORGE N. Hypertension detection and follow-up program: An alternative interpretation, 300 (Letter to Editor)
- ABERNETHY, DARRELL R., GREENBLATT, DAVID J., AND SMITH, THOMAS W. Digoxin disposition in obesity: Clinical pharmacokinetic investigation, 740
- ABINADER, E. (see Oliven and Abinader), 130
- ADGEY, A. A. J., AND CRAMPTON, R. S. Hospital or home for acute myocardial infarction: Another look at whether or not we should bother to care, 473
- AGARWAL, JAI B., YAMAZAKI, HAJIME, BODENHEIMER, MONTY M., BANKA, VIDYA S., AND HELFANT, RICHARD H. Effects of isolated interventricular septal ischemia on global and segmental function of the canine right and left ventricle, 654
- ALEXANDER, R. WAYNE. (See Colucci et al.), 564
- ALI, NAYAB. (See Sheikh et al.), 66
- ALPERT, JOSEPH S., AND BERMAN, JAY. Reply, 1082 (Letter to Editor)
- AMSTERDAM, EZRA A., LEE, GARRETT, AND MASON, DEAN T. Management of unstable angina: Current status and new perspectives, 144
- (See Awan et al.), 703
- (See Lee et al.), 783
- (See Lee et al.), 1159
- ANAND, I. S. (See Kaul et al.), 461
- ANDERSON, PAUL. (See Gillum et al.), 138
- ANDERSON, ROBERT H. (See de la Cruz et al.), 271
- ANDREWS, VIRGINIA. (See Weber et al.), 569
- ARANDA, JUAN M. (See Gonzalez et al.), 932
- ARINIEGO, ROMEO. (See Waagstein et al.), 548
- ARNOLD, STEPHEN. (See Parmley et al.), 622
- ARNOLD, STEVEN. (See Massie et al.), 37
- ARTEAGA, MANUEL. (See de la Cruz et al.), 271
- ASHRAF, MUHAMMAD. (See White et al.), 686
- ASINGER, R. W. (See Sharma et al.), 533
- AUSTEN, W. GERALD. (See Goldman et al.), 751
- (See Brown et al.), 959
- AVERY, GORDON B. (See Tibbits et al.), 936
- AWAN, NAJAM A., NEEDHAM, KATHLEEN, EVENSON, MARK K., HERMANOVICH, JOHN, JOYE, JAMES A., DEMARIA, ANTHONY N., AND MASON, DEAN T. Therapeutic efficacy of oral pirobuterol in severe chronic congestive heart failure: Acute hemodynamic and long-term ambulatory evaluation, 555
- , EVENSON, MARK K., NEEDHAM, KATHLEEN E., AND MASON, DEAN T. Management of refractory congestive heart failure with prazosin, 626
- , —, BEATTIE, JAMES M., AMSTERDAM, EZRA A., AND MASON, DEAN T. Cardiac circulatory and myocardial energetic effects of prostaglandin E₁ in severe left ventricular failure due to chronic coronary heart disease, 703

B

- BABB, JOSEPH D. (See Reeves et al.), 374
- BADKE, FREDERICK R. (See Walsh, Badke, and O'Rourke), 341
- BADUI, ELIAS, GARCIA-RUBI, DAVID, AND ESTANOL, BRUNO. Inadvertent massive lidocaine overdose causing temporary complete heart block in myocardial infarction, 801 (Brief comm.)
- BAIM, DONALD S. (See Rubenstein et al.), 363
- (See Ginsburg et al.), 819
- BAIRD, JAMES R. C. (See Taylor et al.), 515
- BANAS, JOHN S., JR. (See Isner et al.), 645
- BANKA, VIDYA S. (See Agarwal et al.), 654
- BARCOWSKY, AARON. (See Stargel et al.), 872

*July, pp. 1-148; August, pp. 149-312; September, Part 1, pp. 313-484; September, Part 2, pp. 485-644; October, pp. 645-818; November, pp. 819-956; December, Part 1, pp. 957-1122; December, Part 2, pp. 1123-1208.

- BARK, STAFFAN, BERGSTRÖM, KURT, ERIKSSON, SIW, HENDRIKSSON, JAN, AND LINDBERG, KJELL. Serum enzyme CK-B rise following exhaustive physical exercise, 1079 (Letter to Editor)
- BARLOW, JOHN B., POCOCCO, WENDY A., AND OBEL, I. W. PRO-MUND. Mitral valve prolapse: Primary, secondary, both or neither, 140
- BAROLD, S. SERGE. (See Ong et al.), 798
- BASHOUR, FOUD A. (See Crystal, Downey, and Bashour), 841
- BASSAND, JEAN-PIERRE. (See Becque et al.), 806
- BAUMAN, JAY H. (See Self et al.), 470
- BEAMISH, ROBERT E., DHILLON, KUNDAN S., SINGAL, PAWAN K., AND DHALLA, NARANJAN S. Protective effect of sulfinpyrazone against catecholamine metabolite adreno-chrome-induced arrhythmias, 149
- (See Yates, Beamish, and Dhalla), 210
- BEATTIE, JAMES M. (See Awan et al.), 703
- BECKER, G. P. (See Clements et al.), 980
- BECCUE, OLIVIER, HERVE, PATRICK, BASSAND, JEAN-PIERRE, BERNARD, YVETTE, AND MAURAT, JEAN-PIERRE. HLA-DR antigen linkage in hypertrophic cardiomyopathy, 806 (Letter to Editor)
- BEEDER, CLAIN, CHARUZI, YZHAR, LOH, IRVING K., STANILOFF, HOWARD, AND SWAN, H. J. C. Relationship between segmental abnormalities and global left ventricular function in coronary artery disease: Validation of a theoretical model, 330
- BELHASSEN, BERNARD, AND LANIADO, SHLOMO. Criteria of tor-sades de pointes, 1081 (Letter to Editor)
- BELLER, GEORGE A. (See Taylor et al.), 16
- (See Bishop et al.), 965
- BENDITT, DAVID G. (See Epstein and Benditt), 80
- BENOTTI, JOSEPH R. (See Rude et al.), 584
- BERGSTRÖM, KURT. (See Bark et al.), 1079
- BERMAN, DANIEL S. (See Freeman et al.), 182
- (See Maddahi et al.), 664
- (See Levy et al.), 1066
- (See Ganz et al.), 1145
- BERMAN, JAY. (See Alpert and Berman), 1082
- BERNARD, YVETTE. (See Becque et al.), 806
- BESTERMAN, E. M. M. (See Vecht et al.), 1087
- BICKERS, WILLIAM J. (See Self et al.), 470
- BIDWAI, P. S. (See Kaul et al.), 461
- BIGGER, J. THOMAS, JR. (See Reiffel et al.), 1011
- BILLINGHAM, MARGARET E. (See Bristow et al.), 709
- BISHOP, HARRY L., GIBSON, ROBERT S., STAMM, R. BRAD, BELLER, GEORGE A., AND MARTIN, RANDOLPH P. Role of two-dimensional echocardiography in the evaluation of patients with ventricular septal rupture postmyocardial infarction, 965
- BISSETT, JOE K. Reply, 469 (Letter to Editor)
- BLACKBURN, KENNETH J. (See Taylor et al.), 515
- BLANKE, H. (See Rutsch et al.), 1178
- (See Merx et al.), 1181
- (See Rentrop et al.), 1188
- BLOCK, PETER C. (See Goldman et al.), 751
- BLOOM, BARRY M. Welcome, Session I, 485
- BLOOR, COLIN M. (See White et al.), 686
- BOBBA, PIERO. (See Tavazzi et al.), 675
- BOCCARDO, DANIEL, PITCHON, ROBERTA, AND WIENER, ISAAC. Adverse reactions and efficacy of high-dose procainamide therapy in resistant tachyarrhythmias, 797 (Brief comm.)
- BODENHEIMER, MONTY M. (See Agarwal et al.), 654
- BOHR, DAVID F. (See Webb and Bohr), 251
- BOLOOKI, HOOSHANG. (See Kessler et al.), 1064
- BORER, JEFFREY S. (See Isner et al.), 792
- BORGERS, MARCEL. (See Flameng et al.), 846
- BORKAT, GORDON. (See Mostow, Riggs, and Borkat), 941
- BOTSTEIN, GARY R., AND LEROY, E. CARWILE. Primary heart disease in systemic sclerosis (scleroderma): Advances in clinical and pathologic features, pathogenesis, and new therapeutic approaches, 913
- BOTVINICK, ELIAS. (See Massie et al.), 37

- BOUCHER, CHARLES A. (See Goldman et al.), 751
 BRANDON, TEDD A. (See Miller et al.), 500
 BRAUNWALD, EUGENE. Heart failure: Pathophysiology and treatment, 486
 —. (See Colucci et al.), 564
 —. (See Rude et al.), 584
 —. Discussion—Session II, 597
 —. (See Colucci, Williams, and Braunwald), 615
 BREN, GEORGE B. (See McManus et al.), 134
 BRESLAU, PAUL. (See Fell et al.), 221
 BREVETTI, GREGORIO, CHIARIELLO, MASSIMO, GIUDICE, PIETRO, DE MICHELE, GIUSEPPE, MANSI, DIEGO, AND CAMPANELLA, GIUSEPPE. Effective treatment of orthostatic hypotension by propranolol in the Shy-Drager syndrome, 938 (Brief comm.)
 BREWER, H. BRYAN, JR. (See Cabin et al.), 830
 BRISTOW, MICHAEL R. (See Ginsburg et al.), 698
 —, MASON, JAY W., BILLINGHAM, MARGARET E., AND DANIELS, JOHN R. Dose-effect and structure-function relationships in doxorubicin cardiomyopathy, 709
 —. (See Ginsburg et al.), 819
 BROGAN, DONNA R. (See Carruth et al.), 1075
 BROMLEY, L. L. (See Vecht et al.), 1087
 BROWN, C. ALAN, HUTTER, ADOLPH M., JR., DESANTIS, ROMAN W., GOLD, HERMAN K., LEINBACH, ROBERT C., ROBERTS-NILES, ALETHA, AUSTEN, W. GERALD, AND BUCKLEY, MORTIMER J. Prospective study of medical and urgent surgical therapy in randomizable patients with unstable angina pectoris: results of in-hospital and chronic mortality and morbidity, 959
 BROWN, J. RICHARD. (See Self et al.), 470
 BROWN, M. L. (See Clements et al.), 980
 BRUCE, ROBERT A. (See Hossack, Bruce, and Kusumi), 378
 BRUNDAGE, BRUCE. (See Massie et al.), 37
 —. (See Parmley et al.), 622
 BUCHBINDER, NEIL. (See Maddahi et al.), 664
 —. (See Ganz et al.), 1145
 BUCHERL, E. S. (See Mathey et al.), 1194
 BUCKLEY, MORTIMER J. (See Goldman et al.), 751
 —. (See Brown et al.), 959
 BUONOCORE, EDWARD. (See Reeves et al.), 374
 BYROM, ERNEST. (See Swiryn et al.), 1000
- C
- CABEEN, WILLIAM R., JR. (See Siegel, Cabeen, and Roberts), 121
 CABIN, HENRY SCOTT, COSTELLO, RALPH M., VASUDEVAN, GOPALAN, MARON, BARRY J., AND ROBERTS, WILLIAM C. Cardiac lymphoma mimicking hypertrophic cardiomyopathy, 466 (Brief comm.)
 —, SCHWARTZ, DAVID E., VIRMANI, RENU, BREWER, H. BRYAN, JR., AND ROBERTS, WILLIAM C. Type III hyperlipoproteinemia: Quantification, distribution, and nature of atherosclerotic coronary arterial narrowing in five necropsy patients, 830
 CALDWELL, ROBERT W. (See Cook et al.), 58
 CALLAHAN, JOHN A. (See Kennel et al.), 447
 CAMBRIDGE, DAVID. (See Taylor et al.), 515
 CAMPANELLA, GIUSEPPE. (See Brevetti et al.), 938
 CANEPA-ANSON, RUDOLPH, DAWSON, J. REX, KUANG, PEILIANG, WARNES, CAROLE A., POOL-WILSON, PHILIP A., REUBEN, STUART R., AND SUTTON, GEORGE C. Single-dose and dose-response studies with oral pibuterol, a new beta agonist in chronic heart failure, 578
 CARABELLO, BLASE A. (See Rude et al.), 584
 CARRUTH, JOSEPH E., MIRVIS, SHIRLEY B., BROGAN, DONNA R., AND WENGER, NANETTE K. The electrocardiogram in normal pregnancy, 1075 (Brief comm.)
 CASTA, ALFONSO. (See Mehta et al.), 75
 CHANDRA, ROMA. (See Shapiro et al.), 456
 —. (See Tibbits et al.), 936
 CHARACHE, SAMUEL, HARBAUGH, EULALIA, AND PETRLIK, JOAN. Control of anticoagulant therapy by prothrombin time tests: An old problem revisited, 804 (Letter to Editor)
 CHARUZI, YZHAR. (See Beeder et al.), 330
 —. (See Levy et al.), 1066
 —. (See Ganz et al.), 1145
 CHATTERJEE, KANU. (See Parmley et al.), 622
 CHEITLIN, MELVIN D. (See Hubbell, Cheitlin, and Rapaport), 85
 CHENG, TSUNG O. Primary versus secondary mitral valve prolapse, 946 (Letter to Editor)
 CHEUNG, WAI-MAN. (See Iwasaki et al.), 324
 CHIARIELLO, MASSIMO. (See Brevetti et al.), 938
 CHILDS, WILLIAM. (See Levy et al.), 1066
 CHOKSHI, A. B. (See Gould et al.), 300
 CHIMIENTI, MARCELLO. (See Tavazzi et al.), 675
 CHOW, MOSES SING SUM, RONFELD, ROBERT A., RUFFETT, DONALD, AND FIELDMAN, ARNOLD. Lidocaine pharmacokinetics during cardiac arrest and external cardiopulmonary resuscitation, 799 (Brief comm.)
 CHRISTIE, LEONARD G., JR., AND CONTI, C. RICHARD. Systematic approach to evaluation of angina-like chest pain: Pathophysiology and clinical testing with emphasis on objective documentation of myocardial ischemia, 897
 CHU, D. (See Cocco, Chu, and Strozzi), 1081
 —. (See Cocco, Chu, and Strozzi), 1081
 CHUCK, LEONARD. (See Parmley et al.), 622
 CHUN, PATRICK K. C. Characteristics of commonly utilized permanent endocardial and epicardial pacemaker electrode systems: Method of radiologic identification, 404
 —. Nonejection systolic click in mitral stenosis, 463 (Brief comm.)
 CINTRON, GUILLERMO. (See Gonzalez et al.), 932
 CIOTOLA, THOMAS J. (See Reeves et al.), 374
 CLEMENT, D. L. (See Zenner et al.), 137
 CLEMENTS, I. P., STRELOW, D. A., BECKER, G. P., VLIETSTRA, R. E., AND BROWN, M. L. Radionuclide evaluation of peripheral circulatory dynamics: New clinical application of blood pool scintigraphy for measuring limb venous volume, capacity, and blood flow, 980
 COBELLI, FRANCO. (See Tavazzi et al.), 675
 COCCO, G., CHU, D., AND STROZZI, C. Reply, 1081 (Letter to Editor)
 —, —, AND —. Reply, 1081 (Letter to Editor)
 COGHLAN, H. CECIL. (See Green, Elliott, and Coghlan), 1015
 COHN, JAY N., LEVINE, T. BARRY, FRANCIS, GARY S., AND GOLDSMITH, STEVEN. Neurohumoral control mechanisms in congestive heart failure, 509
 —. (See Sharma et al.), 533
 —. Discussion—Session III, Part I, 613
 —. Discussion—Session III, Part II, 634
 COHN, LAWRENCE H. Surgical management of acute and chronic cardiac mechanical complications due to myocardial infarction, 1049
 COLUCCI, WILSON S., ALEXANDER, R. WAYNE, MUDGE, GILBERT H., RUDE, ROBERT E., HOLMAN, B. LEONARD, WYNNE, JOSHUA, GROSSMAN, WILLIAM, AND BRAUNWALD, EUGENE. Acute and chronic effects of pibuterol on left ventricular ejection fraction and clinical status in severe congestive heart failure, 564
 —. (See Rude et al.), 584
 —, WILLIAMS, GORDON H., AND BRAUNWALD, EUGENE. Clinical, hemodynamic, and neuroendocrine effects of chronic prazosin therapy for congestive heart failure, 615
 CONSTANTINE, JAY W. (See Taylor et al.), 515
 CONTI, C. RICHARD. (See Feldman et al.), 822
 —. (See Mehta et al.), 835
 —. (See Christie and Conti), 897
 COOK, L. SCOTT, DOHERTY, JAMES E., STRAUB, KARL D., NASH, CLINTON B., AND CALDWELL, ROBERT W. Digoxin uptake into peripheral autonomic cardiac nerves: Possible mechanism of digitalis-induced antiarrhythmic and toxic electrophysiologic actions, 58
 COOLEY, DENTON A. (See Gillette et al.), 984
 CORDAY, ELIOT. (See Levy et al.), 1066
 CORR, PETER B., AND CRAFTWOOD, WILLIAM A., JR. Enhanced alpha-adrenergic responsiveness in ischemic myocardium: Role of alpha-adrenergic blockade, 605
 CORTES, FELIX. (See Gonzalez et al.), 932
 CORWIN, ROBERT D., SINGH, ARUN K., AND KARLSON, KARL E. Balloon dilatation of ductus arteriosus in a newborn with interrupted aortic arch and ventricular septal defect, 446 (Brief comm.)
 COSTELLO, RALPH M. (See Cabin et al.), 466

- COVARRUBIAS, EDGAR A. (See Sheikh et al.), 66
COWLEY, MICHAEL J., HASTILLO, ANDREA, VETROVEC, GEORGE W., AND HESS, MICHAEL L. Effects of intracoronary streptokinase in acute myocardial infarction, 1149
—, (See Vetrovec et al.), 1202
CRAFFORD, WILLIAM A., JR. (See Cott and Crafford), 605
CRAMPTON, RICHARD S. (See Taylor et al.), 16
—, (See Audge and Crampton), 473
CRAVER, WILLIAM L. (See Ong et al.), 798
CRAWFORD, MICHAEL H. (See Starling et al.), 169
—, (See Grant, Crawford, and O'Rourke), 465
CROWE, RAYMOND R. (See Kerber et al.), 139
CRYER, PHILIP E. (See Karlsberg, Cryer, and Roberts), 24
CRYSTAL, GEORGE J., DOWNEY, H. FRED, AND BASHOUR, FOUD A. Evaluation of noncoronary sources of left ventricular perfusion to intercoronary collateral-dependent myocardium due to chronic major vessel occlusion: Absent contribution of luminal and extracardiac channels, 841

D

- DAJEE, AMRIT. (See Lee et al.), 1139
DANIELS, JOHN R. (See Bristow et al.), 709
DARSEE, JOHN R. Reply, 807 (Letter to Editor)
DASH, HAROLD. (See Reeves et al.), 374
DAVIS, SHEILA. (See Mohr, Davis, and Markis), 123
DAWSON, J. REX. (See Canepa-Anson et al.), 578
DE BACKER, G. (See Zenner et al.), 137
DEBAKEY, MICHAEL E. (See Graham et al.), 771
DE GEEST, HILAIRE. (See Flameng et al.), 846
DEHMER, GREGORY J. (See Leachman et al.), 658
DE LA CRUZ, MARIA V., ARTEAGA, MANUEL, ESPINO-VELA, JORGE, QUERO-JIMÉNEZ, MANUEL, ANDERSON, ROBERT H., AND DÍAZ, GABRIEL F. Complete transposition of the great arteries: Types and morphogenesis of ventricular arterial discordance, 271
DEMARI, ANTHONY N. (See Awan et al.), 555
—, (See Lee et al.), 783
—, (See Lee et al.), 1139
—, (See Lee et al.), 1159
DE MICHELE, GIUSEPPE. (See Brevetti et al.), 938
DEL NEGRO, ALBERT A. (See Isner et al.), 792
DESANTIS, ROMAN W. (See Brown et al.), 959
DESILVA, REGIS A. Anticoagulation vs embolism risk in cardioversion of atrial fibrillation, 302 (Letter to Editor)
DHALLA, NARANJAN S. (See Beamish et al.), 149
—, (See Yates, Beamish, and Dhalla), 210
DHILLON, KUNDAN S. (See Beamish et al.), 149
DIAMOND, GEORGE A., AND FORRESTER, JAMES S. Improved interpretation of a continuous variable in diagnostic testing: Probabilistic analysis of scintigraphic rest and exercise left ventricular ejection fractions for coronary disease detection, 189
—, (See Vas et al.), 719
DÍAZ, GABRIEL F. (See de la Cruz et al.), 271
DOHERTY, JAMES E. (See Cook et al.), 58
DOMBAY, S. L. (See Vander Elst et al.), 734
DÖRR, R. (See Rutsch et al.), 1178
—, (See Merx et al.), 1181
—, (See Rentrop et al.), 1188
DOWNEY, H. FRED. (See Crystal, Downey, and Bashour), 841
DRISCOLL, JOHN P., AND SZE, KARL C. Premature opening of regurgitant aortic valve in ascending aortic dissection due to marked reduction in supravalvular chamber diastolic pressure: Diastolic obstruction of true aortic lumen by false channel, 1072 (Brief comm.)
DUFF, HENRY J. (See Roden et al.), 794
DUNCAN, WALTER J., FREEDOM, ROBERT M., ROWE, RICHARD D., OLLEY, PETER M., WILLIAMS, WILLIAM G., AND TRUSLER, GEORGE A. Echocardiographic features before and after the Jatene procedure (anatomical correction) for transposition of the great vessels, 227
—, —, OLLEY, PETER M., AND ROWE, RICHARD D. Two-dimensional echocardiographic identification of hemitruncus: Anomalous origin of one pulmonary artery from ascending aorta with the other pulmonary artery arising normally from right ventricle, 892

- DUNGAN, W. THOMAS, GARSON, ARTHUR, JR., AND GILLETTE, PAUL C. Arrhythmogenic right ventricular dysplasia: A cause of ventricular tachycardia in children with apparently normal hearts, 745

E

- EASTCOTT, H. H. G. (See Vecht et al.), 1087
EDVARDSSON, NILS. (See Olsson and Edvardsson), 864
EGBERT, BARBARA M. (See Fowles et al.), 128
ELKAYAM, URI. (See Freeman et al.), 182
ELLIOTT, LARRY P. (See Green, Elliott, and Coghlan), 1015
EPSTEIN, MICHAEL L., AND BENDITT, DAVID G. Long-term evaluation of persistent supraventricular tachycardia in children: Clinical and electrocardiographic features, 80
ERICSSON, CHARLES D. (See Lieber, Rensimer, and Ericsson), 462
ERIKSSON, SIW. (See Bark et al.), 1079
ESPINO-VELA, JORGE. (See de la Cruz et al.), 271
ESTAÑOL, BRUNO. (See Badui, García-Rubi, and Estañol), 801
EUBANKS, DONALD R. (See Shub et al.), 286
EVENSON, MARK K. (See Awan et al.), 555
—, (See Awan et al.), 626
—, (See Awan et al.), 703

F

- FALKOFF, MICHAEL D. (See Ong et al.), 798
FARIA, DUARTE B. (See Iwasaki et al.), 324
FELDMAN, CHARLES L. (See Klein and Feldman), 138
FELDMAN, ROBERT L., WHITTLE, JAMES L., PEPINE, CARL J., AND CONTI, C. Regional coronary angiographic observations during cold stimulation in patients with exertional chest pain: Comparison of diameter responses in normal and fixed stenotic vessels, 822
FELL, GARY, BRESLAU, PAUL, KNOX, ROBIN A., PHILLIPS, DAVID, THIELE, BRIAN L., AND STRANDNESS, D. E., JR. Importance of noninvasive ultrasonic-Doppler testing in the evaluation of patients with asymptomatic carotid bruits, 221
FENICI, RICCARDO, MASSELLI, MARIELLA, ZEPELLI, PAOLO, AND PIRRAMI, MARCO MARIA. Clinical recordings of monophasic action potentials: Demonstration of intratrial conduction block in the sinus node region and possible role in reentrant supraventricular tachycardia, 124 (Brief comm.)
FETIHI, NIZAR M. (See Graham et al.), 771
FIELDMAN, ARNOLD. (See Chow et al.), 799
FINERMAN, WILMORE B., JR. (See Hamer et al.), 992
FINLEY, PAUL R. (See Lindsey and Finley), 1080
FIRTH, BRIAN G. (See Leachman et al.), 658
FISHBEIN, MICHAEL C. (See Maddahi et al.), 664
—, (See Ganz et al.), 1145
FISHER, GARY P. (See Isner et al.), 792
FISHMAN, ALFRED P. (See Weber et al.), 569
FITZGERALD, JOHN W. (See Fowles et al.), 128
FLAMENG, WILLEM, SUI, RAFAEL, SCHWARZ, FRANZ, BORGER, MARCEL, PIENSSENS, JAN, THONE, FRED, VAN ERMEN, HUGO, DE GEEST, HILAIRE. Ultrastructural correlates of left ventricular contraction abnormalities in patients with chronic ischemic heart disease: Determinants of reversible segmental asynergy postrevascularization surgery, 846
FLEURY, THOMAS A. (See McManus, Fleury, and Roberts), 930
FORRESTER, RICHARD D. Mitral valve prolapse syndrome in anxiety neurosis, 139 (Letter to Editor)
FORRESTER, JAMES. (See Freeman et al.), 182
—, (See Diamond and Forrester), 189
—, (See Shell et al.), 335
—, (See Vas et al.), 719
FOSTER, JAMES R. Arrhythmogenic effects of carbon monoxide in experimental acute myocardial ischemia: Lack of slowed conduction and ventricular tachycardia, 876
FOWLES, ROBERT E., MILLER, D. CRAIG, EGBERT, BARBARA M., FITZGERALD, JOHN W., AND POPP, RICHARD L. Systemic embolization from a mitral valve papillary endocardial fibroma detected by two-dimensional echocardiography, 128 (Brief comm.)

FRANCIS, GARY S. (See Cohn et al.), 509

— (See Sharma et al.), 533

FREEDOM, ROBERT M. (See Duncan et al.), 227

— (See Duncan et al.), 892

FREEMAN, MICHAEL R., BERMAN, DANIEL S., STANILOFF, HOWARD, ELKAYAM, URI, MADDAHI, JAMSHID, SWAN, H. J. C., AND FORRESTER, JAMES. Comparison of upright and supine bicycle exercise in the detection and evaluation of extent of coronary artery disease by equilibrium radionuclide ventriculography, 182

FREEMAN, WILLIAM R., PETER, THOMAS, AND MANDEL, WILLIAM J. Verapamil therapy in variant angina pectoris refractory to nitrates, 358

FREUND, GREGORY C. (See Reduto et al.), 1168

FUJIMOTO, TOSHIFUMI, PETER, THOMAS, HAMAMOTO, HIROMU, MCCULLEN, AVILE E., AND MANDEL, WILLIAM J. Effects of nifedipine on conduction delay during ventricular myocardial ischemia and reperfusion, 45

— (See Hamamoto et al.), 350

FUKATANI, MASAHIKO. (See Kaku et al.), 296

G

GAETA, JAY M. (See Reduto et al.), 1168

GALIO, FRANK M. (See Shapiro et al.), 465

— (See Perry et al.), 1022

GANG, ELI. (See Reiffel et al.), 1011

GANZ, WILLIAM. (See Maddahi et al.), 664

—, NINOMIYA, KENJI, HASHIDA, JUN, FISHBEIN, MICHAEL C., BUCHBINDER, NEIL, MARCUS, HAROLD, MONDKAR, AVINASH, MADDAHI, JAMSHID, SHAH, PREDIMAN K., BERMAN, DANIEL, CHARUZI, YZHAR, GEFT, IVOR, SELL, WILLIAM, AND SWAN, H. J. C. Intracoronary thrombolysis in acute myocardial infarction: Experimental background and clinical experience, 1145

GARCIA, OTTO L. (See Mehta et al.), 75

GARCIA-RUBI, DAVID. (See Badui, Garcia-Rubi, and Estanol), 801

GARSON, ARTHUR, JR., AND GILLETTE, PAUL C. Electrophysiologic studies of supraventricular tachycardia in children. I. Clinical-electrophysiologic correlations, 233

—, AND —. Electrophysiologic studies of supraventricular tachycardia in children. II. Prediction of specific mechanism by noninvasive features, 383

— (See Dungan, Garson, and Gillette), 745

— (See Gillette et al.), 984

GEFT, IVOR. (See Maddahi et al.), 664

— (See Ganz et al.), 1145

GELBAND, HENRY. (See Mehta et al.), 75

GEORGIEV, MARIA. (See Howard et al.), 294

GEWIRTZ, HENRY. (See Williams et al.), 1

GHALY, MARY S. (See Taylor et al.), 515

GIBSON, ROBERT S. (See Taylor et al.), 16

— (See Bishop et al.), 965

GIDDENS, JOHN. (See Lee et al.), 1139

GILLETTE, PAUL C. Advances in the diagnosis and treatment of tachydyrhythmias in children, 111

— (See Garson and Gillette), 233

— (See Garson and Gillette), 383

— (See Dungan, Garson, and Gillette), 745

— Recent advances in mechanisms, evaluation, and pacemaker treatment of chronic bradydyrhythmias in children, 920

—, GARSON, ARTHUR, JR., HESSLEIN, PETER S., KARPAWICH, PETER P., TIERNEY, RALPH C., COOLEY, DENTON A., AND McNAMARA, DAN G. Successful surgical treatment of atrial, junctional, and ventricular tachycardia unassociated with accessory connections in infants and children, 984

GILLUM, RICHARD F., PRINEAS, RONALD J., ANDERSON, PAUL, AND KEBEDE, JOSEPH. Lack of response of salt taste threshold and preference to dietary sodium restriction in mild hypertension, 138 (Letter to Editor)

—, TEICHHOLZ, LOUIS E., HERMAN, MICHAEL V., AND GORLIN, RICHARD. The idiopathic hyperkinetic heart syndrome: Clinical course and long-term prognosis, 728

— Difficulties in interstudy comparisons of coronary disease rates, 947 (Letter to Editor)

GINSBURG, ROBERT, LAMB, IRENE H., SCHROEDER, JOHN S., AND HARRISON, DONALD C. Long-term transtelephonic electrocardiographic monitoring in the detection and evaluation of variant angina, 196

—, —, BRISTOW, MICHAEL R., SCHROEDER, JOHN S., AND HARRISON, DONALD C. Application and safety of outpatient ergonovine testing in accurately detecting coronary spasm in patients with possible variant angina, 698

—, BRISTOW, MICHAEL R., KANTROWITZ, N., BAIM, D. S., AND HARRISON, DONALD C. Histamine provocation of clinical coronary artery spasm: Implications concerning pathogenesis of variant angina pectoris, 819

GIUDICE, PIETRO. (See Brevetti et al.), 938

GLIKLICH, JERRY. (See Reiffel et al.), 1011

GOLD, FRANK L., AND HORWITZ, LAWRENCE D. Hemodynamic effects of pirbuterol in conscious dogs, 591

GOLD, HERMAN K. (See Brown et al.), 959

GOLDBERG, SHELDON. (See Wilson et al.), 202

GOLDMAN, MARK R., BOUCHER, CHARLES A., BLOCK, PETER C., BUCKLEY, MORTIMER J., AUSTEN, W. GERALD, STRAUSS, H. WILLIAM, AND POHOST, GERALD M. Spectrum of congestive heart failure late after aortic valve or mitral replacement: Differentiation of valvular versus myocardial cause by radionuclide ventriculogram-ejection fraction, 751

GOLDSMITH, S. J. (See Pichard et al.), 30

GOLDSMITH, STEVEN. (See Cohn et al.), 509

GOMES, G. I. (See Gould et al.), 300

GONZALEZ, MIGDALIA, HERNANDEZ, EDGARDO, ARANDA, JUAN M., LINARES, ESTEBAN, CORTES, FELIX, AND CINTRON, GUILLERMO. Acute myocardial infarction due to intracoronary occlusion after elective cardioversion for atrial fibrillation in a patient with angiographic nearly normal coronary arteries, 932 (Brief comm.)

GORLIN, RICHARD. (See Pichard et al.), 30

— (See Gillum et al.), 728

GOULD, K. LANCE. (See Reduto et al.), 1168

GOULD, LAWRENCE, CHOKSHI, A. B., PATEL, S., AND GOMES, G. I. Hemodynamic evaluation of vasodilator drug therapy in primary pulmonary hypertension, 300 (Letter to Editor)

GRAHAM, JOSEPH M., LAWRIE, GERALD M., FETIHI, NIZAR M., AND DEBAKEY, MICHAEL E. Management of endomyocardial fibrosis: Successful surgical treatment of biventricular involvement and consideration of the superiority of operative intervention, 771

GRANT, DAVID, CRAWFORD, MICHAEL H., AND O'ROURKE, ROBERT A. Effects of diazepam on the exercise electrocardiogram, 465 (Brief comm.)

GREEN, CURTIS E., ELLIOTT, LARRY P., AND COGHAN, H. CECIL. Improved cineangiographic evaluation of hypertrophic cardiomyopathy by caudocranial left anterior oblique view, 1015

GREENBLATT, DAVID J. (See Abernethy, Greenblatt, and Smith), 740

GRIFFIN, JERRY C. (See Winkle et al.), 857

GROSSMAN, WILLIAM. (See Colucci et al.), 564

— (See Rude et al.), 584

GULAMHUSEIN, S. (See Klein et al.), 282

GUPTA, C. D. (See Kaul et al.), 461

H

HALL, ROGER. (See Winkle, Peters, and Hall), 162

HALLAHAN, WILLIAM. (See Reeves et al.), 374

HAMAMOTO, HIROMU. (See Fujimoto et al.), 45

—, PETER, THOMAS, FUJIMOTO, TOSHIFUMI, AND MANDEL, WILLIAM J. Effect of verapamil on conduction delay produced by myocardial ischemia and reperfusion, 350

HAMER, ANGAS W., FINERMAN, WILMORE B., JR., PETER, THOMAS, AND MANDEL, WILLIAM J. Disparity between the clinical and electrophysiologic effects of amiodarone in the treatment of recurrent ventricular tachyarrhythmias, 992

HANDLER, BRUCE. (See Swiryn et al.), 1000

HANLON, J. TIMOTHY. (See Massie et al.), 37

HANOWELL, SUSAN T. (See Kim et al.), 972

HARBAUGH, EULALIA. (See Charache, Harbaugh, and Petrlik), 804

- HARBOLD, NORRIS B., JR. (See Robicsek et al.), 775
HARKEN, ALDEN H. (See Wilson et al.), 202
HARRISON, DONALD C. (See Ginsburg et al.), 196
— (See Rubenstein et al.), 363
— (See Ginsburg et al.), 698
— (See Ginsburg et al.), 819
HARTLEY, CRAIG J. (See Miller et al.), 500
HASHIBA, KUNITAKE. (See Kaku et al.), 296
HASHIDA, JUN. (See Ganz et al.), 1145
HASTILLO, ANDREA. (See Cowley et al.), 1149
HAYDEN, MICHAEL L. (See Taylor et al.), 515
HEINLE, ROBERT A. (See Ong et al.), 798
HELFANT, RICHARD H. (See Agarwal et al.), 654
HENDRIKSSON, JAN. (See Bark et al.), 1079
HERMAN, MICHAEL V. (See Pichard et al.), 30
— (See Gillum et al.), 728
HERMANOVICH, JOHN. (See Awan et al.), 555
HERNANDEZ, EDGARDO. (See Gonzalez et al.), 932
HERRERA, JORGE L., WILLIS, S. MARSH, AND WILLIAMS, TROY H.
Successful streptokinase therapy of acute idiopathic
superior vena cava thrombosis, 1063 (Brief comm.)
HERVE, PATRICK. (See Becque et al.), 806
HESS, MICHAEL L. (See Cowley et al.), 1149
HESSEIN, PETER S. (See Gillette et al.), 984
HIGGINSON, LYALL. (See White et al.), 686
HILLIS, L. DAVID. (See Leachman et al.), 658
HIRSHFELD, JOHN W. (See Wilson et al.), 202
HJALMARSON, AKE. (See Waagstein et al.), 548
HOBACK, JAMES. (See Sharma et al.), 533
HODGES, MORRISON. (See Sharma et al.), 533
HOLLMANN, M., AND STIEREN, B. Pharmacokinetics of verapamil,
804 (Letter to Editor)
HOLMAN, B. LEONARD. (See Colucci et al.), 564
HORAN, MICHAEL J., AND KENNEDY, HAROLD L. Characteristics
and prognosis of apparently healthy patients with
frequent and complex ventricular ectopy: Evidence
for a relatively benign new syndrome with occult
myocardial and/or coronary disease, 809
HORIE, MINORU. (See Nagao et al.), 789
HOROWITZ, S. (See Pichard et al.), 30
HORVAT, MATILJA. (See Rakovec et al.), 292
HORWITZ, LAWRENCE D. (See Gold and Horwitz), 591
HOSEA, STEPHEN W. Reply, 469 (Letter to Editor)
HOSSACK, KENNETH F., BRUCE, ROBERT A., AND KUSUMI, FUSA-
KO. Altered exercise ventilatory responses by apparent
propranolol-diminished glucose metabolism: Implica-
tions concerning impaired physical training benefit in
coronary patients, 378
HOUSTON, MARK C. Abrupt cessation of treatment in hyperten-
sion: Consideration of clinical features, mechanisms,
preventions and management of the discontinuation
syndrome, 415
HOWARD, THOMAS, HOY, ROBERT H., WARREN, STAFFORD,
GEORGIEV, MARIA, AND SELINGER, HAROLD. Acute
renal dysfunction due to sulfinpyrazone therapy in
post-myocardial infarction cardiomegaly: Reversible
hypersensitive interstitial nephritis, 294 (Brief
comm.)
HOY, ROBERT H. (See Howard et al.), 294
HUBBELL, GAIL, CHEITLIN, MELVIN D., AND RAPAPORT, ELLIOT.
Presentation, management, and follow-up evaluation
of infective endocarditis in drug addicts, 85
HUTTER, ADOLPH M. JR. (See Brown et al.), 959
HYON, HIROMITSU. (See Nagao et al.), 789

I

- IKEDA, RICHARD M. (See Laslett, Ikeda, and Mason), 452
— (See Lee et al.), 1074
— (See Lee et al.), 1139
INNES, IAN R., AND WEISMAN, HARVEY. Reduction in the severity
of myocardial infarction by sulfinpyrazone, 153
ISNER, JEFFREY M., SALEM, DEEB N., BANAS, JOHN S., JR., AND
LEVINE, HERBERT J. Long-term clinical course of
patients with normal coronary arteriography: Follow-
up study of 121 patients with normal or nearly normal
coronary arteriograms, 645

- , FISHER, GARY P., DEL NEGRO, ALBERT A., AND BORER,
JEFFREY S. Right ventricular infarction with hemody-
namic decompensation due to transient loss of active
atrial augmentation: Successful treatment with atrial
pacing, 792 (Brief comm.)
IWASAKI, TSUTOMU, RIBEIRO, LAIR G. T., FARIA, DUARTE B.,
CHEUNG, WAI-MAN, AND MAROKO, PETER R. Import-
ance of the source of hyaluronidase preparations in
determining protective effect on ischemic heart mus-
cle in acute myocardial infarction, 324

J

- JAKOPIN, JAPAC. (See Rakovec et al.), 292
JANICKI, JOSEPH S. (See Weber et al.), 569
JONES, CARL E. (See Thomas, Randall, and Jones), 157
JONES, DAVID. (See White et al.), 686
JONES, MICHAEL. (See Kim et al.), 972
JOYE, JAMES A. (See Awan et al.), 555
— (See Lee et al.), 1159

K

- KAKU, TAKASHI, FUKATANI, MASAHIKO, KIYA, FUMIHIRO, AND
HASHIBA, KUNITAKE. Wolff-Parkinson-White syn-
drome with bilateral accessory pathways both exhibit-
ing antegrade and retrograde conduction, 296 (Brief
comm.)
KANTROWITZ, N. (See Ginsburg et al.), 819
KAPLAN, JOEL A. (See Wells and Kaplan), 1029
KAPRIO, JAAKKO. (See Koskenvuo, Kaprio, and Sistonen), 946
KAPUR, SUDESH. (See Shapiro et al.), 456
KARLSBERG, RONALD P., CRYER, PHILIP E., AND ROBERTS,
ROBERT. Serial plasma catecholamine response early
in the course of clinical acute myocardial infarction:
Relationship to infarct extent and mortality, 24
KARLSON, KARL E. (See Corwin, Singh, and Karlson), 446
KARPAWICH, PETER P. (See Gillette et al.), 984
KARSCH, K. R. (See Merx et al.), 1181
— (See Rentrop et al.), 1188
KASS, ROBERT M. (See Shark and Kass), 303
KATDARE, A. D. (See Sharma et al.), 131
KATZ, ARNOLD M., AND MESSINEO, FRANK C. Myocardial mem-
brane function and drug action in heart failure, 491
KATZ, RICHARD J. (See McManus et al.), 134
KAUL, UPENDRA, GUPTA, C. D., ANAND, I. S., BIDWAI, P. S., AND
WAHI, P. L. Characteristic postextrasystolic ventricu-
lar pressure response in constrictive pericarditis, 461
(Brief comm.)
KAWAI, CHUICHI. (See Matsumori, Kawai, and Wakabayashi),
807
KEBEDE, JOSEPH. (See Gillum et al.), 138
KENDA, MIRAN F. (See Rakovec et al.), 292
KENNEDY, HAROLD L. (See Horan and Kennedy), 809
KENNEL, ARTHUR J., CALLAHAN, JOHN A., MALONEY, JAMES D.,
AND ZAJARIAS, ALEJANDRO. Adult-onset familial
infra-Hisian block, 447 (Brief comm.)
KENYON, J. R. (See Vecht et al.), 1087
KERBER, RICHARD E., VENKATESH, A., CROWE, RAYMOND R.,
NOYES, RUSSELL, AND MARTINS, JAMES B. Reply, 139
(Letter to Editor)
KESSLER, KENNETH M., MALLON, STEPHEN M., BOLOOKI, HOO-
SHANG, AND MYERBURG, ROBERT J. Pedunculated
right ventricular thrombus due to repeated blunt
chest trauma, 1064 (Brief comm.)
KIM, YOUNG D., JONES, MICHAEL, HANOWELL, SUSAN T., KOCH,
JOHN P., LEES, DAVID E., WEISE, VIRGINIA, AND
KOPIN, IRWIN J. Changes in peripheral vascular and
cardiac sympathetic activity before and after coronary
artery bypass surgery: Interrelationships with hemo-
dynamic alterations, 972
KIMBIRIS, DEMETRIOS, AND SEGAL, BERNARD L. Coronary dis-
ease progression in patients with and without saph-
enous vein bypass surgery, 811
KIMCHI, ASHER. (See Lee et al.), 1159
KINARE, S. G. (See Sharma et al.), 131
KINASEWITZ, GARY T. (See Weber et al.), 569

- KINOSHITA, SHINJI, SAKURAI, MASAYUKI, AND YASUKOUCHI, TARO. Triple ventricular fusion due to intermittent ventricular parasystole in the Wolff-Parkinson-White syndrome, 290 (Brief comm.)
- KIYA, FUMIHIRO. (See Kaku et al.), 296
- KLEIN, G. J., KOSTUK, W. J., KO, P., AND GULAMHUSEIN, S. Permanent junctional reciprocating tachycardia in an asymptomatic adult: Further evidence for an accessory ventriculoatrial nodal structure, 282 (Brief comm.)
- KLEIN, MICHAEL D., AND FELDMAN, CHARLES L. Ventricular premature beat localization in mitral valve prolapse syndrome, 138 (Letter to Editor)
- KNOX, ROBIN A. (See Fell et al.), 221
- KO, P. (See Klein et al.), 282
- KOCH, JOHN P. (See Kim et al.), 972
- KOH, DAE S. (See Sheikh, Lee, and Koh), 1069
- KOPIN, IRWIN J. (See Kim et al.), 972
- KOSKENVUO, MARKKU, KAPRIO, JAAKKO, AND SISTONEN, PERTTI. Inverse correlation between HDL apoproteins (A-I, A-II) and immunoglobulin (IgG), 946 (Letter to Editor)
- KOSSOWSKY, WARREN A., LYON, ALAN F., AND SPAIN, DAVID M. Reappraisal of the postmyocardial infarction Dressler's syndrome, 954
- KOSTUK, W. J. (See Klein et al.), 282
- KOZINA, JOSEPH (See Lee et al.), 1074
- , (See Lee et al.), 1139
- KREMER, P. (See Merx et al.), 1181
- KRIEG, PAUL. (See Lee et al.), 1139
- KRONENBERG, MARVIN W. (See Roden et al.), 794
- KUAN, PEILIANG. (See Canepa-Anson et al.), 578
- KUCK, K. (See Rutsch et al.), 1178
- , (See Rentrop et al.), 1188
- KUO, PETER T. Lipoproteins, platelets, and prostaglandins in atherosclerosis, 949
- KUPERSMITH, JOEL. (See Wiener, Mindich, and Kupersmith), 53
- KUSUMI, FUSAKO. (See Hossack, Bruce, and Kusumi), 378
- L**
- LABABIDI, ZUHDI, AND MEHRAN POUR, MOHAMMAD. Thrombotic occlusion of coronary aneurysms in Kawasaki disease: Sequential angiographic demonstration, 132 (Brief comm.)
- , AND MONZON, CARLOS. Early cardiac manifestations of Marfan's syndrome in the newborn, 943 (Brief comm.)
- LAMB, IRENE H. (See Ginsburg et al.), 196
- , (See Ginsburg et al.), 698
- LANIADO, SHLOMO. (See Belhassen and Laniado), 1081
- LASLETT, LAWRENCE J., IKEDA, RICHARD M., AND MASON, DEAN T. Female adolescent Buerger's disease: Objective documentation and therapeutic remission, 452 (Brief comm.)
- LAWRENCE, J. (See Vander Elst et al.), 734
- LAWRIE, GERALD M. (See Graham et al.), 771
- LEACHMAN, D. RICHARD, DEHMER, GREGORY J., FIRTH, BRIAN G., MARKHAM, ROY V., JR., WINNIFORD, MICHAEL D., AND HILLIS, L. DAVID. Evaluation of postextrasystolic T wave alterations in identification of patients with coronary artery disease or left ventricular dysfunction, 658
- LEAMAN, DAVIS M. (See Reeves et al.), 374
- LEE, GARRETT. (See Amsterdam, Lee, and Mason), 144
- , AMSTERDAM, EZRA A., LOW, REGINALD I., DEMARIA, ANTHONY N., AND MASON, DEAN T. Coronary thrombolysis by intravenous streptokinase in clinical acute myocardial infarction, 783 (Brief comm.)
- , IKEDA, RICHARD M., KOZINA, JOSEPH, AND MASON, DEAN T. Laser-dissolution of coronary atherosclerotic obstruction, 1074 (Brief comm.)
- , GIDDENS, JOHN, KRIEG, PAUL, DAJEE, AMRIT, SUZUKI, MARK, KOZINA, JOSEPH A., IKEDA, RICHARD M., DEMARIA, ANTHONY N., AND MASON, DEAN T. Experimental reversal of acute coronary thrombotic occlusion and myocardial injury in animals utilizing streptokinase, 1139
- , AMSTERDAM, EZRA A., LOW, REGINALD, JOYE, JAMES A., KIMCHI, ASHER, DEMARIA, ANTHONY N., AND MASON, DEAN T. Efficacy of percutaneous transluminal coronary recanalization utilizing streptokinase thrombolysis in patients with acute myocardial infarction, 1159
- LEE, WON R. (See Sheikh et al.), 66
- , (See Sheikh, Lee, and Koh), 1069
- LEES, DAVID E. (See Kim et al.), 972
- LEINBACH, ROBERT C. (See Brown et al.), 959
- LEITZ, K. (See Mathey et al.), 1194
- LEROY, E. CARWILE. (See Botstein and LeRoy), 913
- LESCH, MICHAEL. (See Martin, Moran, and Lesch), 471
- LEVINE, HERBERT J. (See Isner et al.), 645
- LEVINE, T. BARRY. (See Cohn et al.), 509
- LEVY, RONALD, ROZANSKI, ALAN, CHARUZI, YZHAR, CHILDS, WILLIAM, WAXMAN, ALAN, CORDAY, ELIOT, AND BERMAN, DANIEL S. Complementary roles of two-dimensional echocardiography and radionuclide ventriculography in ventricular pseudoaneurysm diagnosis, 1066 (Brief comm.)
- LEWIS, BRENDA. (See Reduto et al.), 1168
- LICHSTEIN, EDGAR. Reply, 139 (Letter to Editor)
- LIEBER, IRA H., RENSIMER, EDWARD R., AND ERICSSON, CHARLES D. Campylobacter pericarditis in hypothyroidism, 462 (Brief comm.)
- LINARES, ESTEBAN. (See Gonzalez et al.), 932
- LINDBERG, KJELL. (See Bark et al.), 1079
- LINDSEY, DOUGLAS, AND FINLEY, PAUL R. Reply, 1080 (Letter to Editor)
- LIVELLI, FRANK, JR. (See Reiffel et al.), 1011
- LOH, IRVING K. (See Beeder et al.), 330
- LOW, REGINALD I. (See Lee et al.), 783
- , (See Lee et al.), 1159
- LUBELL, DAVID L. Thallium imaging in detecting cardiac neoplasms, 947 (Letter to Editor)
- LYON, ALAN F. (See Kossowsky, Lyon, and Spain), 954
- M**
- MADDAHI, JAMSHID. (See Freeman et al.), 182
- , GANZ, WILLIAM, NINOMIYA, KENJI, HASHIDA, JUN, FISHBEIN, MICHAEL C., MONDKAR, AVINASH, BUCHBINDER, NEIL, MARCUS, HAROLD, GEFT, IVOR, SHAH, PREDIMAN K., ROZANSKI, ALAN, SWAN, H. J. C., AND BERMAN, DANIEL S. Myocardial salvage by intracoronary thrombolysis in evolving acute myocardial infarction: Evaluation using intracoronary injection of thallium-201, 664
- , (See Ganz et al.), 1145
- MAES, N. (See Zenner et al.), 137
- MALACOFF, ROBERT. (See Rude et al.), 584
- MALLON, STEPHEN M. (See Kessler et al.), 1064
- MALONEY, JAMES, D. (See Kennel et al.), 447
- MANDEL, WILLIAM J. (See Fujimoto et al.), 45
- , (See Hamamoto et al.), 350
- , (See Freeman, Peter, and Mandel), 358
- , (See Hamer et al.), 992
- MANSI, DIEGO. (See Brevetti et al.), 938
- MANTLE, JOHN A. (See McDaniel et al.), 10
- , ROGERS, WILLIAM J., SMITH, L. RICHARD, MCDANIEL, HUEY G., PAPAPIETRO, SILVIO E., RUSSELL, RICHARD O., JR., AND RACKLEY, CHARLES E. Clinical effects of glucose-insulin potassium on left ventricular function in acute myocardial infarction: Results from a randomized clinical trial, 313
- , (See Rackley et al.), 1038
- MARCUS, HAROLD. (See Maddahi et al.), 664
- , (See Ganz et al.), 1145
- MARKHAM, ROY V., JR. (See Leachman et al.), 658
- MARKIS, JOHN E. (See Mohr, Davis, and Markis), 123
- MARMOR, ALON T. Reply, 1079 (Letter to Editor)
- MAROKO, PETER R. (See Iwasaki et al.), 324
- MARON, BARRY J., AND ROBERTS, WILLIAM C. Hypertrophic cardiomyopathy and cardiac muscle cell disorganization revisited: Relation between the two and significance, 95

- (See Cabin et al.), 466
- (See Waller et al.), 790
- (See Roberts and Maron), 1061
- MARTIN, GARY J., MORAN, JOHN M., AND LESCH, MICHAEL. Neurologic symptoms from calcific microemboli in aortic stenosis, 471 (Letter to Editor)
- MARTIN, RANDOLPH P. (See Bishop et al.), 965
- MARTINEZ, E. (See Pichard et al.), 30
- MARTINS, JAMES B. (See Kerber et al.), 139
- MASON, DEAN T. (See Amsterdam, Lee, and Mason), 144
- (See Vera and Mason), 308
- (See Laslett, Ikeda, and Mason), 452
- (See Awan et al.), 555
- (See Awan et al.), 626
- (See Awan et al.), 703
- (See Lee et al.), 783
- (See Lee et al.), 1074
- International experience with percutaneous transluminal coronary recanalization by streptokinase-thrombolysis reperfusion in acute myocardial infarction: New, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function, 1126 (Chairman's address)
- (See Lee et al.), 1139
- (See Lee et al.), 1159
- MASON, JAY W. (See Bristow et al.), 709
- (See Winkle et al.), 857
- , STINSON, EDWARD B., WINKLE, ROGER A., AND OYER, PHILIP E. Mechanisms of ventricular tachycardia: Wide, complex ignorance, 1083
- MASELLI, MARIELLA. (See Fenici et al.), 124
- MASSIE, BARRY, BOTVINICK, ELIAS, ARNOLD, STEVEN, SHAMES, DAVID, BRUNDAGE, BRUCE, HANLON, J. TIMOTHY, AND SHELDON, KAREN. Contrast enhancement of thallium-201 myocardial scintigrams: Improved sensitivity with diminished specificity in coronary disease detection, 37
- MASTERS, THOMAS N. (See Robicsek et al.), 775
- MATHEY, D. (See Rutsch et al.), 1178
- (See Merx et al.), 1181
- (See Rentrop et al.), 1188
- , RODEWALD, G., RENTROP, P., LEITZ, K., MERX, W., MESSMER, B. J., RUTSCH, W., AND BUCHERL, E. S. Intracoronary streptokinase thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function, 1194
- MATSUMORI, AKIRA, KAWAI, CHUICHI, AND WAKABAYASHI, AKIRA. Reply, 807 (Letter to Editor)
- MAURAT, JEAN-PIERRE. (See Becque et al.), 806
- MCCULLEN, AVILE E. (See Fujimoto et al.), 45
- MCDANIEL, HUEY G., PAPAPIETRO, SILVIO E., ROGERS, WILLIAM J., MANTLE, JOHN A., SMITH, L. R., RUSSELL, RICHARD O., JR., AND RACKLEY, CHARLES E. Glucose-insulin-potassium induced alterations in individual plasma free fatty acids in patients with acute myocardial infarction, 10
- (See Mantle et al.), 313
- (See Rackley et al.), 1038
- MCILHENNY, HUGH M. (See Taylor et al.), 515
- MCMANUS, BRUCE M., BREN, GEORGE B., ROBERTSON, E. ARTHUR, KATZ, RICHARD J., ROSS, ALLAN M., AND ROBERTS, WILLIAM C. Hemodynamic cardiac constriction without anatomic myocardial restriction or pericardial constriction, 134 (Brief comm.)
- , AND ROBERTS, WILLIAM C. Survival for 20 years or longer after transmural acute myocardial infarction: Analysis of eight well-documented necropsy patients, 176
- , FLEURY, THOMAS A., AND ROBERTS, WILLIAM C. Fatal catecholamine crisis in pheochromocytoma: Curable cause of cardiac arrest, 930 (Brief comm.)
- MCNAMARA, DAN G. (See Gillette et al.), 984
- MEHRAN POUR, MOHAMMAD. (See Lababidi and Mehran Pour), 132
- MEHTA, ASHOK V., WOLFF, GRACE S., TAMER, DOLORES, PICKOFF, ARTHUR S., CASTA, ALFONSO, GARCIA, OTTO L., AND GELBAND, HENRY. Determinants of ventricular refractory periods in children with congenital heart disease: Effects of cycle length and age, 75
- MEHTA, JAWAHAR, NICHOLS, WILMER W., MEHTA, PAULETTE, PEPINE, CARL, AND CONTI, C. RICHARD. Effects of prostacyclin on systemic and coronary hemodynamics in the dog, 835
- MEHTA, PAULETTE. (See Mehta et al.), 835
- MELLER, J. (See Pichard et al.), 30
- MERX, W. (See Rutsch et al.), 1178
- , DÖRR, R., RENTROP, P., BLANKE, H., KARSCH, K. R., MATHEY, D. G., KREMER, P., RUTSCH, W., AND SCHMUTZLER, H. Evaluation of the effectiveness of intracoronary streptokinase infusion in acute myocardial infarction: Postprocedure management and hospital course in 204 patients, 1181
- (See Rentrop et al.), 1188
- (See Mathey et al.), 1194
- MESSINEO, FRANK C. (See Katz and Messineo), 491
- MESSMER, B. J. (See Mathey et al.), 1194
- MEYER-PAVEL, CAROLE. (See Swiryn et al.), 1000
- MICKLE, DAVID. (See Shell et al.), 335
- MIDGLEY, FRANK M. (See Perry et al.), 1022
- MILLER, D. CRAIG. (See Fowles et al.), 128
- MILLER, RICHARD R., PALOMO, ANDRES R., BRANDON, TEDD A., HARTLEY, CRAIG J., AND QUINONES, MIGUEL A. Combined vasodilator and inotropic therapy of heart failure: Experimental and clinical concepts, 500
- MINDICH, BRUCE. (See Wiener, Mindich, and Kupersmith), 53
- MIROWSKI, M., REID, PHILIP R., WATKINS, LEVI, WEISFELD, MYRON L., AND MOWER, MORTON M. Clinical treatment of life-threatening ventricular tachyarrhythmias with automatic implantable defibrillator, 265 (Progress in Cardiology)
- MIRVIS, SHIRLEY B. (See Carruth et al.), 1075
- MOHR, DAVID N., DAVIS, SHEILA, AND MARKIS, JOHN E. Clinical evidence of prostaglandin E₂ antiarrhythmic properties, 123 (Brief comm.)
- MONDKAR, AVINASH. (See Maddahi et al.), 664
- (See Ganz et al.), 1145
- MONZON, CARLOS. (See Lababidi and Monzon), 943
- MOORE, PETER F. (See Taylor et al.), 515
- MORAN, JOHN M. (See Martin, Moran, and Lesch), 471 (Letter to Editor)
- MORROW, ANDREW G. (See Waller et al.), 790
- MOST, ALBERT S. (See Williams et al.), 1
- MOSTOW, NELSON, RIGGS, THOMAS, AND BORKAT, GORDON. Echocardiographic features of ventricular septal defect patch dehiscence, 941 (Brief comm.)
- MOTRO, MICHAEL, AND NEUFELD, HENRY N. QT_c interval in torsades de pointes, 1080 (Letter to Editor)
- MOWER, MORTON, M. (See Mirowski et al.), 265
- MUDGE, GILBERT H. (See Colucci et al.), 564
- MUNSI, S. C. (See Sharma et al.), 131
- MYERBURG, ROBERT J. (See Kessler et al.), 1064 (Brief communication)

N

- NAGAO, MASAO. (See Yasue et al.), 206
- , YASUE, HIROFUMI, OMOTE, SHINGO, TAKIZAWA, AKINORI, HYON, HIROMITSU, NISHIDA, SHINICHIRO, HORIE, MINORU, YAMADA, KAZUNORI, AND TANAKA, SATORU. Diltiazem-induced decrease of exercise-elevated pulmonary arterial diastolic pressure in hypertrophic cardiomyopathy patients, 789 (Brief comm.)
- NAKAJIMA, HIROMICHI. (See Yasue et al.), 206
- NASH, CLINTON B. (See Cook et al.), 58
- NEEDHAM, KATHLEEN. (See Awan et al.), 555
- (See Awan et al.), 626
- (See Awan et al.), 703
- NEUFELD, HENRY N. (See Motro and Neufeld), 1080
- NEWMAN, PHILIP E. The coronary collateral circulation: Determinants and functional significance in ischemic heart disease, 431
- NICHOLS, WILMER W. (See Mehta et al.), 835
- NIKOLIC, GEORGE. Fatal VF due to bradycardia-dependent prolonged QT_c with postextrasystolic reduced PVC-prematurity, 469 (Letter to Editor)

- NINOMIYA, KENJI. (See Maddahi et al.), 664
 —. (See Ganz et al.), 1145
 NISHIDA, SHINICHIRO. (See Nagao et al.), 789
 NOSAKA, KUNIO. (See Yasue et al.), 206
 NOYES, RUSSELL. (See Kerber et al.), 139

O

- OBEL, I. W. PROMUND. (See Barlow, Pocock, and Obel), 140
 OETGEN, WILLIAM J. (See Tibbits et al.), 936
 OLIVEN, A., AND ABINADER, E. Postural-related supraventricular tachyarrhythmia in the mitral valve prolapse syndrome, 130 (Brief comm.)
 OLLEY, PETER M. (See Duncan et al.), 227
 —. (See Duncan et al.), 892
 OLSSON, S. BERTIL, AND EDVARDSSON, NILS. Clinical electrophysiologic study of antiarrhythmic properties of flecainide: Acute intraventricular delayed conduction and prolonged repolarization in regular paced and premature beats using intracardiac monophasic action potentials with programmed stimulation, 864
 OLUKOTUN, ADEOYE Y. (See Taylor et al.), 515
 OMOTE, SHINGO. (See Yasue et al.), 206
 —. (See Nagao et al.), 789
 ONG, LING S., BAROLD, S. SERGE, CRAVER, WILLIAM L., FALKOFF, MICHAEL D., AND HEINLE, ROBERT A. Partial avulsion of the tricuspid valve by timed pacing electrode, 798 (Brief comm.)
 O'ROURKE, ROBERT A. (See Starling et al.), 169
 —. (See Walsh, Badke, and O'Rourke), 341
 —. (See Grant, Crawford, and O'Rourke), 465
 OVERTON, HANNAH. (See Vetrovec et al.), 1202
 OYER, PHILIP E. (See Mason et al.), 1083

P

- PALOMO, ANDRES R. (See Miller et al.), 500
 PAPAPIETRO, SILVIO E. (See McDaniel et al.), 10
 —. (See Mantle et al.), 313
 —. (See Rackley et al.), 1038
 PARMLEY, WILLIAM W., CHATTERJEE, KANU, ARNOLD, STEPHEN, RUBIN, STANLEY A., BRUNDAGE, BRUCE H., WILLIAMS, ROGER L., PORTS, THOMAS, CHUCK, LEONARD, AND ROULEAU, JEAN. Hemodynamic effects of prazosin in chronic heart failure, 622
 PATEL, S. (See Gould et al.), 300
 PATTERSON, R. (See Pichard et al.), 30
 PAVEL, DAN. (See Swiryn et al.), 1000
 PEPINE, CARL J. (See Feldman et al.), 822
 —. (See Mehta et al.), 835
 PERRY, LOWELL W. (See Shapiro et al.), 456
 —. (See Tibbits et al.), 936
 —, MIDGLEY, FRANK M., GALIOTO, FRANK M., JR., SHAPIRO, STEPHEN R., RUCKMAN, ROGER N., AND SCOTT, LEWIS P., III. Two-dimensional echocardiographic evaluation of mitral bioprosthetic function in infants and children, 1022
 PETER, THOMAS. (See Fujimoto et al.), 45
 —. (See Shell et al.), 335
 —. (See Hamamoto et al.), 350
 —. (See Freeman, Peter, and Mandel), 358
 —. (See Hamer et al.), 992
 PETRLIK, JOAN. (See Charache, Harbaugh, and Petrlik), 804
 PETERS, FLORA. (See Winkle, Peters, and Hall), 162
 PHILLIPS, DAVID. (See Fell et al.), 221
 PICHARD, A. D., WIENER, I., MARTINEZ, E., HOROWITZ, S., PATTERSON, R., MELLER, J., GOLDSMITH, S. J., GORLIN, R., AND HERMAN, M. V. Septal myocardial perfusion imaging with thallium-201 in the diagnosis of proximal left anterior descending coronary artery disease, 30
 PICKOFF, ARTHUR S. (See Mehta et al.), 75
 PIESSENS, JAN. (See Flameng et al.), 846
 PIRRAMI, MARCO MARIA. (See Fenici et al.), 124
 PITCHON, ROBERTA. (See Boccardo, Pitchon, and Wiener), 797
 POCOCC, WENDY A. (See Barlow, Pocock, and Obel), 140
 POHOST, GERALD M. (See Goldman et al.), 751
 POOLE-WILSON, PHILIP A. (See Canepa-Anson et al.), 578
 POPP, RICHARD L. (See Fowles et al.), 128
 PORTS, THOMAS. (See Parmley et al.), 622
 POTTER, BARRY M. (See Tibbits et al.), 936
 PRIMM, R. KIRBY. (See Roden et al.), 794
 PRINEAS, RONALD J. (See Gillum et al.), 138
 PULLMAN, LAURIE G. (See Taylor et al.), 515

Q

- QUERO-JIMÉNEZ, MANUEL. (See De la Cruz et al.), 271
 QUINONES, MIGUEL A. (See Miller et al.), 500

R

- RACKLEY, CHARLES E. (See McDaniel et al.), 10
 —. (See Mantle et al.), 313
 —, RUSSELL, RICHARD O., JR., ROGERS, WILLIAM J., MANTLE, JOHN A., MCDANIEL, HUEY G., AND PAPAPIETRO, SILVIO E. Clinical experience with glucose-insulin-potassium therapy in acute myocardial infarction, 1038
 RAKOVEC, PETER, JAKOPIN, JAPC, RODE, PRIMOS, KENDA, MIRAN F., AND HORVAT, MATIJA. Clinical comparison of indirectly and directly determined sinoatrial conduction time, 292 (Brief comm.)
 RANDALL, WALTER C. (See Thomas, Randall, and Jones), 157
 RAO, P. SYAMASUNDAR. Dextrocardia: Systematic approach to differential diagnosis, 389
 RAPAPORT, ELLIOT. (See Hubbell, Cheitlin, and Rapaport), 85
 RAY, MARIA. (See Tavazzi et al.), 675
 REDER, ROBERT F., YEH, HSU-CHONG, AND STEINFELD, LEONARD. Aneurysm of the interatrial septum causing pulmonary venous obstruction in an infant with tricuspid atresia, 786 (Brief comm.)
 REDUTO, LAWRENCE A., FREUND, GREGORY C., GAETA, JAY M., SMALLING, RICHARD W., LEWIS, BRENDA, AND GOULD, K. LANCE. Coronary artery reperfusion in acute myocardial infarction: Beneficial effects of intracoronary streptokinase on left ventricular salvage and performance, 1168
 REEVES, WILLIAM C., LEAMAN, DAVIS M., BUONOCORE, EDWARD, BABB, JOSEPH D., DASH, HAROLD, SCHWITZER, E. JOSEPH, CIOTOLA, THOMAS, AND HALLAHAN, WILLIAM. Detection of tricuspid regurgitation and estimation of central venous pressure by two-dimensional contrast echocardiography of the right superior hepatic vein, 374
 REID, PHILIP R. (See Mirowski et al.), 265
 REIFFEL, JAMES A., GANG, ELI, LIVELLI, FRANK, JR., GLIKLICH, JERRY, AND BIGGER, J. THOMAS, JR. Clinical and electrophysiologic characteristics of sinoatrial entrance block evaluated by direct sinus node electrography: Prevalence, relation to antegrade sinoatrial conduction time, and relevance to sinus node disease, 1011
 REIZ, SEBASTIAN. (See Waagstein et al.), 548
 RENSIMER, EDWARD R. (See Lieber, Rensimer, and Ericsson), 462
 RENTROP, P. (See Rutsch et al.), 1178
 —. (See Merx et al.), 1181
 —, BLANKE, H., KARSCH, K. R., RUTSCH, W., SCHARTL, M., MERX, W., DÖRR, R., MATHEY, D., AND KUCK, K. Changes in left ventricular function after intracoronary streptokinase infusion in clinically evolving myocardial infarction, 1188
 —. (See Mathey et al.), 1194
 REUBEN, STUART R. (See Canepa-Anson et al.), 578
 RIBEIRO, LAIR G. T. (See Iwasaki et al.), 324
 RICH, STUART, WIX, HERSHEL L., AND SHAPIRO, EDWARD P. Clinical assessment of heart chamber size and valve motion during cardiopulmonary resuscitation by two-dimensional echocardiography, 368
 RICHARDS, KENT L. (See Starling et al.), 169
 RICHARDSON, DAVID W. (See Vetrovec et al.), 1202
 RIGGS, THOMAS. (See Mostow, Riggs, and Borkat), 941
 RILEY, RAYMON S. (See Williams et al.), 1
 ROBERTS, ROBERT. (See Karlsberg, Cryer, and Roberts), 24
 ROBERTS, WILLIAM C. (See Sheikh et al.), 66

- , (See Maron and Roberts), 95
 - , (See Siegel, Cabeen, and Roberts), 121
 - , (See McManus et al.), 134
 - , (See McManus and Roberts), 176
 - , (See Waller and Roberts), 459
 - , (See Cabin et al.), 466
 - , (See Waller et al.), 790
 - , (See Cabin et al.), 830
 - , (See McManus, Fleury, and Roberts), 930
 - , AND MARON, BARRY J. Sudden death while playing professional football, 1061 (Brief comm.)
 - ROBERTS-NILES, ALETHA. (See Brown et al.), 959
 - ROBERTSON, E. ARTHUR. (See McManus et al.), 134
 - ROBICSEK, FRANCIS, TARJAN, PETER, HARBOLD, NORRIS B., JR., MASTERS, THOMAS N., AND ROBICSEK, STEVEN A. Self-anchoring endocardial pacemaker leads: Current spectrum of types, advances in design, and clinical results, 775
 - ROBICSEK, STEVEN A. (See Robicsek et al.), 775
 - RODE, PRIMOŽ. (See Rakovec et al.), 292
 - RODEN, DAN M., DUFF, HENRY J., PRIMM, R. KIRBY, KRONENBERG, MARVIN W., AND WOOSLEY, RAYMOND L. Control of ventricular preexcitation and associated arrhythmias by encainide, 794 (Brief comm.)
 - RODEWALD, G. (See Mathey et al.), 1194
 - ROGERS, WILLIAM J. (See McDaniel et al.), 10
 - , (See Mantle et al.), 313
 - , (See Rackley et al.), 1038
 - RONFELD, ROBERT A. (See Chow et al.), 799
 - ROSEN, KENNETH M. (See Swiryn et al.), 1000
 - ROSS, ALLAN M. (See McManus et al.), 134
 - ROSS, DAVID. (See Winkle et al.), 857
 - ROSSI, LINO, AND THIENE, GAETANO. Recent advances in clinicohistopathologic correlates of sudden cardiac death, 478
 - ROULEAU, JEAN. (See Parmley et al.), 622
 - ROUTLEDGE, PHILIP A. (See Stargel et al.), 872
 - ROWE, RICHARD D. (See Duncan et al.), 227
 - , (See Duncan et al.), 892
 - ROZANSKI, ALAN. (See Maddahi et al.), 664
 - , (See Levy et al.), 1066
 - RUBENSTEIN, MARTIN D., WALL, ROBERT T., BAIM, DONALD S., AND HARRISON, DONALD C. Platelet activation in clinical coronary artery disease and spasm, 363
 - RUBIN, STANLEY A. (See Parmley et al.), 622
 - RUCKMAN, ROGER N. (See Shapiro et al.), 456
 - , (See Perry et al.), 1022
 - RUDE, ROBERT E. (See Colucci et al.), 564
 - , GROSSMAN, WILLIAM, COLUCCI, WILSON S., BENOTTI, JOSEPH R., CARABELLO, BLASE A., WYNN, JOSHUA, MALACOFF, ROBERT, AND BRAUNWALD, EUGENE. Problems in assessment of new pharmacologic agents for the heart failure patient, 584
 - RUFFETT, DONALD. (See Chow et al.), 799
 - RUSSELL, PERCY J. (See White et al.), 686
 - RUSSELL, RICHARD O., JR. (See McDaniel et al.), 10
 - , (See Mantle et al.), 313
 - , (See Rackley et al.), 1038
 - RUTSCH, W., SCHARTL, M., MATHEY, D., KUCK, K., MERX, W., DÖRR, R., RENTROP, P., AND BLANKE, H. Percutaneous transluminal coronary recanalization: Procedure, results, and acute complications, 1178
 - , (See Merx et al.), 1181
 - , (See Rentrop et al.), 1188
 - , (See Mathey et al.), 1194
- S
- SAKURAI, MASAYUKI. (See Kinoshita, Sakurai, and Yasukouchi), 290
 - SALEM, DEEB N. (See Isner et al.), 645
 - SALERNO, JORGE A. (See Tavazzi et al.), 675
 - SALSBERG, DAVID S. (See Taylor et al.), 515
 - SAXTON, CRAIG A. P. D. (See Taylor et al.), 515
 - SCHARTL, M. (See Rutsch et al.), 1178
 - , (See Rentrop et al.), 1188
 - SCHMUTZLER, H. (See Merx et al.), 1181
 - SCHROEDER, JOHN S. (See Ginsburg et al.), 196
 - , (See Ginsburg et al.), 698
 - SCHWARTZ, DAVID E. (See Cabin et al.), 830
 - SCHWARZ, FRANZ. (See Flameng et al.), 846
 - SCHWITER, E. JOSEPH. (See Reeves et al.), 374
 - SCOTT, LEWIS P., III (See Shapiro et al.), 456
 - , (See Tibbits et al.), 936
 - , (See Perry et al.), 1022
 - SEGAL, BERNARD L. (See Kimbiris and Segal), 811
 - SELF, TIMOTHY H., BAUMAN, JAY H., BROWN, J. RICHARD, BICKERS, WILLIAM J., WOOD, CHARLES A. Concurrent initiation of heparin and warfarin therapy, 470 (Letter to Editor)
 - SELINGER, HAROLD. (See Howard et al.), 294
 - SHAH, PREDIMAN K. (See Maddahi et al.), 664
 - , (See Ganz et al.), 1145
 - SHAND, DAVID G. (See Stargel et al.), 872
 - SHAPIRO, EDWARD P. (See Rich, Wix, and Shapiro), 368
 - SHAPIRO, STEPHEN R., RUCKMAN, ROGER N., KAPUR, SUDESH, CHANDRA, ROMA, GALIOTO, FRANK M., PERRY, LOWELL W., AND SCOTT, LEWIS P., III Single ventricle with truncus arteriosus in siblings, 456 (Brief comm.)
 - , (See Perry et al.), 1022
 - SHARK, WILLIAM M., AND KASS, ROBERT M. Repeat myocardial revascularization in coronary disease therapy: Consideration of primary bypass failures and success of second graft surgery, 303
 - SHAMES, DAVID. (See Massie et al.), 37
 - SHARMA, BIM, HOBACK, JAMES, FRANCIS, GARY S., HODGES, MORRISON, ASINGER, R. W., COHN, JAY N., AND TAYLOR, COLIN R. Pirobuterol: A new oral sympathomimetic amine for the treatment of congestive heart failure, 533
 - SHARMA, SATYAVAN, KATDARE, A. D., MUNSI, S. C., AND KINARE, S. G. M-mode echographic detection of pulmonic valve infective endocarditis, 131 (Brief comm.)
 - SHEIKH, MAZHAR U., COVARRUBIAS, EDGAR A., ALI, NAYAB, SHEIKH, NASREEN M., LEE, WON R., AND ROBERTS, WILLIAM C. M-mode echocardiographic observations in active bacterial endocarditis limited to the aortic valve, 66
 - , LEE, WON R., AND KOH, DAE S. Serial echographic development of apparent hypertrophic cardiomyopathy with biventricular outflow obstruction: Documentation in *Hemophilus influenzae* pericarditis during hypovolemia, 1069 (Brief comm.)
 - SHEIKH, NASREEN M. (See Sheikh et al.), 66
 - SHELDON, KAREN. (See Massie et al.), 37
 - SHELL, WILLIAM, PETER, THOMAS, MICKLE, DAVID, FORRESTER, JAMES S., AND SWAN, H. J. C. Prognostic implications of reduction of left ventricular filling pressure in early transmural acute myocardial infarction, 335
 - , (See Ganz et al.), 1145
 - SHERRY, SOL. Personal reflections on the development of thrombolytic therapy and its application to acute coronary thrombosis, 1134
 - SHEVDE, SHARAT. (See Taylor et al.), 515
 - SHUB, CLARENCE, WILLIAMSON, MICHAEL D., TAJIK, ABDUL J., AND EUBANKS, DONALD R. Dynamic left ventricular outflow tract obstruction associated with pheochromocytoma, 286 (Brief comm.)
 - SIEGEL, ROBERT J., CABEEN, WILLIAM R., JR., AND ROBERTS, WILLIAM C. Prolonged QT interval-ventricular tachycardia syndrome from massive rapid weight loss utilizing the liquid-protein-modified-fast diet: Sudden death with sinus node ganglionitis and neuritis, 121 (Brief comm.)
 - SINGAL, PAWAN K. (See Beamish et al.), 149
 - SINGH, ARUN K. (See Williams et al.), 1
 - , (See Corwin, Singh, and Karlson), 446
 - SISTONEN, PERTTI. (See Koskenvuo, Kaprio, and Sistonen), 946
 - SMALLING, RICHARD W. (See Reduto et al.), 1158
 - SMITH, L. RICHARD. (See McDaniel et al.), 10
 - , (See Mantle et al.), 313
 - SMITH, THOMAS W. (See Abernethy, Greenblatt, and Smith), 740
 - SPAIN, DAVID M. (See Kosowsky, Lyon, and Spain), 954
 - SPODICK, DAVID H. Effects of indomethacin during experimental myocardial ischemia, 1082 (Letter to Editor)
 - STAMM, R. BRAD. (See Bishop et al.), 965
 - STANILOFF, HOWARD. (See Freeman et al.), 182

— (See Beeder et al.), 330

STARGEL, W. WAYNE, SHAND, DAVID G., ROUTLEDGE, PHILIP A., BARCHOWSKY, AARON, AND WAGNER, GALEN S. Clinical comparison of rapid infusion and multiple injection methods for lidocaine loading, 872

STARLING, MARK R., CRAWFORD, MICHAEL H., RICHARDS, KENT L., AND O'ROURKE, ROBERT A. Predictive value of early postmyocardial infarction modified treadmill exercise testing in multivessel coronary artery disease detection, 169

STEBBINS, PAMELA T. (See Taylor et al.), 16

STEINFELD, LEONARD. (See Reder, Yeh, and Steinfeld), 786

STIEREN, B. (See Hollmann and Stieren), 804

STINSON, EDWARD B. (See Mason et al.), 1083

STRANDNESS, D. E., JR. (See Fell et al.), 221

STRAUB, KARL D. (See Cook et al.), 58

STRAUSS, H. WILLIAM. (See Goldman et al.), 751

STRELOW, D. A. (See Clements et al.), 980

STROZZI, C. (See Cocco, Chu, and Strozzi), 1081

— (See Cocco, Chu, and Strozzi), 1081

SUTTON, GEORGE C. (See Canepa-Anson et al.), 578

SUY, RAFAEL. (See Flameng et al.), 846

SUZUKI, MARK. (See Lee et al.), 1139

SWAN, H. J. C. (See Freeman et al.), 182

— (See Beeder et al.), 330

— (See Shell et al.), 335

— (See Maddahi et al.), 664

— (See Vas et al.), 719

— (See Ganz et al.), 1145

SWIRYN, STEVEN, PAVEL, DAN, BYROM, ERNEST, WITHAM, DOUGLAS, MEYER-PAVEL, CAROLE, WYNDHAM, CHRISTOPHER R. C., HANDLER, BRUCE, AND ROSEN, KENNETH M. Sequential regional phase mapping of radionuclide gated biventriculograms in patients with left bundle branch block, 1000

SZE, KARL C. (See Driscoll and Sze), 1072

T

TAJIK, ABDUL J. (See Shub et al.), 286

TAKIZAWA, AKINORI. (See Yasue et al.), 206

— (See Nagao et al.), 789

TAMER, DOLORES. (See Mehta et al.), 75

TANAKA, SATORU. (See Nagao et al.), 789

TARJAN, PETER. (See Robicsek et al.), 775

TAVAZZI, LUIGI, SALERNO, JORGE A., CHIMIENTI, MARCELLO, COBELLI, FRANCO, RAY, MARIA, AND BOBBA, PIERO. Tachycardia-dependent and bradycardia-dependent intraventricular conduction defects in acute myocardial infarction: Electrocardiographic, electrophysiologic, and clinical correlates, 675

TAYLOR, COLIN R., BAIRD, JAMES R. C., BLACKBURN, KENNETH J., CAMBRIDGE, DAVID, CONSTANTINE, JAY W., GHALLY, MARY S., HAYDEN, MICHAEL L., MCILHENNY, HUGH M., MOORE, PETER F., OLUKOTUN, ADEOYE Y., PULLMAN, LAURIE G., SALSBERG, DAVID S., SAXTON, CRAIG A. P. D., AND SHEVDE, SHARAT. Comparative pharmacology and clinical efficacy of newer agents in treatment of heart failure, 515

— (See Sharma et al.), 533

TAYLOR, GEORGE J., CRAMPTON, RICHARD S., GIBSON, ROBERT S., STEBBINS, PAMELA T., WALDMAN, MARIA T. G., AND BELLER, GEORGE A. Prolonged QT interval at onset of acute myocardial infarction in predicting early phase ventricular tachycardia, 16

TEICHHOLZ, LOUIS E. (See Gillum et al.), 728

THIELE, BRIAN L. (See Fell et al.), 221

THIENE, GAETANO. (See Rossi and Thiene), 478

THOMAS, JOHN X., JR., RANDALL, WALTER C., AND JONES, CARL E. Protective effect of chronic versus acute cardiac denervation on contractile force during coronary occlusion, 157

THONE, FRED. (See Flameng et al.), 846

TIBBITS, PAUL A., OETGEN, WILLIAM J., POTTER, BARRY M., CHANDRA, ROMA S., AVERY, GORDON B., PERRY, LOWELL W., AND SCOTT, LEWIS P. Interruption of aortic arch masquerading as persistent fetal circulation with definitive diagnosis by two-dimensional echocardiography, 936 (Brief comm.)

TIERNEY, RALPH C. (See Gillette et al.), 984

TRUSLER, GEORGE A. (See Duncan et al.), 227

V

VANDER ELST, E., DOMBEY, S. L., LAWRENCE, J., AND VLASSAK, W. Controlled comparison of the effects of furosemide and hydrochlorothiazide added to propranolol in the treatment of hypertension, 734

VAN ERMEN, HUGO. (See Flameng et al.), 846

VAS, RAN, DIAMOND, GEORGE A., FORRESTER, JAMES S., WHITING, JAMES S., AND SWAN, H. J. C. Computer enhancement of direct and venous-injected ventricular contrast angiography, 719

VASUDEVAN, GOPALAN. (See Cabin et al.), 466

VECHT, R. J., BESTERMAN, E. M. M., BROMLEY, L. L., EASTCOTT, H. H. G., AND KENTON, J. R. Acute aortic dissection: Historical perspective and current management, 1087

VENKATESH, A. (See Kerber et al.), 139

VERA, ZAKAUDDIN, AND MASON, DEAN T. Detection of sinus node dysfunction: Consideration of clinical application of testing methods, 308

VERESS, GABOR. Concealed retrograde AV nodal conduction in intermittent fascicular block, 934 (Brief comm.)

VETROVEC, GEORGE W. (See Cowley et al.), 1149

—, COWLEY, MICHAEL J., OVERTON, HANNAH, AND RICHARDSON, DAVID W. Intracoronary thrombus in syndromes of unstable myocardial ischemia, 1202

VIRMANI, RENU. (See Cabin et al.), 830

VLASSAK, W. (See Vander Elst et al.), 734

VLIETSTRA, R. E. (See Clements et al.), 980

W

WAAGSTEIN, FINN, REIZ, SEBASTIAN, ARINIEGO, ROMEO, AND HJALMARSON, AKE. Clinical results with prenalatorol in patients with heart failure, 548

WAGNER, GALEN S. (See Stargel et al.), 872

WAHI, P. L. (See Kaul et al.), 461

WAKABAYASHI, AKIRA. (See Matsumori, Kawai, and Wakabayashi), 807

WALDMAN, MARIA T. G. (See Taylor et al.), 16

WALL, ROBERT T. (See Rubenstein et al.), 363

WALLER, BRUCE F., AND ROBERTS, WILLIAM C. Systolic clicks caused by rocks in the right heart chambers, 459 (Brief comm.)

—, MARON, BARRY J., MORROW, ANDREW G., AND ROBERTS, WILLIAM C. Hypertrophic cardiomyopathy mimicking pericardial constriction or myocardial restriction, 790 (Brief comm.)

WALSH, RICHARD A., BADKE, FREDERICK R., AND O'ROURKE, ROBERT A. Differential effects of systemic and intracoronary calcium channel blocking agents on global and regional left ventricular function in conscious dogs, 341

WARNES, CAROLE A. (See Canepa-Anson et al.), 578

WARREN, STAFFORD. (See Howard et al.), 294

WATANABE, YOSHIO. Effects of calcium and sodium concentrations on atrioventricular conduction: Experimental study in rabbit hearts with clinical implications on heart block and slow calcium channel blocking agent usage, 883

WATKINS, LEVI. (See Mirowski et al.), 265

WAXMAN, ALAN. (See Levy et al.), 1066

WEBB, R. CLINTON, AND BOHR, DAVID F. Recent advances in the pathogenesis of hypertension: Consideration of structural, functional, and metabolic vascular abnormalities resulting in elevated arterial resistance, 251

WEBER, KARL T., ANDREWS, VIRGINIA, KINASEWITZ, GARY T., JANICKI, JOSEPH S., AND FISHMAN, ALFRED P. Vasodilator and inotropic agents in treatment of chronic cardiac failure: Clinical experience and response in exercise performance, 569

WEINSTEIN, JEROME. Introduction to Symposium on Intracoronary thrombolysis in acute myocardial infarct, 1123

WEISE, VIRGINIA. (See Kim et al.), 972

WEISFELDT, MYRON L. (See Mirowski et al.), 265

- WEISMAN, HARVEY. (See Innes and Weisman), 153
- WELLS, PHILIP H., AND KAPLAN, JOEL A. Optimal management of patients with ischemic heart disease for noncardiac surgery by complementary anesthesiologist and cardiologist interaction, 1029
- WENGER, NANETTE K. (See Carruth et al.), 1075
- WHITE, FRANCIS C., RUSSELL, PERCY J., ASHRAF, MUHAMMAD, WOLF, PAUL, HIGGINSON, LYALL, JONES, DAVID, AND BLOOR, COLIN M. Histologic, ultrastructural, and enzymatic measurements of infarct size following coronary artery stenosis and occlusion, 686
- WHITING, JAMES S. (See Vas et al.), 719
- WHITTLE, JAMES L. (See Feldman et al.), 822
- WIENER, ISAAC (See Pichard et al.), 30
- , MINDICH, BRUCE, AND KUPERSMITH, JOEL. Effects of lidocaine on regional intraventricular conduction in patients with coronary artery disease, 53
- , (See Boccardo, Pitchon, and Wiener), 797
- WILKERSON, R. DOUGLAS. Acute effects of intravenous furosemide administration on serum digoxin concentration, 63
- WILLIAMS, DAVID O., RILEY, RAYMOND S., SINGH, ARUN K., GEWIRTZ, HENRY, AND MOST, ALBERT S. Evaluation of the role of coronary angioplasty in patients with unstable angina pectoris, 1
- WILLIAMS, GORDON H. (See Colucci, Williams, and Braunwald), 615
- WILLIAMS, ROGER L. (See Parmley et al.), 622
- WILLIAMS, TROY H. (See Herrera, Willis, and Williams), 1063
- WILLIAMS, WILLIAM G. (See Duncan et al.), 227
- WILLIAMSON, MICHAEL D. (See Shub et al.), 286
- WILLIS, S. MARSH. (See Herrera, Willis, and Williams), 1063
- WILSON, JOHN R., GOLDBERG, SHELDON, HIRSHFELD, JOHN W., AND HARKEN, ALDEN H. Effects of respiratory alkalosis on coronary vascular dynamics and myocardial energetics in patients with coronary artery disease, 202
- WINKLE, ROGER A., PETERS, FLORA, AND HALL, ROGER. Characterization of ventricular tachyarrhythmias on ambulatory ECG recordings in post-myocardial infarction patients: Arrhythmia detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility, 162
- , Current status of ambulatory electrocardiography, 757
- , MASON, JAY W., GRIFFIN, JERRY C., AND ROSS, DAVID. Malignant ventricular tachyarrhythmias associated with the use of encainide, 857
- , (See Mason et al.), 1083
- WINNIFORD, MICHAEL D. (See Leachman et al.), 658
- WITHAM, DOUGLAS. (See Swiryn et al.), 1000
- WIX, HERSHEL L. (See Rich, Wix, and Shapiro), 368
- WOLF, PAUL. (See White et al.), 686
- WOLFF, GRACE S. (See Mehta et al.), 75
- WOOD, CHARLES A. (See Self et al.), 470
- WOOSLEY, RAYMOND L. (See Roden et al.), 794
- WYNDHAM, CHRISTOPHER R. C. (See Swiryn et al.), 1000
- WYNNE, JOSHUA. (See Colucci et al.), 564
- , (See Rude et al.), 584

Y

- YAMADA, KAZUNORI. (See Nagao et al.), 789
- YAMAZAKI, HAJIME. (See Agarwal et al.), 654
- YASUE, HIROFUMI, OMOTE, SHINGO, TAKIZAWA, AKINORI, NAGAO, MASAO, NOSAKA, KUNIO, AND NAKAJIMA, HIROMICHI. Alkalosis-induced coronary vasoconstriction: Effects of calcium, diltiazem, nitroglycerin, and propranolol, 206
- , (See Nagao et al.), 789
- YASUKOUCHI, TARO. (See Kinoshita, Sakurai, and Yasukouchi), 290
- YATES, JOHN C., BEAMISH, ROBERT E., AND DHALLA, NARANJAN S. Ventricular dysfunction and necrosis produced by adrenochrome metabolite of epinephrine: Relation to pathogenesis of catecholamine cardiomyopathy, 210
- YEH, HSU-CHONG. (See Reder, Yeh, and Steinfeld), 786

Z

- ZAJARIAS, ALEJANDRO. (See Kennel et al.), 447
- ZENNER, R. J., MAES, N., DE BACKER, G., AND CLEMENT, D. L. Limited reliability of calibrated signals in ECG and VCG interpretations, 137 (Letters to Editor)
- ZEPPILLI, PAOLO. (See Fenici et al.), 124

Subject index*

A

- Abrupt cessation of treatment in hypertension: consideration of clinical features, mechanisms, preventions and management of the discontinuation syndrome (Houston), 415
- Accessory connections in infants and children, successful surgical treatment of atrial, junctional, and ventricular tachycardia unassociated with (Gillette et al.), 984
- pathways, bilateral, both exhibiting antegrade and retrograde conduction, Wolff-Parkinson-White syndrome with (Kaku et al.), 296 (Brief comm.)
- Acknowledgment to reviewers, 957
- Acute aortic dissection: historical perspective and current management (Vecht et al.), 1087
- coronary thrombosis, personal reflections on the development of thrombolytic therapy and its application to (Sherry), 1134
- myocardial infarction, clinical experience with glucose-insulin-potassium therapy in (Rackley et al.), 1038
- versus chronic cardiac denervation, protective effect of on contractile force during coronary occlusion (Thomas, Randall, and Jones), 157
- Addicts, drug, infective endocarditis in, presentation, management, and follow-up evaluation of (Hubbell, Cheitlin, and Rapaport), 85
- Adolescent Buerger's disease, female: objective documentation and therapeutic remission (Laslett, Ikeda, and Mason), 452 (Brief comm.)
- Adrenochrome-induced arrhythmias, catecholamine metabolite, protective effect of sulfinpyrazone against (Beamish et al.), 149
- metabolite of epinephrine, ventricular dysfunction and necrosis produced by: relation to pathogenesis of catecholamine cardiomyopathy (Yates, Beamish, and Dhalla), 210
- Adult-onset familial infra-Hisian block (Kennel et al.), 447 (Brief comm.)
- Alkalosis-induced coronary vasoconstriction: effects of calcium, diltiazem, nitroglycerin, and propranolol (Yasue et al.), 206
- respiratory, effects of on coronary vascular dynamics and myocardial energetics in patients with coronary artery disease (Wilson et al.), 202
- Alpha-adrenergic blockade, role of: enhanced alpha-adrenergic responsiveness in ischemic myocardium (Corr and Crafford), 605
- responsiveness, enhanced, in ischemic myocardium: role of alpha-adrenergic blockade (Corr and Crafford), 605
- Ambulatory electrocardiography, current status of (Winkle), 757

*July, pp. 1-148; August, pp. 149-312; September, Part 1, pp. 313-484; September, Part 2, pp. 485-644; October, pp. 645-818; November, pp. 819-956; December, Part 1, pp. 957-1122; December, Part 2, pp. 1123-1208.

- Amiodarone in the treatment of recurrent ventricular tachyarrhythmias, disparity between the clinical and electrophysiologic effects of (Hamer et al.), 992
- Anesthesiologist and cardiologist interaction, optimal management of patients with ischemic heart disease for noncardiac surgery by complementary (Wells and Kaplan), 1029
- Aneurysm(s), coronary, in Kawasaki disease, thrombotic occlusion of: sequential angiographic demonstration (Lababidi and Mehran-Pour), 132 (Brief comm.)
- of the interatrial septum causing pulmonary venous obstruction in an infant with tricuspid atresia (Reder, Yeh, and Steinfeld), 786 (Brief comm.)
- Angina-like chest pain, systematic approach to evaluation of: pathophysiology and clinical testing with emphasis on objective documentation of myocardial ischemia (Christie and Conti), 897
- pectoris, unstable, evaluation of the role of coronary angioplasty in patients with (Williams et al.), 1
- prospective study of medical and urgent surgical therapy in randomizable patients with: results of in-hospital and chronic mortality and morbidity (Brown et al.), 959
- variant, implications concerning pathogenesis of: histamine provocation of clinical coronary artery spasm (Ginsburg et al.), 819
- refractory to nitrates, verapamil therapy in (Freeman, Peter, and Mandel), 358
- unstable, management of: current status and new perspectives (Amsterdam, Lee, and Mason), 144
- variant, long-term transtelephonic ECG monitoring in the detection and evaluation of (Ginsburg et al.), 196
- possible, application and safety of outpatient ergonovine testing in accurately detecting coronary spasm in patients with possible (Ginsburg et al.), 698
- Angiography, contrast, left ventricular, direct and venous-injected, computer enhancement of (Vas et al.), 719
- Angioplasty, coronary, evaluation of the role of in patients with unstable angina pectoris (Williams et al.), 1
- Antegrade and retrograde conduction, Wolff-Parkinson-White syndrome with bilateral accessory pathways both exhibiting (Kaku et al.), 296 (Brief comm.)
- Antiarrhythmic and toxic electrophysiologic actions, digitalis-induced, possible mechanism of: digoxin uptake into peripheral autonomic cardiac nerves (Cook et al.), 58
- properties of flecainide, clinical electrophysiologic study of: acute intraventricular delayed conduction and prolonged repolarization in regular paced and premature beats using intracardiac monophasic action potentials with programmed stimulation (Olsson and Edvardsson), 864
- prostaglandin E₂, clinical evidence of (Mohr, Davis, and Markis), 123 (Brief comm.)
- Anticoagulant therapy, control of by prothrombin time tests: an old problem revisited (Charache, Harbaugh, and Petriik), 804 (Letter)

Anticoagulation vs embolism risk in cardioversion of atrial fibrillation (DeSilva), 302 (Letter to Editor)

Antigen linkage, HLA-DR, in hypertrophic cardiomyopathy (Becque et al.), 806 (Letter)
Reply (Matsumori, Kawai, and Wakabayashi), 807
Reply (Darsee), 807

Anxiety neurosis, mitral valve prolapse syndrome in (Forrest), 139 (Letter)
Reply (Kerber et al.), 139

Aortic arch, interrupted, and ventricular septal defect, balloon dilatation of ductus arteriosus in a newborn with (Corwin, Singh, and Karlson), 446 (Brief comm.)
interruption of masquerading as persistent fetal circulation with definitive diagnosis by two-dimensional echocardiography (Tibbits et al.), 936 (Brief comm.)
dissection, acute: historical perspective and current management (Vecht et al.), 1087
dissection, ascending, premature opening of regurgitant aortic valve in due to marked reduction in supravalvular chamber diastolic pressure: diastolic obstruction of true aortic lumen by false channel (Driscoll and Sze), 1072 (Brief comm.)
lumen, true, diastolic obstruction of by false channel: premature opening of regurgitant aortic valve in ascending aortic dissection due to marked reduction in supravalvular chamber diastolic pressure (Driscoll and Sze), 1072 (Brief comm.)
stenosis, neurologic symptoms from calcific microemboli in (Martin, Moran, and Lesch), 471 (Letter)

valve, M-mode echocardiographic observations in active bacterial endocarditis limited to the (Sheikh et al.), 66
or mitral replacement, spectrum of congestive heart failure late after: differentiation of valvular versus myocardial cause by radionuclide ventriculogram-ejection fraction (Goldman et al.), 751
regurgitant, premature opening of, in ascending aortic dissection due to marked reduction in supravalvular chamber diastolic pressure: diastolic obstruction of true aortic lumen by false channel (Driscoll and Sze), 1072 (Brief comm.)

Apoproteins, HDL (A-I, A-II) and immunoglobulin (IgG), inverse correlation between (Koskenvuo, Kaprio, and Sistonen), 946 (Letter)

Arrest, cardiac, curable cause of: fatal catecholamine crisis in pheochromocytoma (McManus, Fleury, and Roberts), 930 (Brief comm.)

Arrhythmia(s), adrenochole-induced, catecholamine metabolite, protective effect of sulfinpyrazone against (Beamish et al.), 149
associated, control of ventricular preexcitation and by encainide (Roden et al.), 794 (Brief comm.)
detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility in characterization of ventricular tachyarrhythmias on ambulatory ECG recordings in post-MI patients (Winkle, Peters, and Hall), 162

Arrhythmic effects of carbon monoxide in experimental acute myocardial ischemia: lack of slowed conduction and ventricular tachycardia (Foster), 876
right ventricular dysplasia: a cause of ventricular tachycardia in children with apparently normal hearts (Dungan, Garson, and Gillette), 745

Arterial resistance, elevated, consideration of structural, functional, and metabolic vascular abnormalities resulting in: recent advances in pathogenesis of hypertension (Webb and Bohr), 251

Arteriograms, coronary, follow-up study of 121 patients with normal or nearly normal: long-term clinical course of patients with normal coronary arteriography (Isner et al.), 645

Arteriography, coronary, normal, long-term clinical course of patients with: follow-up study of 121 patients with normal or nearly normal coronary arteriograms (Isner et al.), 645

Artery(ies) disease, coronary, and spasm, platelet activation in clinical (Rubenstein et al.), 363
or left ventricular dysfunction, evaluation of postextrasystolic T wave alterations in identification of patients with (Leachman et al.), 658

Artery(ies)—continued

great, complete transposition of: types and morphogenesis of ventriculoarterial discordance (de la Cruz et al.), 271 (Progress in Cardiology)

spasm, clinical coronary, histamine provocation of: implications concerning pathogenesis of variant angina pectoris (Ginsburg et al.), 819

stenosis and occlusion, coronary, histologic, ultrastructural, and enzymatic measurements of infarct size following (White et al.), 686

Asynergy, segmental, reversible, determinants of postrevascularization surgery: ultrastructural correlates of LV contraction abnormalities in patients with chronic ischemic heart disease (Flameng et al.), 846

Atherosclerosis, lipoproteins, platelets, and prostaglandins in (Kuo), 949

Atherosclerotic coronary arterial narrowing in five necropsy patients, quantification, distribution, and nature of: type III hyperlipoproteinemia (Cabin et al.), 830
obstruction, coronary, laser-dissolution of (Lee et al.), 1074 (Brief comm.)
stenosis, surgical bypass of remaining in acute myocardial infarction, intracoronary streptokinase thrombolytic recanalization and subsequent: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194

Atrial augmentation, active, right ventricular infarction with hemodynamic decompensation due to transient loss of: successful treatment with atrial pacing (Isner et al.), 792 (Brief comm.)
fibrillation, cardioversion of, anticoagulation vs embolism risk in (DeSilva), 302 (Letter to Editor)
in a patient with angiographic nearly normal coronary arteries, acute myocardial infarction due to intracoronary occlusion after elective cardioversion for (Gonzalez et al.), 932 (Brief comm.)
junctional, and ventricular tachycardia unassociated with accessory connections in infants and children, successful surgical treatment of (Gillette et al.), 984
pacing, successful treatment with: right ventricular infarction with hemodynamic decompensation due to transient loss of active atrial augmentation (Isner et al.), 792 (Brief comm.)

Atrioventricular (AV) conduction, effects of calcium and sodium concentrations on: experimental study in rabbit hearts with clinical implications on heart block and slow calcium channel blocking agent usage (Watanabe), 883
nodal conduction, concealed retrograde, in intermittent fascicular block (Veress), 934 (Brief comm.)

Autonomic cardiac nerves, peripheral, digoxin uptake into: possible mechanism of digitalis-induced antiarrhythmic and toxic electrophysiologic actions (Cook et al.), 58

Avulsion, partial, of the tricuspid valve by timed pacing electrode (Ong et al.), 798 (Brief comm.)

B

Bacterial endocarditis, active, M-mode echocardiographic observations in limited to the aortic valve (Sheikh et al.), 66

Balloon dilatation of ductus arteriosus in a newborn with interrupted aortic arch and ventricular septal defect (Corwin, Singh, and Karlson), 446 (Brief communication)

Beta agonist, oral pirbuterol, a new in chronic heart failure, single-dose and dose-response studies with (Canepa-Anson et al.), 578

Bicycle exercise, comparison of upright and supine in the detection and evaluation of extent of coronary artery disease by equilibrium radionuclide ventriculography (Freeman et al.), 182

Bioprosthetic function, mitral, in infants and children, two-dimensional echocardiographic evaluation of (Perry et al.), 1022

- Biventricular involvement, successful surgical treatment of and consideration of the superiority of operative intervention: management of endomyocardial fibrosis (Graham et al.), 771
- outflow obstruction, serial echographic development of apparent hypertrophic cardiomyopathy with: documentation in *Hemophilus influenzae* pericarditis during hypovolemia (Sheikh, Lee, and Koh), 1069 (Brief comm.)
- Biventriculograms, radionuclide gated, in patients with left bundle branch block, sequential regional phase mapping of (Swiryn et al.), 1000
- Block, adult-onset familial infra-Hisian (Kennel et al.), 447 (Brief comm.)
- fascicular, intermittent, concealed retrograde AV nodal conduction in (Veress), 934 (Brief comm.)
- left bundle branch, sequential regional phase mapping of radionuclide gated biventriculograms in patients with (Swiryn et al.), 1000
- sinoatrial entrance, evaluated by direct sinus node electrography, clinical and electrophysiologic characteristics of: prevalence, relation to antegrade sinoatrial conduction time, and relevance to sinus node disease (Reiffel et al.), 1011
- Blockade, alpha-adrenergic, role of: enhanced alpha-adrenergic responsiveness in ischemic myocardium (Corr and Craford), 605
- Blocking agent(s), calcium channel, systemic and intracoronary, differential effects of on global and regional LV function in conscious dogs (Walsh, Badke, and O'Rourke), 341
- usage, slow calcium channel, and heart block, experimental study in rabbit hearts with clinical implications on: effects of calcium and sodium concentrations on atrioventricular conduction (Watanabe), 883
- Blood pool scintigraphy, new clinical application of for measuring limb venous volume, capacity, and blood flow: radionuclide evaluation of peripheral circulatory dynamics (Clements et al.), 980
- Blunt chest trauma, pedunculated right ventricular thrombosis due to repeated (Kessler et al.), 1064 (Brief comm.)
- Bookshelf, 148, 1090
- Bradycardia-dependent and tachycardia-dependent intraventricular conduction defects in acute myocardial infarction: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- prolonged QT, with postextrasystolic reduced PVC-prematurity, fatal VF due to (Nikolic), 469 (Letter)
- Reply (Bissett), 469
- Bradydysrhythmias in children, chronic, recent advances in mechanisms, evaluation, and pacemaker treatment of (Gillette), 920
- Bruits, carotid, asymptomatic, importance of noninvasive ultrasonic Doppler testing in the evaluation of patients with (Fell et al.), 221
- Buerger's disease, female adolescent: objective documentation and therapeutic remission (Laslett, Ikeda, and Mason), 452 (Brief comm.)
- Bypass failures, primary, and success of second graft surgery, consideration of: repeat myocardial revascularization in coronary disease therapy (Shark and Kass), 303
- surgery, coronary artery, changes in peripheral vascular and cardiac sympathetic activity before and after: interrelationships with hemodynamic alterations (Kim et al.), 972
- saphenous vein, coronary disease progression in patients with and without (Kimbris and Segal), 811

C

- Calcific microemboli in aortic stenosis, neurologic symptoms from (Martin, Moran, and Leach), 471 (Letter)
- Calcium and sodium concentrations, effects of on atrioventricular conduction: experimental study in rabbit hearts with clinical implications on heart block and slow calcium channel blocking agent usage (Watanabe), 883

Calcium—continued

- channel blocking agent(s), systemic and intracoronary, differential effects of on global and regional left ventricular function in conscious dogs (Walsh, Badke, and O'Rourke), 341
- usage, slow, and heart block, experimental study in rabbit hearts with clinical implications on: effects of calcium and sodium concentrations on atrioventricular conduction (Watanabe), 883
- diltiazem, nitroglycerin, and propranolol, effects of in alkalosis-induced coronary vasoconstriction (Yasue et al.), 206
- Calibrated signals in ECG and VCG interpretations, limited reliability of (Zenner et al.), 137 (Letter)
- Campylobacter* pericarditis in hypothyroidism (Lieber, Rensimer, and Ericsson), 462 (Brief comm.)
- Carbon monoxide, arrhythmic effects of in experimental acute myocardial ischemia: lack of slowed conduction and ventricular tachycardia (Foster), 876
- Cardiac arrest and external cardiopulmonary resuscitation, lidocaine pharmacokinetics during (Chow et al.), 799 (Brief comm.)
- curable cause of: fatal catecholamine crisis in pheochromocytoma (McManus, Fleury, and Roberts), 930 (Brief comm.)
- constriction, hemodynamic, without anatomic myocardial restriction or pericardial constriction (McManus et al.), 134 (Brief comm.)
- death, sudden, recent advances in clinicohistopathologic correlates of (Rossi and Thiene), 478
- denervation, chronic versus acute, protective effect of on contractile force during coronary occlusion (Thomas, Randall, and Jones), 157
- failure, chronic, vasodilator and inotropic agents in treatment of: clinical experience and response in exercise performance (Weber et al.), 569
- lymphoma mimicking hypertrophic cardiomyopathy (Cabin et al.), 466 (Brief comm.)
- manifestations of Marfan's syndrome in the newborn, early (Lababidi and Monzon), 943 (Brief comm.)
- mechanical complications, acute and chronic, surgical management of due to myocardial infarction (Cohn), 1049
- muscle cell disorganization and hypertrophic cardiomyopathy revisited: relation between the two and significance (Maron and Roberts), 95
- neoplasms, thallium imaging in detecting (Lubell), 947 (Letter)
- nerves, peripheral autonomic, digoxin uptake into: possible mechanism of digitalis-induced antiarrhythmic and toxic electrophysiologic actions (Cook et al.), 58
- sympathetic and peripheral vascular activity before and after coronary artery bypass surgery, changes in: interrelationships with hemodynamic alterations (Kim et al.), 972
- Cardiocardiac and myocardial energetic effects of prostaglandin E₁ in severe left ventricular failure due to chronic coronary heart disease (Awan et al.), 703
- Cardiologist and anesthesiologist interaction, optimal management of patients with ischemic heart disease for noncardiac surgery by complementary (Wells and Kaplan), 1029
- Cardiomegaly, postmyocardial infarction, acute renal dysfunction due to sulfinpyrazone therapy in: reversible hypersensitive interstitial nephritis (Howard et al.), 294 (Brief comm.)
- Cardiomyopathy, catecholamine, relation to pathogenesis of: ventricular dysfunction and necrosis produced by adrenergic metabolite of epinephrine (Yates, Beamish, and Dhalla), 210
- doxorubicin, dose-effect and structure-function relationships in (Bristow et al.), 709
- hypertrophic, and cardiac muscle cell disorganization revisited: relation between the two and significance (Maron and Roberts), 95
- apparent, with biventricular outflow obstruction, serial echographic development of: documentation in *Hemophilus influenzae* pericarditis during hypovolemia (Sheikh, Lee, and Koh), 1069 (Brief comm.)

Cardiomyopathy, hypertrophic—continued

- by caudocranial left anterior oblique view, improved cineangiographic evaluation of (Green, Elliott, and Coghlan), 1015
- cardiac lymphoma mimicking (Cabin et al.), 466 (Brief comm.)
- HLA-DR antigen linkage in (Becque et al.), 806 (Letter)
- Reply (Matsumori, Kawai, and Wakabayashi), 807
- Reply (Darsee), 807
- mimicking pericardial constriction or myocardial restriction (Waller et al.), 790 (Brief comm.)
- patients, hypertrophic, diltiazem-induced decrease of exercise-elevated pulmonary arterial diastolic pressure in (Nagao et al.), 789 (Brief comm.)
- Cardiopulmonary resuscitation by two-dimensional echocardiography, clinical assessment of heart chamber size and valve motion during (Rich, Wix, and Shapiro), 368
- external, and cardiac arrest, lidocaine pharmacokinetics during (Chow et al.), 799 (Brief comm.)
- Cardioversion, elective, acute myocardial infarction due to intracoronary occlusion after for atrial fibrillation in a patient with angiographic nearly normal coronary arteries (Gonzalez et al.), 932 (Brief comm.)
- of atrial fibrillation, anticoagulation vs embolism risk in (DeSilva), 302 (Letter to Editor)
- Carotid bruits, asymptomatic, importance of noninvasive ultrasonic Doppler testing in the evaluation of patients with (Fell et al.), 221
- Catecholamine cardiomyopathy, relation to pathogenesis of: ventricular dysfunction and necrosis produced by adrenochrome metabolite of epinephrine (Yates, Beamish, and Dhalla), 210
- crisis in pheochromocytoma, fatal: curable cause of cardiac arrest (McManus, Fleury, and Roberts), 930 (Brief comm.)
- metabolite adrenochrome-induced arrhythmias, protective effect of sulfinpyrazone against (Beamish et al.), 149
- response, serial plasma, early in the course of clinical acute myocardial infarction: relationship to infarct extent and mortality (Karlsberg, Cryer, and Roberts), 24
- Caudocranial left anterior oblique view, improved cineangiographic evaluation of hypertrophic cardiomyopathy by (Green, Elliott, and Coghlan), 1015
- Chest pain, angina-like, systematic approach to evaluation of: pathophysiology and clinical testing with emphasis on objective documentation of myocardial ischemia (Christie and Conti), 897
- exertional, regional coronary angiographic observations during cold stimulation in patients with: comparison of diameter responses in normal and fixed stenotic vessels (Feldman et al.), 822
- trauma, blunt, repeated, pedunculated right ventricular thrombus due to (Kessler et al.), 1064 (Brief comm.)
- Children, electrophysiologic studies of supraventricular tachycardia in. I. Clinical-electrophysiologic correlations (Garson and Gillette), 233
- II. Prediction of specific mechanism by noninvasive features (Garson and Gillette), 383
- long-term evaluation of persistent supraventricular tachycardia in: clinical and electrocardiographic features (Epstein and Benditt), 80
- recent advances in mechanisms, evaluation, and pacemaker treatment of chronic bradydysrhythmias in (Gillette), 920
- tachydysrhythmias in, advances in the treatment and diagnosis of (Gillette), 111
- Chronic versus acute cardiac denervation, protective effect of on contractile force during coronary occlusion (Thomas, Randall, and Jones), 157
- Cineangiographic evaluation of hypertrophic cardiomyopathy, improved, by caudocranial left anterior oblique view (Green, Elliott, and Coghlan), 1015
- Circulation, coronary collateral, the: determinants and functional significance in ischemic heart disease (Newman), 431
- fetal, with definitive diagnosis by two-dimensional echocardiography, interruption of aortic arch masquerading as persistent (Tibbits et al.), 936 (Brief comm.)

- Circulatory dynamics, peripheral, radionuclide evaluation of: new clinical application of blood pool scintigraphy for measuring limb venous volume, capacity, and blood flow (Clements et al.), 980
- CK-B rise, serum enzyme, following exhaustive physical exercise (Bark et al.), 1079 (Letter)
- Reply (Marmor), 1079
- Reply (Lindsey and Finley), 1080
- Clicks, systolic, caused by rocks in the right heart chambers (Waller and Roberts), 459 (Brief comm.)
- Clinical and electrophysiologic effects of amiodarone in the treatment of recurrent ventricular tachyarrhythmias, disparity between the (Hamer et al.), 992
- comparison of indirectly and directly determined sinoatrial conduction time (Rakovec et al.), 292 (Brief communication)
- efficacy and pharmacology of newer agents in treatment of heart failure, comparative (Taylor et al.), 515
- evidence of prostaglandin E₂ antiarrhythmic properties (Morh, Davis, and Markis), 123 (Brief comm.)
- hemodynamic, and neuroendocrine effects of chronic prazosin therapy for congestive heart failure (Colucci, Williams, and Braunwald), 615
- pharmacokinetic investigation of digoxin disposition in obesity (Abernethy, Greenblatt, and Smith), 740
- Clinicohistopathologic correlates of sudden cardiac death, recent advances in (Rossi and Thiene), 478
- Cold stimulation in patients with exertional chest pain, regional coronary angiographic observations during: comparison of diameter responses in normal and fixed stenotic vessels (Feldman et al.), 822
- Collateral circulation, coronary, the: determinants and functional significance in ischemic heart disease (Newman), 431
- Complete transposition of the great arteries: types and morphogenesis of ventriculoarterial discordance (de la Cruz et al.), 271
- Computer enhancement of direct and venous-injected left ventricular contrast angiography (Vas et al.), 719
- Concurrent initiation of heparin and warfarin therapy (Self), 470 (Letter)
- Conduction, antegrade and retrograde, Wolff-Parkinson-White syndrome with bilateral accessory pathways both exhibiting (Kaku et al.), 296 (Brief comm.)
- block, intra-atrial, in the sinus node region and possible role in reentrant supraventricular tachycardia, demonstration of: clinical recordings of monophasic action potentials (Fenici et al.), 124 (Brief comm.)
- concealed retrograde AV nodal, in intermittent fascicular block (Veress), 934 (Brief comm.)
- defects, intraventricular, tachycardia-dependent and bradycardia-dependent, in acute myocardial infarction: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- delay during ventricular myocardial ischemia and reperfusion, effects of nifedipine on (Fujimoto et al.), 45
- produced by myocardial ischemia and reperfusion, effect of verapamil on (Hamamoto et al.), 350
- intraventricular, regional, effects of lidocaine on in patients with coronary artery disease (Wiener, Mindich, and Kupersmith), 53
- slowed, and ventricular tachycardia, lack of: arrhythmogenic effects of carbon monoxide in experimental acute myocardial ischemia (Foster), 876
- time, antegrade, sinoatrial, prevalence, relation to, and relevance to sinus node disease: clinical and electrophysiologic characteristics of sinoatrial entrance block evaluated by direct sinus node electrography (Reiffel et al.), 1011
- sinoatrial, clinical comparison of indirectly and directly determined (Rakovec et al.), 292 (Brief communication)
- Conference participants (Pfizer Symposium), 643
- Congenital heart disease, determinants of ventricular refractory periods in children with: effects of cycle length and age (Mehta et al.), 75
- Congestive heart failure, clinical, hemodynamic, and neuroendocrine effects of chronic prazosin therapy for (Colucci, Williams, and Braunwald), 615

Congestive heart failure—continued

- late after aortic valve or mitral replacement, spectrum of differentiation of valvular versus myocardial cause by radionuclide ventriculogram-ejection fraction (Goldman et al.), 751
- neurohumoral control mechanisms in (Cohn et al.), 509
- pirbuterol, a new oral sympathomimetic amine for the treatment of (Sharma et al.), 533
- refractory, management of with prazosin (Awan et al.), 626
- severe, acute and chronic effects of pirbuterol on LV ejection fraction and clinical status in (Colucci et al.), 564
- chronic, therapeutic efficacy of oral pirbuterol in: acute hemodynamic and long-term ambulatory evaluation (Awan et al.), 555
- Constriction, hemodynamic cardiac, without anatomic myocardial restriction or pericardial constriction (McManus et al.), 134 (Brief comm.)
- Constrictive pericarditis, characteristic postextrasystolic ventricular pressure response in (Kaul et al.), 461 (Brief comm.)
- Contraction abnormalities, LV, ultrastructural correlates of in patients with chronic ischemic heart disease: determinants of reversible segmental asynergy postrevascularization surgery (Flameng et al.), 846
- Contrast angiography, left ventricular, direct and venous-injected, computer enhancement of (Vas et al.), 719
- enhancement of thallium-201 myocardial scintigrams: improved sensitivity with diminished specificity in coronary disease detection (Massie et al.), 37
- Coronary aneurysms in Kawasaki disease, thrombotic occlusion of: sequential angiographic demonstration (Lababidi and MehranPour), 132 (Brief comm.)
- angiographic observations, regional, during cold stimulation in patients with exertional chest pain: comparison of diameter responses in normal and fixed stenotic vessels (Feldman et al.), 822
- angioplasty, evaluation of the role of in patients with unstable angina pectoris (Williams et al.), 1
- arterial narrowing, atherosclerotic, in five necropsy patients, quantification, distribution, and nature of: type III hyperlipoproteinemia (Cabin et al.), 830
- arteriograms, follow-up study of 121 patients with normal or nearly normal: long-term clinical course of patients with normal coronary arteriography (Isner et al.), 645
- arteriography, normal, long-term clinical course of patients with: follow-up study of 121 patients with normal or nearly normal coronary arteriograms (Isner et al.), 645
- artery(ies), angiographic nearly normal, acute myocardial infarction due to intracoronary occlusion after elective cardioversion for atrial fibrillation in a patient with (Gonzalez et al.), 932 (Brief comm.)
- bypass surgery, changes in peripheral vascular and cardiac sympathetic activity before and after: interrelationships with hemodynamic alterations (Kim et al.), 972
- disease and spasm, platelet activation in clinical (Rubenstein et al.), 363
- by equilibrium radionuclide ventriculography, comparison of upright and supine bicycle exercise in the detection and evaluation of extent of (Freeman et al.), 182
- detection, multivessel, predictive value of early postmyocardial infarction modified treadmill exercise testing in (Starling et al.), 169
- effects of lidocaine on regional intraventricular conduction in patients with (Wiener, Mindich, and Kupersmith), 53
- of respiratory alkalosis on coronary vascular dynamics and myocardial energetics in patients with (Wilson et al.), 202
- or left ventricular dysfunction, evaluation of postextrasystolic T wave alterations in identification of patients with (Leachman et al.), 658
- proximal left anterior descending, septal myocardial perfusion imaging with thallium-201 in the diagnosis of (Pichard et al.), 30

Coronary artery disease—continued

- relationship between segmental abnormalities and global LV function in: validation of a theoretical model (Beeder et al.), 330
- reperfusion in acute myocardial infarction: beneficial effects of intracoronary streptokinase on left ventricular salvage and performance (Reduto et al.), 1168
- spasm, clinical, histamine provocation of: implications concerning pathogenesis of variant angina pectoris (Ginsburg et al.), 819
- stenosis and occlusion, histologic, ultrastructural, and enzymatic measurements of infarct size following (White et al.), 686
- atherosclerotic obstruction, laser-dissolution of (Lee et al.), 1074 (Brief comm.)
- collateral circulation, the: determinants and functional significance in ischemic heart disease (Newman), 431
- disease detection, improved sensitivity with diminished specificity in: contrast enhancement of thallium-201 myocardial scintigrams (Massie et al.), 37
- probabilistic analysis of scintigraphic rest and exercise LV ejection fractions for: improved interpretation of a continuous variable in diagnostic testing (Diamond and Forrester), 189
- occult, and/or myocardial disease, evidence for a relatively benign new syndrome with: characteristics and prognosis of apparently healthy patients with frequent and complex ventricular ectopy (Horan and Kennedy), 809
- progression in patients with and without saphenous vein bypass surgery (Kimbiris and Segal), 811
- rates, interstudy comparisons of, difficulties in (Gillum), 947 (Letter)
- therapy, repeat myocardial revascularization in: consideration of primary bypass failures and success of second graft surgery (Shark and Kass), 303
- heart disease, chronic, cardiocirculatory, and myocardial energetic effects of prostaglandin E₁ in severe left ventricular failure due to (Awan et al.), 703
- hemodynamics in the dog, effects of prostacyclin on systemic and (Mehta et al.), 835
- occlusion, protective effect of chronic versus acute cardiac denervation on contractile force during (Thomas, Randall, and Jones), 157
- patients, implications concerning impaired physical training benefit in: altered exercise ventilatory responses by apparent propranolol-diminished glucose metabolism (Hossack, Bruce, and Kusumi), 378
- recanalization, percutaneous transluminal, efficacy of utilizing streptokinase thrombolysis in patients with acute myocardial infarction (Lee et al.), 1159
- : procedure, results, and acute complications (Rutsch et al.), 1178
- spasm in patients with possible variant angina, application and safety of outpatient ergonovine testing in accurately detecting (Ginsburg et al.), 698
- thrombolysis by intravenous streptokinase in clinical acute myocardial infarction (Lee et al.), 783 (Brief comm.)
- thrombosis, acute, personal reflections on the development of thrombolytic therapy and its application to (Sherry), 1134
- thrombotic occlusion and myocardial injury in animals utilizing streptokinase, experimental reversal of acute (Lee et al.), 1139
- vascular dynamics and myocardial energetics in patients with coronary artery disease, effects of respiratory alkalosis on (Wilson et al.), 202
- vasoconstriction, alkalosis-induced: effects of calcium, diltiazem, nitroglycerin, and propranolol (Yasue et al.), 206
- Criteria of torsades de pointes (Belhassen and Laniado), 1081 (Letter)
- Reply (Cocco, Chu, and Strozzi), 1081
- Current status of ambulatory electrocardiography (Winkle), 757

D

- Death, sudden cardiac, recent advances in clinicohistopathologic correlates of (Rossi and Thiene), 478

Death, sudden—*continued*
while playing professional football (Roberts and Maron), 1061 (Brief comm.)

Defibrillator, implantable, automatic, clinical treatment of life-threatening ventricular tachyarrhythmias with the (Mirowski et al.), 265

Dehiscence, ventricular septal defect patch, echocardiographic features of (Mostow, Riggs, and Borkat), 941 (Brief comm.)

Delayed conduction, acute intraventricular, and prolonged repolarization in regular paced and premature beats using intracardiac monophasic action potentials with programmed stimulation: clinical electrophysiologic study of antiarrhythmic properties of flecainide (Olsson and Edvardsson), 864

Denervation, cardiac, chronic versus acute, protective effect of on contractile force during coronary occlusion (Thomas, Randall, and Jones), 157

Dextrocardia: systematic approach to differential diagnosis (Rao), 389

Diagnosis and treatment of tachydysrhythmias in children, advances in (Gillette), 111

Diastolic obstruction of true aortic lumen by false channel: premature opening of regurgitant aortic valve in ascending aortic dissection due to marked reduction in supraaortic chamber diastolic pressure (Driscoll and Sze), 1072 (Brief comm.)

pressure, supraaortic chamber, premature opening of regurgitant aortic valve in ascending aortic dissection due to marked reduction in diastolic obstruction of true aortic lumen by false channel (Driscoll and Sze), 1072 (Brief comm.)

Diazepam, effects of on the exercise electrocardiogram (Grant, Crawford, and O'Rourke), 465 (Brief comm.)

Dietary sodium restriction in mild hypertension, lack of response of salt taste threshold and preference to (Gillum et al.), 138 (Letter)

Digitalis-induced antiarrhythmic and toxic electrophysiologic actions, possible mechanism of: digoxin uptake into peripheral autonomic cardiac nerves (Cook et al.), 58

Digoxin concentration, serum, acute effects of intravenous furosemide administration on (Wilkerson), 63

disposition in obesity: clinical pharmacokinetic investigation (Abernethy, Greenblatt, and Smith), 740

uptake into peripheral autonomic cardiac nerves: possible mechanism of digitalis-induced antiarrhythmic and toxic electrophysiologic actions (Cook et al.), 58

Dilatation, balloon, of ductus arteriosus in a newborn with interrupted aortic arch and ventricular septal defect (Corwin, Singh, and Karlson), 446 (Brief comm.)

Diltiazem, calcium, nitroglycerin, and propranolol, effects of in alkalosis-induced coronary vasoconstriction (Yasue et al.), 206

-induced decrease of exercise-elevated pulmonary arterial diastolic pressure in hypertrophic cardiomyopathy patients (Nagao et al.), 789 (Brief comm.)

Discontinuation syndrome, consideration of clinical features, mechanisms, preventions and management of the: abrupt cessation of treatment in hypertension (Houston), 415

Discussion—session I of Biomedical Research Symposium sponsored by Pfizer (Braunwald), 542

—session II of Biomedical Research Symposium sponsored by Pfizer (Braunwald), 597

—session III of Biomedical Research Symposium sponsored by Pfizer (Cohn), 613

—session III, part II of Biomedical Research Symposium sponsored by Pfizer (Cohn), 634

Disease progression, coronary, in patients with and without saphenous vein bypass surgery (Kimberis and Segal), 811

rates, coronary, difficulties in interstudy comparisons of (Gillum), 947 (Letter)

Disorganization, cardiac muscle cell, and hypertrophic cardiomyopathy revisited: relation between the two and significance (Maron and Roberts), 95

Dissection, aortic, acute: historical perspective and current management (Vecht et al.), 1087

Dogs, conscious, hemodynamic effects of pirbuterol in (Gold and Horwitz), 591

Doppler testing, noninvasive ultrasonic, importance of in the evaluation of patients with asymptomatic carotid bruits (Fell et al.), 221

Dose-effect and structure-function relationships in doxorubicin cardiomyopathy (Bristow et al.), 709

-response and single-dose studies with oral pirbuterol, a new beta agonist in chronic heart failure (Canepa-Anson et al.), 578

Doxorubicin cardiomyopathy, dose-effect and structure-function relationships in (Bristow et al.), 709

Dressler's syndrome, postmyocardial infarction, reappraisal of the (Kossowsky, Lyon, and Spain), 954

Drug action and myocardial membrane function in heart failure (Katz and Messineo), 491

addicts, infective endocarditis in, presentation, management, and follow-up evaluation of (Hubbell, Cheitlin, and Rapaport), 85

Ductus arteriosus, balloon dilatation of in a newborn with interrupted aortic arch and ventricular septal defect (Corwin, Singh, and Karlson), 446 (Brief comm.)

Dysfunction, sinus node, detection of: consideration of clinical application of testing methods (Vera and Mason), 308

Dysplasia, arrhythmogenic right ventricular: a cause of ventricular tachycardia in children with apparently normal hearts (Dungan, Garson, and Gillette), 745

E

Early postmyocardial infarction modified treadmill exercise testing, predictive value of in multivessel coronary artery disease detection (Starling et al.), 169

Echocardiographic evaluation, two-dimensional, of mitral bioprosthetic function in infants and children (Perry et al.), 1022

features before and after the Jatene procedure (anatomic correction) for transposition of the great vessels (Duncan et al.), 227

identification of hemitruncus, two dimensional: anomalous origin of one pulmonary artery from ascending aorta with the other pulmonary artery arising normally from right ventricle (Duncan et al.), 892

observations, M-mode, in active bacterial endocarditis limited to the aortic valve (Sheikh et al.), 66

Echocardiography, two-dimensional, and radionuclide ventriculography in ventricular pseudoaneurysm diagnosis, complementary roles of (Levy et al.), 1066 (Brief comm.)

clinical assessment of heart chamber size and valve motion during cardiopulmonary resuscitation by (Rich, Wix, and Shapiro), 368

contrast, of the right superior hepatic vein, detection of tricuspid regurgitation and estimation of central venous pressure by (Reeves et al.), 374

in the evaluation of patients with ventricular septal rupture postmyocardial infarction, role of (Bishop et al.), 965

interruption of aortic arch masquerading as persistent fetal circulation with definitive diagnosis by (Tibbits et al.), 936 (Brief comm.)

systemic embolization from a mitral valve papillary endocardial fibroma detected by (Fowles et al.), 128 (Brief comm.)

Echographic detection, M-mode, of pulmonic valve infective endocarditis (Sharma et al.), 131 (Brief comm.)

Ectopy, ventricular, characteristics and prognosis of apparently healthy patients with frequent and complex: evidence for a relatively benign new syndrome with occult myocardial and/or coronary disease (Horan and Kennedy), 809

Ejection fraction(s), LV, and clinical status in severe congestive heart failure, acute and chronic effects of pirbuterol on (Colucci et al.), 564

scintigraphic rest and exercise, probabilistic analysis of for coronary disease detection: improved interpretation of a continuous variable in diagnostic testing (Diamond and Forrester), 189

Ejection fraction—continued

- radionuclide ventriculogram, differentiation of valvular versus myocardial cause by: spectrum of congestive heart failure late after aortic valve or mitral replacement (Goldman et al.), 751
- Electrocardiogram, exercise, effects of diazepam on the (Grant, Crawford, and O'Rourke), 465 (Brief comm.)
- in normal pregnancy, the (Carruth et al.), 1075 (Brief comm.)
- Electrocardiographic (ECG) and VCG interpretations, limited reliability of calibrated signals in (Zenner et al.), 137 (Letter)
- monitoring, transtelephonic, long-term, in the detection and evaluation of variant angina (Ginsburg et al.), 196
- Electrocardiography, ambulatory, current status of (Winkle), 757
- Electrode, pacing, timed, partial avulsion of the tricuspid valve by (Ong et al.), 798 (Brief comm.)
- systems, pacemaker, endocardial and epicardial, characteristics of commonly utilized permanent: method of radiologic identification (Chun), 404
- Electrophysiologic studies of supraventricular tachycardia in children. I. Clinical-electrophysiologic correlations (Garson and Gillette), 233
- II. Prediction of specific mechanism by noninvasive features (Garson and Gillette), 383
- Embolism risk vs anticoagulation in cardioversion of atrial fibrillation (DeSilva), 302 (Letter to Editor)
- Embolization, systemic, from a mitral valve papillary endocardial fibroma detected by two-dimensional echocardiography (Fowles et al.), 128 (Brief comm.)
- Encainide, control of ventricular preexcitation and associated arrhythmias by (Roden et al.), 794 (Brief comm.)
- malignant ventricular tachyarrhythmias associated with the use of (Winkle et al.), 857
- Endocardial and epicardial pacemaker electrode systems, characteristics of commonly utilized permanent: method of radiologic identification (Chun), 404
- pacemaker leads, self-anchoring: current spectrum of types, advances in design, and clinical results (Robicsek et al.), 775
- Endocarditis, bacterial, active, M-mode echocardiographic observations in limited to the aortic valve (Sheikh et al.), 66
- infective, in drug addicts, presentation, management, and follow-up evaluation of (Hubbell, Cheitlin, and Rapaport), 85
- pulmonic valve, M-mode echographic detection of (Sharma et al.), 131 (Brief comm.)
- virulent, involving the viridans group of streptococci (Blair), 469 (Letter)
- Reply (Hosea), 469
- Endomyocardial fibrosis, management of: successful surgical treatment of biventricular involvement and consideration of the superiority of operative intervention (Graham et al.), 771
- Enzyme CK-B rise, serum, following exhaustive physical exercise (Bark et al.), 1079 (Letter)
- Reply (Marmor), 1079
- Reply (Lindsey and Finley), 1080
- Epicardial and endocardial pacemaker electrode systems, characteristics of commonly utilized permanent: method of radiologic identification (Chun), 404
- Epinephrine, adrenochrome metabolite of, ventricular dysfunction and necrosis produced by: relation to pathogenesis of catecholamine cardiomyopathy (Yates, Beamish, and Dhalla), 210
- Ergonovine testing, outpatient, in accurately detecting coronary spasm in patients with possible variant angina, application and safety of (Ginsburg et al.), 698
- Exercise and scintigraphic rest LV ejection fractions for coronary disease detection, probabilistic analysis of: improved interpretation of a continuous variable in diagnostic testing (Diamond and Forrester), 189
- electrocardiogram, effects of diazepam on the (Grant, Crawford, and O'Rourke), 465 (Brief comm.)
- elevated pulmonary arterial diastolic pressure, diltiazem-induced decrease of, in hypertrophic cardiomyopathy patients (Nagao et al.), 789 (Brief comm.)

Exercise—continued

- exhaustive physical, serum enzyme CK-B rise following (Bark et al.), 1079 (Letter)
- Reply (Marmor), 1079
- Reply (Lindsey and Finley), 1080
- ventilatory responses by apparent propranolol-diminished glucose metabolism, altered: implications concerning impaired physical training benefit in coronary patients (Hossack, Bruce, and Kusumi), 378
- Exertional chest pain, regional coronary angiographic observations during cold stimulation in patients with: comparison of diameter responses in normal and fixed stenotic vessels (Feldman et al.), 822

F

- Failure, cardiac, chronic, vasodilator and inotropic agents in treatment of: clinical experience and response in exercise performance (Weber et al.), 569
- heart, chronic, hemodynamic effects of prazosin in (Parmley et al.), 622
- clinical results with prenalator in patients with (Waagstein et al.), 548
- combined vasodilator and inotropic therapy of: experimental and clinical concepts (Miller et al.), 500
- comparative pharmacology and clinical efficacy of newer agents in treatment of (Taylor et al.), 515
- congestive, neurohumoral control mechanisms in (Cohn et al.), 509
- : pathophysiology and treatment (Braunwald), 486
- patient, problems in assessment of new pharmacologic agents for the (Rude et al.), 584
- Familial infra-Hisian block, adult-onset (Kennel et al.), 447 (Brief comm.)
- Fascicular block, intermittent, concealed retrograde AV nodal conduction in (Veress), 934 (Brief comm.)
- Fatty acids, plasma free, individual, in patients with acute myocardial infarction, glucose-insulin-potassium induced alterations in (McDaniel et al.), 10
- Female adolescent Buerger's disease: objective documentation and therapeutic remission (Laslett, Ikeda, and Mason), 452 (Brief comm.)
- Fetal circulation with definitive diagnosis by two-dimensional echocardiography, interruption of aortic arch masquerading as persistent (Tibbits et al.), 936 (Brief comm.)
- Fibrillation, atrial, cardioversion of, anticoagulation vs embolism risk in (DeSilva), 302 (Letter to Editor)
- in a patient with angiographic nearly normal coronary arteries, acute myocardial infarction due to intracoronary occlusion after elective cardioversion for (Gonzalez et al.), 932 (Brief comm.)
- ventricular, fatal, due to bradycardia-dependent prolonged QT_c with postextrasystolic reduced PVC-prematurity (Nikolic), 469 (Letter)
- Reply (Bissett), 469
- Fibroma, mitral valve papillary endocardial, detected by two-dimensional echocardiography, systemic embolization from a (Fowles et al.), 128 (Brief comm.)
- Fibrosis, endomyocardial, management of: successful surgical treatment of biventricular involvement and consideration of the superiority of operative intervention (Graham et al.), 771
- Filling pressure, LV, prognostic implications of reduction of in early transmural acute myocardial infarction (Shell et al.), 335
- Flecainide, clinical electrophysiologic study of antiarrhythmic properties of: acute intraventricular delayed conduction and prolonged repolarization in regular paced and premature beats using intracardiac monophasic action potentials with programmed stimulation (Olsson and Edvardsson), 864
- Football, professional, sudden death while playing (Roberts and Maron), 1061 (Brief comm.)
- Furosemide administration, intravenous, acute effects of on serum digoxin concentration (Wilkerson), 63
- and hydrochlorothiazide added to propranolol in the treatment of hypertension, controlled comparison of the effects of (Vander Elst et al.), 734

G

- Global and regional LV function in conscious dogs, differential effects of systemic and intracoronary calcium channel blocking agents on (Walsh, Badke, and O'Rourke), 341
- and segmental function of the canine right and left ventricle, effects of isolated interventricular septal ischemia on (Agarwal et al.), 654
- left ventricular function and segmental abnormalities in coronary artery disease, relationship between: validation of a theoretical model (Beeder et al.), 330
- Glucose-insulin-potassium on LV function in acute myocardial infarction, clinical effects of: results from a randomized clinical trial (Mantle et al.), 313
- induced alterations in individual plasma free fatty acids in patients with acute myocardial infarction (McDaniel et al.), 10
- therapy in acute myocardial infarction, clinical experience with (Rackley et al.), 1038
- metabolism, apparent propranolol-diminished, altered exercise ventilatory responses by: implications concerning impaired physical training benefit in coronary patients (Hossack, Bruce, and Kusumi), 378
- Graft surgery, second, success of and consideration of primary bypass failures and: repeat myocardial revascularization in coronary disease therapy (Shark and Kass), 303
- Great arteries, complete transposition of: types and morphogenesis of ventriculoarterial discordance (de la Cruz et al.), 271
- vessels, transposition of the, echocardiographic features before and after the Jatene procedure (anatomical correction) for (Duncan et al.), 227

H

- HDL apoproteins (A-I, A-II) and immunoglobulin (IgG), inverse correlation between (Koskenvuo, Kaprio, and Sistonen), 946 (Letter)
- Heart block and slow calcium channel blocking agent usage, experimental study in rabbit hearts with clinical implications on: effects of calcium and sodium concentrations on atrioventricular conduction (Watanabe), 883
- complete, inadvertent massive lidocaine overdose causing temporary in myocardial infarction (Badui, Garcia-Rubi, and Estanol), 801 (Brief comm.)
- chamber(s), right, systolic clicks caused by rocks in the (Waller and Roberts), 459 (Brief comm.)
- size and valve motion, clinical assessment of during cardiopulmonary resuscitation by two-dimensional echocardiography (Rich, Wix, and Shapiro), 368
- disease, congenital, determinants of ventricular refractory periods in children with: effects of cycle length and age (Mehta et al.), 75
- coronary, chronic, cardiocirculatory and myocardial energetic effects of prostaglandin E₁ in severe left ventricular failure due to (Awan et al.), 703
- ischemic, determinants and functional significance of the coronary collateral circulation in (Newman), 431
- optimal management of patients with for noncardiac surgery by complementary anesthesiologist and cardiologist interaction (Wells and Kaplan), 1029
- primary, in systemic sclerosis (scleroderma): advances in clinical and pathologic features, pathogenesis, and new therapeutic approaches (Botstein and LeRoy), 913
- failure, chronic, hemodynamic effects of prazosin in (Parmley et al.), 622
- single-dose and dose-response studies with oral pibuterol, a new beta agonist in (Canepa-Anson et al.), 578
- clinical results with prenalator in patients with (Waagstein et al.), 548
- combined vasodilator and inotropic therapy of: experimental and clinical concepts (Miller et al.), 500
- comparative pharmacology and clinical efficacy of newer agents in treatment of (Taylor et al.), 515

Heart failure—continued

- congestive, clinical, hemodynamic, and neuroendocrine effects of chronic prazosin therapy for (Colucci, Williams, and Braunwald), 615
- late after aortic valve or mitral replacement, spectrum of: differentiation of valvular versus myocardial cause by radionuclide ventriculogram-ejection fraction (Goldman et al.), 751
- neurohumoral control mechanisms in (Cohn et al.), 509
- pibuterol, a new oral sympathomimetic amine for the treatment of (Sharma et al.), 533
- refractory, management of with prazosin (Awan et al.), 626
- severe, acute and chronic effects of pibuterol on LV ejection fraction and clinical status in (Colucci et al.), 564
- chronic, therapeutic efficacy of oral pibuterol in: acute hemodynamic and long-term ambulatory evaluation (Awan et al.), 555
- myocardial membrane function and drug action in (Katz and Messineo), 491
- : pathophysiology and treatment (Braunwald), 486
- patient, problems in assessment of new pharmacologic agents for the (Rude et al.), 584
- muscle, ischemic, in acute myocardial infarction, importance of the source of hyaluronidase preparations in determining protective effect on (Iwasaki et al.), 324
- syndrome, idiopathic hyperkinetic: clinical course and long-term prognosis (Gillum et al.), 728
- Hemitruncus, two-dimensional echocardiographic identification of: anomalous origin of one pulmonary artery from ascending aorta with the other pulmonary artery arising normally from right ventricle (Duncan et al.), 892
- Hemodynamic(s) cardiac constriction without anatomic myocardial restriction or pericardial constriction (McManus et al.), 134 (Brief comm.)
- clinical, and neuroendocrine effects of chronic prazosin therapy for congestive heart failure (Colucci, Williams, and Braunwald), 615
- coronary, in the dog, effects of prostacyclin on systemic and (Mehta et al.), 835
- decompensation due to transient loss of active atrial augmentation, right ventricular infarction with: successful treatment with atrial pacing (Isner et al.), 792 (Brief comm.)
- effects of pibuterol in conscious dogs (Gold and Horwitz), 591
- of prazosin in chronic heart failure (Parmley et al.), 622
- evaluation of vasodilator drug therapy in primary pulmonary hypertension (Gould et al.), 300 (Letter to Editor)
- Hemophilus influenzae* pericarditis during hyppovolemia, documentation in: serial echographic development of apparent hypertrophic cardiomyopathy with biventricular outflow obstruction (Sheikh, Lee, and Koh), 1069 (Brief comm.)
- Heparin and warfarin therapy, concurrent initiation of (Self), 470 (Letter)
- Hepatic vein, right superior, detection of tricuspid regurgitation and estimation of central venous pressure by two-dimensional contrast echocardiography of the (Reeves et al.), 374
- High-dose procainamide therapy in resistant tachyarrhythmias, adverse reactions and efficacy of (Boccardo, Pitchon, and Wiener), 797 (Brief comm.)
- Histamine provocation of clinical coronary artery spasm: implications concerning pathogenesis of variant angina pectoris (Ginsburg et al.), 819
- Histologic, ultrastructural, and enzymatic measurements of infarct size following coronary artery stenosis and occlusion (White et al.), 686
- HLA-DR antigen linkage in hypertrophic cardiomyopathy (Beck et al.), 806 (Letter)
- Reply (Matsumori, Kawai, and Wakabayashi), 807
- Reply (Darsee), 807
- Home or hospital for acute myocardial infarction: another look at whether or not we should bother to care (Adgey and Crampton), 473

- Hospital or home for acute myocardial infarction: another look at whether or not we should bother to care (Adgey and Crampton), 473
- Hyaluronidase preparations, importance of the source of in determining protective effect on ischemic heart muscle in acute myocardial infarction (Iwasaki et al.), 324
- Hydrochlorothiazide and furosemide added to propranolol in the treatment of hypertension, controlled comparison of the effects of (Vander Elst et al.), 734
- Hyperkinetic heart syndrome, idiopathic: clinical course and long-term prognosis (Gillum et al.), 728
- Hyperlipoproteinemia, type III: quantification, distribution, and nature of atherosclerotic coronary arterial narrowing in five necropsy patients (Cabin et al.), 830
- Hypertension, abrupt cessation of treatment in: consideration of clinical features, mechanisms, preventions and management of the discontinuation syndrome (Houston), 415
- controlled comparison of the effects of furosemide and hydrochlorothiazide added to propranolol in the treatment of (Vander Elst et al.), 734
- detection and follow-up program: an alternative interpretation (Aagaard), 300 (Letter to Editor)
- mild, lack of response of salt taste threshold and preference to dietary sodium restriction in (Gillum et al.), 138 (Letter)
- pathogenesis of, recent advances in the: consideration of structural, functional, and metabolic vascular abnormalities resulting in elevated arterial resistance (Webb and Bohr), 251
- pulmonary, primary, hemodynamic evaluation of vasodilator drug therapy in (Gould et al.), 360 (Letter to Editor)
- Hypertrophic cardiomyopathy and cardiac muscle cell disorganization revisited: relation between the two and significance (Maron and Roberts), 95
- apparent, with biventricular outflow obstruction, serial echographic development of: documentation in *Hemophilus influenzae* pericarditis during hypovolemia (Sheikh, Lee, and Koh), 1069 (Brief comm.)
- by caudocranial left anterior oblique view, improved cineangiographic evaluation of (Green, Elliott, and Coghill), 1015
- cardiac lymphoma mimicking (Cabin et al.), 466 (Brief comm.)
- HLA-DR antigen linkage in (Becque et al.), 806 (Letter)
- Reply (Matsumori, Kawai, and Wakabayashi), 807
- Reply (Darsee), 807
- mimicking pericardial constriction or myocardial restriction (Waller et al.), 790 (Brief comm.)
- patients, diltiazem-induced decrease of exercise-elevated pulmonary arterial diastolic pressure in (Nagao et al.), 789 (Brief comm.)
- Hypotension, orthostatic, by propranolol in the Shy-Drager syndrome, effective treatment of (Brevetti et al.), 938 (Brief comm.)
- Hypothyroidism, *Campylobacter* pericarditis in (Lieber, Rensimer, and Ericsson), 462 (Brief comm.)
- Hypovolemia, documentation in *Hemophilus influenzae* pericarditis during: serial echographic development of apparent hypertrophic cardiomyopathy with biventricular outflow obstruction (Sheikh, Lee, and Koh), 1069 (Brief comm.)
- I
- Idiopathic hyperkinetic heart syndrome: clinical course and long-term prognosis (Gillum et al.), 728
- superior vena cava thrombosis, acute, successful streptokinase therapy of (Herrera, Willis, and Williams), 1063 (Brief comm.)
- Immunoglobulin (IgG) and HDL apoproteins (A-I, A-II), inverse correlation between (Koskenvuo, Kaprio, and Sistonen), 946 (Letter)
- Implantable defibrillator, automatic, clinical treatment of life-threatening ventricular tachyarrhythmias with the (Mirowski et al.), 265
- Indomethacin during experimental myocardial ischemia, effects of (Spodick), 1082 (Letter)
- Reply (Alpert and Berman), 1082
- Infarct extent and mortality, relationship to serial plasma catecholamine response early in the course of clinical acute myocardial infarction (Karlsberg, Cryer, and Roberts), 24
- size following coronary artery stenosis and occlusion, histologic, ultrastructural, and enzymatic measurements of (White et al.), 686
- Infarction, myocardial, acute clinical, coronary thrombolysis by intravenous streptokinase in (Lee et al.), 783 (Brief comm.)
- effects of glucose-insulin-potassium on LV function in: results from a randomized clinical trial (Mantle et al.), 313
- experience with glucose-insulin-potassium therapy in (Rackley et al.),
- evaluation of the effectiveness of intracoronary streptokinase infusion in: postprocedure management and hospital course in 204 patients (Merx et al.), 1181
- glucose-insulin-potassium induced alterations in individual plasma free fatty acids in patients with (McDaniel et al.), 10
- hospital or home for: another look at whether or not we should bother to care (Adgey and Crampton), 473
- international experience with percutaneous transluminal coronary recanalization by streptokinase-thrombolysis reperfusion in: new, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function (Mason), 1126 (Chairman's address)
- intracoronary streptokinase in, effects of (Cowley et al.), 1149
- thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- thrombolysis in: experimental background and clinical experience (Ganz et al.), 1145
- prolonged QT interval at onset of in predicting early phase ventricular tachycardia (Taylor et al.), 16
- tachycardia-dependent and bradycardia-dependent intraventricular conduction defects in: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- clinical acute, serial plasma catecholamine response early in the course of: relationship to infarct extent and mortality (Karlsberg, Cryer, and Roberts), 24
- clinically evolving, changes in left ventricular function after intracoronary streptokinase infusion in (Rentrop et al.), 1188
- inadvertent massive lidocaine overdose causing temporary complete heart block in (Badui, Garcia-Rubi, and Estanol), 801 (Brief comm.)
- reduction in severity of by sulfapyrazone (Innes and Weisman), 153
- surgical management of acute and chronic cardiac mechanical complications due to (Cohn), 1049
- postmyocardial, Dressler's syndrome, reappraisal of the (Kosowsky, Lyon, and Spain), 954
- right ventricular, with hemodynamic decompensation due to transient loss of active atrial augmentation: successful treatment with atrial pacing (Isner et al.), 792 (Brief comm.)
- Infective endocarditis in drug addicts, presentation, management, and follow-up evaluation of (Hubbell, Cheitlin, and Rapaport), 85
- pulmonic valve, M-mode echographic detection of (Sharma et al.), 131 (Brief comm.)
- Infra-Hisian block, adult-onset familial (Kennel et al.), 447 (Brief comm.)
- Infusion, rapid, and multiple injection methods for lidocaine loading, clinical comparison of (Stargel et al.), 872
- Injection methods, multiple, and rapid infusion for lidocaine loading, clinical comparison of (Stargel et al.), 872
- Inotropic and vasodilator agents in treatment of chronic cardiac failure: clinical experience and response in exercise performance (Weber et al.), 569
- therapy of heart failure, combined: experimental and clinical concepts (Miller et al.), 500
- Interatrial septum, aneurysm of, causing pulmonary venous obstruction in an infant with tricuspid atresia (Reder, Yeh, and Steinfeld), 786 (Brief comm.)

- Intercoronary collateral-dependent myocardium due to chronic major vessel occlusion, evaluation of noncoronary sources of LV perfusion to: absent contribution of luminal and extracardiac channels (Crystal, Downey, and Bashour), 841
- Interstitial nephritis, reversible hypersensitive: acute renal dysfunction due to sulfapyrazone therapy in postmyocardial infarction cardiomegaly (Howard et al.), 294 (Brief comm.)
- Interstudy comparisons of coronary disease rates, difficulties in (Gillum), 947 (Letter)
- Interventricular septal ischemia on global and segmental function of the canine right and left ventricle, effects of isolated (Agarwal et al.), 654
- Intra-atrial conduction block in the sinus node region and possible role in reentrant supraventricular tachycardia, demonstration of: clinical recordings of monophasic action potentials (Fenici et al.), 124 (Brief comm.)
- Intracoronary streptokinase in acute myocardial infarction, effects of (Cowley et al.), 1149
- infusion in acute myocardial infarction, evaluation of the effectiveness of: postprocedure management and hospital course in 204 patients (Merx et al.), 1181
- thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- thrombolysis in acute myocardial infarction: experimental background and clinical experience (Ganz et al.), 1145
- thrombus in syndromes of unstable myocardial ischemia (Vetrovec et al.), 1202
- Intravenous furosemide administration, acute effects of on serum digoxin concentration (Wilkerson), 63
- Intraventricular conduction defects, tachycardia-dependent and bradycardia-dependent, in acute myocardial infarction: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- regional, effects of lidocaine on in patients with coronary artery disease (Wiener, Mindich, and Kupersmith), 53
- Introduction to Symposium on Intracoronary Thrombolysis in Acute Myocardial Infarction (Weinstein), 1123
- Ischemia, myocardial, and reperfusion, effect of verapamil on conduction delay produced by (Hamamoto et al.), 350
- experimental, effects of indomethacin during (Spodick), 1082 (Letter)
- Reply (Alpert and Berman), 1082
- pathophysiology and clinical testing with emphasis on objective documentation of: systematic approach to evaluation of angina-like chest pain (Christie and Conti), 897
- unstable, intracoronary thrombus in syndromes of (Vetrovec et al.), 1202
- ventricular, and reperfusion, effects of nifedipine on conduction delay during (Fujimoto et al.), 45
- septal, isolated interventricular effects of on global and segmental function of the canine right and left ventricle (Agarwal et al.), 654
- Ischemic heart disease, chronic, ultrastructural correlates of LV contraction abnormalities in patients with: determinants of reversible segmental asynergy postrevascularization surgery (Flameng et al.), 846
- determinants and functional significance of the coronary collateral circulation in (Newman), 431
- optimal management of patients with for noncardiac surgery by complementary anesthesiologist and cardiologist interaction (Wells and Kaplan), 1029 (Curriculum in Cardiology)
- muscle in acute myocardial infarction, importance of the source of hyaluronidase preparations in determining protective effect on (Iwasaki et al.), 324
- muscle, new, safe, landmark therapeutic approach salvaging and improving ventricular function: international experience with percutaneous transluminal coronary recanalization by streptokinase-thrombolysis reperfusion in acute myocardial infarction (Mason), 1126 (Chairman's address)

Ischemic—continued

- myocardium, enhanced alpha-adrenergic responsiveness in: role of alpha-adrenergic blockade (Corr and Crafford), 505

J

- Jatene procedure (anatomic correction), echocardiographic features before and after for transposition of the great vessels (Duncan et al.), 227
- Junctional, atrial, and ventricular tachycardia unassociated with accessory connections in infants and children, successful surgical treatment of (Gillette et al.), 984
- reciprocating tachycardia, permanent, in an asymptomatic adult: further evidence for an accessory ventriculoatrial nodal structure (Klein, Kostuk, and Gulamhussein), 282 (Brief comm.)

K

- Kawasaki disease, thrombotic occlusion of coronary aneurysms in: sequential angiographic demonstration (Lababidi and Mehran Pour), 132 (Brief comm.)

L

- Laser-dissolution of coronary atherosclerotic obstruction (Lee et al.), 1074 (Brief comm.)
- Leads, pacemaker, self-anchoring endocardial: current spectrum of types, advances in design, and clinical results (Robicsek et al.), 775
- Left anterior descending coronary artery disease, proximal, septal myocardial perfusion imaging with thallium-201 in the diagnosis of (Pichard et al.), 30
- bundle branch block, sequential regional phase mapping of radionuclide gated biventriculograms in patients with (Swiryn et al.), 1000
- ventricular (LV) contrast angiography, direct and venous-injected, computer enhancement of (Vas et al.), 719
- dysfunction, evaluation of postextrasystolic T wave alterations in identification of patients with coronary artery disease or (Leachman et al.), 658
- ejection fraction and clinical status in severe congestive heart failure, acute and chronic effects of pirbuterol on (Colucci et al.), 564
- failure, severe, due to chronic coronary heart disease, cardiovascular and myocardial energetic effects of prostaglandin E₁ in (Awan et al.), 703
- filling pressure, prognostic implications of reduction of in early transmural acute myocardial infarction (Shell et al.), 335
- function, changes in after intracoronary streptokinase infusion in clinically evolving myocardial infarction (Rentrop et al.), 1188
- global, and segmental abnormalities in coronary artery disease, relationship between: validation of a theoretical model (Beeder et al.), 330
- in acute myocardial infarction, clinical effects of glucose-insulin-potassium on: results from a randomized clinical trial (Mantle et al.), 313
- in conscious dogs, global and regional, differential effects of systemic and intracoronary calcium channel blocking agents on (Walsh, Badke, and O'Rourke), 341
- salvage and performance, beneficial effects of intracoronary streptokinase on: coronary artery reperfusion in acute myocardial infarction (Reduto et al.), 1168
- Lidocaine, effects of on regional intraventricular conduction in patients with coronary artery disease (Wiener, Mindich, and Kupersmith), 53
- loading, clinical comparison of rapid infusion and multiple injection methods for (Stargel et al.), 872
- overdose, inadvertent massive, causing temporary complete heart block in myocardial infarction (Badui, Garcia-Rubi, and Estanol), 801 (Brief comm.)
- pharmacokinetics during cardiac arrest and external cardiopulmonary resuscitation (Chow et al.), 799 (Brief comm.)

- Life-threatening ventricular tachyarrhythmias, clinical treatment of with the automatic implantable defibrillator (Mirowski et al.), 265
- Lipoproteins, platelets, and prostaglandins in atherosclerosis (Kuo), 949
- Liquid-protein-modified-fast diet, prolonged QT interval-ventricular tachycardia syndrome from massive rapid weight loss utilizing the sudden death with sinus node ganglionitis and neuritis (Siegel, Cabeen, and Roberts), 121 (Brief comm.)
- Long-term clinical course of patients with normal coronary arteriography: follow-up study of 121 patients with normal or nearly normal coronary arteriograms (Isner et al.), 645
- evaluation of persistent supraventricular tachycardia in children: clinical and electrocardiographic features (Epstein and Benditt), 80
- Luminal and extracardiac channels, absent contribution of: evaluation of noncoronary sources of LV perfusion to intercoronary collateral-dependent myocardium due to chronic major vessel occlusion (Crystal, Downey, and Bashour), 841
- Lymphoma, cardiac, mimicking hypertrophic cardiomyopathy (Cabin et al.), 466 (Brief comm.)

M

- Malignant ventricular tachyarrhythmias associated with the use of encainide (Winkle et al.), 857
- Management of unstable angina: current status and new perspectives (Amsterdam, Lee, and Mason), 144
- Mapping, sequential regional phase, of radionuclide gated biventriculograms in patients with left bundle branch block (Swiryn et al.), 1000
- Marfan's syndrome in the newborn, early cardiac manifestations of (Labadi and Monzon), 943 (Brief comm.)
- Mechanisms of ventricular tachycardia: wide, complex ignorance (Mason et al.), 1083
- Medical and urgent surgical therapy in randomizable patients with unstable angina pectoris, prospective study of: results of in-hospital and chronic mortality and morbidity (Brown et al.), 959
- Membrane function, myocardial, and drug action in heart failure (Katz and Messineo), 491
- Microemboli, calcific, in aortic stenosis, neurologic symptoms from (Martin, Moran, and Lesch), 471 (Letter to the Editor)
- Mitral bioprosthetic function in infants and children, two-dimensional echocardiographic evaluation of (Perry et al.), 1022
- or aortic valve replacement, spectrum of congestive heart failure late after: differentiation of valvular versus myocardial cause by radionuclide ventriculogram-ejection fraction (Goldman et al.), 751
- stenosis, nonejection systolic click in (Chun), 463 (Brief comm.)
- valve papillary endocardial fibroma detected by two-dimensional echocardiography, systemic embolization from a (Fowles et al.), 128 (Brief comm.)
- prolapse: primary, secondary, both or neither? (Barlow, Pocock, and Obel), 140
- versus secondary (Cheng), 946 (Letter)
- syndrome in anxiety neurosis (Forrest), 139 (Letter to the Editor)
- Reply (Kerber et al.), 139
- postural-related supraventricular tachyarrhythmia in the (Oliven and Abinader), 130 (Brief comm.)
- ventricular premature beat localization in (Klein and Feldman), 138 (Letter)
- Reply (Lichstein), 139
- M-mode echographic detection of pulmonic valve infective endocarditis (Sharma et al.), 131 (Brief comm.)
- observations in active bacterial endocarditis limited to the aortic valve (Sheikh et al.), 66
- Monophasic action potentials, clinical recordings of: demonstration of intra-atrial conduction block in the sinus node region and possible role in reentrant supraventricular tachycardia (Fenici et al.), 124 (Brief comm.)
- Monophasic action potentials—continued
- intracardiac, with programmed stimulation, acute intraventricular delayed conduction and prolonged repolarization in regular paced and premature beats using: clinical electrophysiologic study of antiarrhythmic properties of flecainide (Olsson and Edvardsson), 864
- Muscle cell disorganization, cardiac, and hypertrophic cardiomyopathy revisited: relation between the two and significance (Maron and Roberts), 95
- Myocardial and cardiocirculatory energetic effects of prostaglandin E₁ in severe left ventricular failure due to chronic coronary heart disease (Awan et al.), 703
- disease, occult, and/or coronary disease, evidence for a relatively benign new syndrome with characteristics and prognosis of apparently healthy patients with frequent and complex ventricular ectopy (Horan and Kennedy), 809
- energetics and coronary vascular dynamics in patients with coronary artery disease, effects of respiratory alkalosis on (Wilson et al.), 202
- infarction (MI), acute, clinical, coronary thrombolysis by intravenous streptokinase in (Lee et al.), 783 (Brief comm.)
- effects of glucose-insulin-potassium on LV function in: results from a randomized clinical trial (Mantle et al.), 313
- experience with glucose-insulin-potassium therapy in (Rackley et al.), 1038
- serial plasma catecholamine response early in the course of: relationship to infarct extent and mortality (Karlsberg, Cryer, and Roberts), 24
- coronary artery reperfusion: beneficial effects of intracoronary streptokinase on left ventricular salvage and performance (Reduto et al.), 1168
- due to intracoronary occlusion after elective cardioversion for atrial fibrillation in a patient with angiographic nearly normal coronary arteries (Gonzalez et al.), 932 (Brief comm.)
- early transmural, prognostic implications of reduction of LV filling pressure in (Shell et al.), 335
- efficacy of percutaneous transluminal coronary recanalization utilizing streptokinase thrombolysis in patients with (Lee et al.), 1159
- evaluation of the effectiveness of intracoronary streptokinase infusion in: postprocedure management and hospital course in 204 patients (Merx et al.), 1181
- glucose-insulin-potassium induced alterations in individual plasma free fatty acids in patients with (McDaniel et al.), 10
- hospital or home for: another look at whether or not we should bother to care (Adgey and Crampton), 473
- importance of the source of hyaluronidase preparations in determining protective effect on ischemic heart muscle in (Iwasaki et al.), 324
- intracoronary streptokinase in, effects of (Cowley et al.), 1149
- thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- thrombolysis in: experimental background and clinical experience (Ganz et al.), 1145
- myocardial salvage by intracoronary thrombolysis in evolving: evaluation using intracoronary injection of thallium-201 (Maddahi et al.), 664
- prolonged QT interval at onset of in predicting early phase ventricular tachycardia (Taylor et al.), 16
- tachycardia-dependent and bradycardia-dependent intraventricular conduction defects in: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- cardiomegaly, post-, acute renal dysfunction due to sulfapyrazone therapy in: reversible hypersensitive interstitial nephritis (Howard et al.), 294 (Brief comm.)
- clinically evolving, changes in left ventricular function after intracoronary streptokinase infusion in (Rentrop et al.), 1188
- inadvertent massive lidocaine overdose causing temporary complete heart block in (Badui, Garcia-Rubi, and Estanol), 801 (Brief comm.)

Myocardial infarction—continued

- patients, post-, characterization of ventricular tachyarrhythmias on ambulatory ECG recordings in: arrhythmia detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility (Winkle, Peters, and Hall), 162
- reduction in severity of by sulfinpyrazone (Innes and Weisman), 153
- surgical management of acute and chronic cardiac mechanical complications due to (Cohn), 1049
- transmural acute, survival for 20 years or longer after: analysis of eight well-documented necropsy patients (McManus and Roberts), 176
- injury and acute coronary thrombotic occlusion in animals utilizing streptokinase, experimental reversal of (Lee et al.), 1139
- ischemia, acute, arrhythmic effects of carbon monoxide in experimental: lack of slowed conduction and ventricular tachycardia (Foster), 876
- and reperfusion, effect of verapamil on conduction delay produced by (Hamamoto et al.), 350
- experimental, indomethacin during, effects of (Spodick), 1082 (Letter)
- Reply (Alpert and Berman), 1082
- pathophysiology and clinical testing with emphasis on objective documentation of: systematic approach to evaluation of angina-like chest pain (Christie and Conti), 897
- unstable, intracoronary thrombus in syndromes of (Vetrovec et al.), 1202
- ventricular, and reperfusion, effects of nifedipine on conduction delay during (Fujimoto et al.), 45
- membrane function and drug action in heart failure (Katz and Messineo), 491
- perfusion imaging, septal, with thallium-201 in the diagnosis of proximal left anterior descending coronary artery disease (Pichard et al.), 30
- restriction or pericardial constriction, hemodynamic cardiac constriction without anatomic (McManus et al.), 134 (Brief comm.)
- hypertrophic cardiomyopathy mimicking (Waller et al.), 790 (Brief comm.)
- revascularization, repeat, in coronary disease therapy: consideration of primary bypass failures and success of second graft surgery (Shark and Kass), 303
- salvage by intracoronary thrombolysis in evolving acute myocardial infarction: evaluation using intracoronary injection of thallium-201 (Maddahi et al.), 664
- scintigrams, thallium-201, contrast enhancement of: improved sensitivity with diminished specificity in coronary disease detection (Massie et al.), 37
- Myocardium, intercoronary collateral-dependent, due to chronic major vessel occlusion, evaluation of noncoronary sources of LV perfusion to: absent contribution of luminal and extracardiac channels (Crystal, Downey, and Bashour), 841
- ischemic, enhanced alpha-adrenergic responsiveness in: role of alpha-adrenergic blockade (Corr and Craford), 605

N

- Narrowing, atherosclerotic coronary arterial, in five necropsy patients, quantification, distribution, and nature of: type III hyperlipoproteinemia (Cabin et al.), 830
- Neoplasms, cardiac, thallium imaging in detecting (Lubell), 947 (Letter)
- Nephritis, interstitial, reversible hypersensitive: acute renal dysfunction due to sulfinpyrazone therapy in postmyocardial infarction cardiomegaly (Howard et al.), 294 (Brief comm.)
- Neuroendocrine, clinical, and hemodynamic effects of chronic prazosin therapy for congestive heart failure (Colucci, Williams, and Braunwald), 615
- Neurohumoral control mechanisms in congestive heart failure (Cohn et al.), 509
- Neurologic symptoms from calcific microemboli in aortic stenosis (Martin, Moran, and Lesch), 471 (Letter)
- Neurosis, anxiety, mitral valve prolapse syndrome in (Forrest), 139 (Letter)
- Reply (Kerbert et al.), 139

- Newborn, early cardiac manifestations of Marfan's syndrome in the (Lababidi and Monzon), 943 (Brief comm.)
- Newer agents in treatment of heart failure, comparative pharmacology and clinical efficacy of (Taylor et al.), 515
- Nifedipine, effects of on conduction delay during ventricular myocardial ischemia and reperfusion (Fujimoto et al.), 45
- Nitroglycerin, calcium, diltiazem, and propranolol, effects of in alkalosis-induced coronary vasoconstriction (Yasue et al.), 206
- Nodal conduction, concealed retrograde AV, in intermittent fascicular block (Veress), 934 (Brief comm.)
- Noncardiac surgery by complementary anesthesiologist and cardiologist interaction, optimal management of patients with ischemic heart disease for (Wells and Kaplan), 1029
- Noncoronary sources of LV perfusion to intercoronary collateral-dependent myocardium due to chronic major vessel occlusion, evaluation of: absent contribution of luminal and extracardiac channels (Crystal, Downey, and Bashour), 841
- Nonejection systolic click in mitral stenosis (Chun), 463 (Brief comm.)
- Normal pregnancy, the electrocardiogram in (Carruth et al.), 1075 (Brief comm.)

O

- Obesity, digoxin disposition in: clinical, pharmacokinetic investigation (Abernethy, Greenblatt, and Smith), 740
- Obstruction, dynamic LV outflow tract, associated with pheochromocytoma (Shub et al.), 286 (Brief comm.)
- Occlusion and stenosis, coronary artery, histologic, ultrastructural, and enzymatic measurements of infarct size following (White et al.), 686
- coronary thrombotic, acute, and myocardial injury in animals utilizing streptokinase, experimental reversal of (Lee et al.), 1139
- intracoronary, acute myocardial infarction due to after elective cardioversion for atrial fibrillation in a patient with angiographic nearly normal coronary arteries (Gonzalez et al.), 932 (Brief comm.)
- thrombotic, of coronary aneurysms in Kawasaki disease: sequential angiographic demonstration (Lababidi and MehranPour), 132 (Brief comm.)
- Operative intervention, successful surgical treatment of biventricular involvement and consideration of the superiority of: management of endomyocardial fibrosis (Graham et al.), 771
- Oral pirbuterol in severe chronic congestive heart failure, therapeutic efficacy of: acute hemodynamic and long-term ambulatory evaluation (Awan et al.), 555
- sympathomimetic amine, pirbuterol, a new, for the treatment of congestive heart failure (Sharma et al.), 533
- Orthostatic hypotension by propranolol in the Shy-Drager syndrome, effective treatment of (Brevetti et al.), 938 (Brief comm.)
- Outflow tract obstruction, dynamic LV, associated with pheochromocytoma (Shub et al.), 286 (Brief comm.)
- Outpatient ergonovine testing in accurately detecting coronary spasm in patients with possible variant angina, application and safety of (Ginsburg et al.), 698

P

- Pacemaker electrode systems, endocardial and epicardial, characteristics of commonly utilized permanent: method of radiologic identification (Chun), 404
- leads, self-anchoring endocardial: current spectrum of types, advances in design, and clinical results (Robicsek et al.), 775
- treatment of chronic bradydysrhythmias in children, recent advances in mechanisms, evaluation, and (Gillette), 920
- Pacing, atrial, successful treatment with: right ventricular infarction with hemodynamic decompensation due to transient loss of active atrial augmentation (Isner et al.), 792 (Brief comm.)

- Pacing—continued**
 electrode, tined, partial avulsion of the tricuspid valve by (Ong et al.), 798 (Brief comm.)
- Parasystole, ventricular, intermittent, in the Wolff-Parkinson-White syndrome, triple ventricular fusion due to (Kinoshita, Sakurai, and Yasukouchi), 290 (Brief comm.)**
- Patch dehiscence, ventricular septal defect, echocardiographic features of (Mostow, Riggs, and Borkat), 941 (Brief comm.)**
- Pathogenesis of hypertension, recent advances in the: consideration of structural, functional, and metabolic vascular abnormalities resulting in elevated arterial resistance (Webb and Bohr), 251**
- Pectoris, angina, unstable, evaluation of the role of coronary angioplasty in patients with (Williams et al.), 1**
- Pedunculated right ventricular thrombus due to repeated blunt chest trauma (Kessler et al.), 1064 (Brief comm.)**
- Percutaneous transluminal coronary recanalization by streptokinase-thrombolysis reperfusion in acute myocardial infarction, international experience with: new, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function (Mason), 1126 (Chairman's address)**
 : procedure, results, and acute complications (Rutsch et al.), 1178
 utilizing streptokinase thrombolysis in patients with acute myocardial infarction, efficacy of (Lee et al.), 1159
- Perfusion imaging, septal myocardial, with thallium-201 in the diagnosis of proximal left anterior descending coronary artery disease (Pichard et al.), 30**
- LV, evaluation of noncoronary sources of to intercoronary collateral-dependent myocardium due to chronic major vessel occlusion: absent contribution of luminal and extracardiac channels (Crystal, Downey, and Bashour), 841**
- Pericardial constriction or myocardial restriction, hemodynamic cardiac constriction without anatomic (McManus et al.), 134 (Brief comm.)**
 hypertrophic cardiomyopathy mimicking (Waller et al.), 790 (Brief comm.)
- Pericarditis, *Campylobacter*, in hypothyroidism (Lieber, Rensimer, and Ericsson), 462 (Brief comm.)**
 constrictive, characteristic postextrasystolic ventricular pressure response in (Kaul et al.), 461 (Brief comm.)
- Hemophilus influenzae*, during hypovolemia, documentation in: serial echographic development of apparent hypertrophic cardiomyopathy with biventricular outflow obstruction (Sheikh, Lee, and Koh), 1069 (Brief comm.)**
- Peripheral autonomic cardiac nerves, digoxin uptake into: possible mechanism of digitalis-induced antiarrhythmic and toxic electrophysiologic actions (Cook et al.), 58**
 vascular and cardiac sympathetic activity before and after coronary artery bypass surgery, changes in: interrelationships with hemodynamic alterations (Kim et al.), 972
- Pharmacokinetics of verapamil (Hollmann and Stieren), 804 (Letter)**
- Pharmacologic agents, new, for the heart failure patient, problems in assessment of (Rude et al.), 584**
- Pharmacology and clinical efficacy of newer agents in treatment of heart failure, comparative (Taylor et al.), 515**
- Pheochromocytoma, dynamic LV outflow tract obstruction associated with (Shub et al.), 286 (Brief comm.)**
 fatal catecholamine crisis: incurable cause of cardiac arrest (McManus, Fleury, and Roberts), 930 (Brief comm.)
- Physical exercise, exhaustive, serum enzyme CK-B rise following (Bark et al.), 1079 (Letter)**
 Reply (Marmor), 1080
 Reply (Lindsey and Finley), 1080
- Pirbuterol: a new oral sympathomimetic amine for the treatment of congestive heart failure (Sharma et al.), 533**
 acute and chronic effects of on LV ejection fraction and clinical status in severe congestive heart failure (Colucci et al.), 564
 in conscious dogs, hemodynamic effects of (Gold and Horwitz), 591
- Pirbuterol—continued**
 oral, a new beta agonist in chronic heart failure, single-dose and dose-response studies with (Canepa-Anson et al.), 578
 in severe chronic congestive heart failure, therapeutic efficacy of: acute hemodynamic and long-term ambulatory evaluation (Awan et al.), 555
- Platelet(s) activation in clinical coronary artery disease and spasm (Rubenstein et al.), 363**
 lipoproteins, and prostaglandins in atherosclerosis (Kuo), 949
- Plasma catecholamine response, serial, early in the course of clinical acute myocardial infarction: relationship to infarct extent and mortality (Karlsberg, Cryer, and Roberts), 24**
 free fatty acids, individual, in patients with acute myocardial infarction, glucose-insulin-potassium induced alterations in (McDaniel et al.), 10
- Postextrasystolic T wave alterations, evaluation of in identification of patients with coronary artery disease or left ventricular dysfunction (Leachman et al.), 658**
 ventricular pressure response, characteristic, in constrictive pericarditis (Kaul et al.), 461 (Brief comm.)
- Postmyocardial infarction Dressler's syndrome, reappraisal of the (Kossowsky, Lyon, and Spain), 954**
 modified treadmill exercise testing, early, predictive value of in multivessel coronary artery disease detection (Starling et al.), 169
- patients, characterization of ventricular tachyarrhythmias on ambulatory ECG recordings in: arrhythmia detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility (Winkle, Peters, and Hall), 162**
 role of two-dimensional echocardiography in the evaluation of patients with ventricular septal rupture (Bishop et al.), 965
- Postrevascularization surgery, determinants of reversible segmental asynergy: ultrastructural correlates of LV contraction abnormalities in patients with chronic ischemic heart disease (Flameng et al.), 846**
- Postural-related supraventricular tachyarrhythmia in the mitral valve prolapse syndrome (Oliven and Abinader), 130 (Brief comm.)**
- Prazosin in chronic heart failure, hemodynamic effects of (Parmley et al.), 622**
 management of refractory congestive heart failure with (Awan et al.), 626
 therapy, chronic, clinical, hemodynamic, and neuroendocrine effects of for congestive heart failure (Colucci, Williams, and Braunwald), 615
- Preexcitation, ventricular, and associated arrhythmias by encainide, control of (Roden et al.), 794 (Brief comm.)**
- Pregnancy, normal, the electrocardiogram in (Carruth et al.), 1075 (Brief comm.)**
- Premature beat localization, ventricular, in mitral valve prolapse syndrome (Klein and Feldman), 138 (Letter)**
 Reply (Lichstein), 139
 ventricular contraction prematurity, postextrasystolic reduced, fatal VF due to bradycardia-dependent prolonged QT, with (Nikolic), 469 (Letter)
 Reply (Bissett), 469
- Prenalterol in patients with heart failure, clinical results with (Waagstein et al.), 548**
- Primary bypass failures and success of second graft surgery, consideration of: repeat myocardial revascularization in coronary disease therapy (Shark and Kass), 303**
 versus secondary mitral valve prolapse (Cheng), 946 (Letter)
- Procainamide therapy, high-dose, in resistant tachyarrhythmias, adverse reactions and efficacy of (Boccardo, Pitchon, and Wiener), 797 (Brief comm.)**
- Professional football, sudden death while playing (Roberts and Maron), 1061 (Brief comm.)**
- Programmed stimulation with intracardiac monophasic action potentials, acute intraventricular delayed conduction and prolonged repolarization in regular paced and premature beats using: clinical electrophysiologic study of antiarrhythmic properties of flecainide (Olsson and Edvardsson), 864**

- Prolapse, mitral valve: primary, secondary, both or neither? (Barlow, Pocock, and Obel), 140
versus secondary (Cheng), 946 (Letter)
syndrome, in anxiety neurosis (Forrest), 139 (Letter)
Reply (Kerber et al.), 139
postural-related supraventricular tachyarrhythmia in the (Olive and Abinader), 130 (Brief comm.)
ventricular premature beat localization in (Klein and Feldman), 138 (Letter)
Reply (Lichstein), 139
- Prolonged repolarization and acute intraventricular delayed conduction in regular paced and premature beats using intracardiac monophasic action potentials with programmed stimulation: clinical electrophysiologic study of antiarrhythmic properties of flecainide (Olsson and Edvardsson), 864
- Propranolol, calcium, nitroglycerin, and diltiazem, effects of in alkalosis-induced coronary vasoconstriction (Yasue et al.), 206
- diminished glucose metabolism, altered exercise ventilatory responses by apparent: implications concerning impaired physical training benefit in coronary patients (Hossack, Bruce, and Kusumi), 378
- in the Shy-Drager syndrome, effective treatment of orthostatic hypotension by (Brevetti et al.), 938 (Brief communication)
- in the treatment of hypertension, controlled comparison of the effects of furosemide and hydrochlorothiazide added to (Vander Elst et al.), 734
- Prostacyclin on systemic and coronary hemodynamics in the dog, effects of (Mehta et al.), 835
- Prostaglandin E₁ in severe left ventricular failure due to chronic coronary heart disease, cardiocirculatory and myocardial energetic effects of (Awan et al.), 703
- E₂ antiarrhythmic properties, clinical evidence of (Mohr, Davis, and Markis), 123 (Brief comm.)
- Prostaglandins, lipoproteins, and platelets in atherosclerosis (Kuo), 949
- Prothrombin time tests, control of anticoagulant therapy by: an old problem revisited (Charache, Harbaugh, and Petrlik), 804 (Letter)
- Pseudoaneurysm diagnosis, ventricular, complementary roles of two-dimensional echocardiography and radionuclide ventriculography in (Levy et al.), 1066 (Brief communication)
- Pulmonary arterial diastolic pressure, diltiazem-induced decrease of exercise-elevated, in hypertrophic cardiomyopathy patients (Nagao et al.), 789 (Brief comm.)
- artery from ascending aorta, anomalous origin of, with the other pulmonary artery arising normally from right ventricle: two-dimensional echocardiographic identification of hemitruncus (Duncan et al.), 892
- hypertension, primary, hemodynamic evaluation of vasodilator drug therapy in (Gould et al.), 300 (Letter to Editor)
- venous obstruction, aneurysm of the interatrial septum causing in an infant with tricuspid atresia (Reder, Yeh, and Steinfeld), 786 (Brief comm.)
- Pulmonic valve infective endocarditis, M-mode echographic detection of (Sharma et al.), 131 (Brief comm.)

Q

- QT interval, prolonged, at onset of acute myocardial infarction in predicting early phase ventricular tachycardia (Taylor et al.), 16
- ventricular tachycardia syndrome, prolonged, from massive rapid weight loss utilizing the liquid-protein-modified-fast diet: sudden death with sinus node ganglionitis and neuritis (Siegel, Cabeen, and Roberts), 121 (Brief comm.)
- QT_c, bradycardia-dependent prolonged, with postextrasystolic reduced PVC-prematurity, fatal VF due to (Nikolic), 469 (Letter)
Reply (Bissett), 469

QT_c-continued

- interval in torsades de pointes (Motro and Neufeld), 1080 (Letter)
Reply (Cocco, Chu, and Strozzi), 1081

R

- Radionuclide evaluation of peripheral circulatory dynamics: new clinical application of blood pool scintigraphy for measuring limb venous volume, capacity, and blood flow (Clements et al.), 980
- gated biventriculograms in patients with left bundle branch block, sequential regional phase mapping of (Swiryn et al.), 1000
- ventriculogram-ejection fraction, differentiation of valvular versus myocardial cause by: spectrum of congestive heart failure late after aortic valve or mitral replacement (Goldman et al.), 751
- ventriculography, and two-dimensional echocardiography in ventricular pseudoaneurysm diagnosis, complementary roles of (Levy et al.), 1066 (Brief comm.)
- equilibrium, comparison of upright and supine bicycle exercise in the detection and evaluation of extent of coronary artery disease by (Freeman et al.), 182
- Rapid infusion and multiple injection methods for lidocaine loading, clinical comparison of (Stargel et al.), 872
- Recanalization, coronary, percutaneous transluminal: procedure, results, and acute complications (Rutsch et al.), 1178
- percutaneous transluminal coronary, by streptokinase-thrombolysis reperfusion in acute myocardial infarction, international experience with: new, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function (Mason), 1126 (Chairman's address)
- Recent advances in clinicohistopathologic correlates of sudden cardiac death (Rossi and Thiene), 478
- Reciprocating tachycardia, permanent junctional, in an asymptomatic adult: further evidence for an accessory ventriculoatrial nodal structure (Klein, Kostuk, and Gulamhusein), 282 (Brief comm.)
- Reduction in severity of myocardial infarction by sulfinpyrazone (Innes and Weisman), 153
- Reentrant supraventricular tachycardia, demonstration of intra-atrial conduction block in the sinus node region and possible role in: clinical recordings of monophasic action potentials (Fenici et al.), 124 (Brief comm.)
- Refractory congestive heart failure with prazosin, management of (Awan et al.), 626
- periods, ventricular, determinants of in children with congenital heart disease: effects of cycle length and age (Mehta et al.), 75
- Regurgitant aortic valve, premature opening of, in ascending aortic dissection due to marked reduction in supra-ventricular chamber diastolic pressure: diastolic obstruction of true aortic lumen by false channel (Driscoll and Sze), 1072 (Brief comm.)
- Renal dysfunction, acute, due to sulfinpyrazone therapy in postmyocardial infarction cardiomegaly: reversible hypersensitive interstitial nephritis (Howard et al.), 294 (Brief comm.)
- Reperfusion and ventricular myocardial ischemia, effects of nifedipine on conduction delay during (Fujimoto et al.), 45
- coronary artery, in acute myocardial infarction: beneficial effects of intracoronary streptokinase on left ventricular salvage and performance (Reduto et al.), 1168
- effect of verapamil on conduction delay produced by myocardial ischemia and (Hamamoto et al.), 350
- streptokinase-thrombolysis, in acute myocardial infarction, international experience with percutaneous transluminal coronary recanalization by: new, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function (Mason), 1126 (Chairman's address)

- Respiratory alkalosis, effects of on coronary vascular dynamics and myocardial energetics in patients with coronary artery disease (Wilson et al.), 202
- Resuscitation, cardiopulmonary, by two-dimensional echocardiography, clinical assessment of heart chamber size and valve motion during (Rich, Wix, and Shapiro), 368
- external, and cardiac arrest, lidocaine pharmacokinetics during (Chow et al.), 799 (Brief comm.)
- Retrograde and antegrade conduction, Wolff-Parkinson-White syndrome with bilateral accessory pathways both exhibiting (Kaku et al.), 296 (Brief comm.)
- Revascularization, myocardial, repeat, in coronary disease therapy; consideration of primary bypass failures and success of second graft surgery (Shark and Kass), 303
- Right heart chambers, systolic clicks caused by rocks in the (Waller and Roberts), 459 (Brief comm.)
- ventricle, pulmonary artery arising normally from, with the other pulmonary artery originating anomalously from ascending aorta: two-dimensional echocardiographic identification of hemitruncus (Duncan et al.), 892
- ventricular dysplasia, arrhythmogenic: a cause of ventricular tachycardia in children with apparently normal hearts (Dungan, Garson, and Gillette), 745
- infarction with hemodynamic decompensation due to transient loss of active atrial augmentation: successful treatment with atrial pacing (Isner et al.), 792 (Brief comm.)
- Rocks in the right heart chambers, systolic clicks caused by (Waller and Roberts), 459 (Brief comm.)
- S
- Salt taste threshold, lack of response of and preference to dietary sodium restriction in mild hypertension (Gillum et al.), 138 (Letter)
- Salvage, myocardial, by intracoronary thrombolysis in evolving acute myocardial infarction: evaluation using intracoronary injection of thallium-201 (Maddahi et al.), 664
- Saphenous vein bypass surgery, coronary disease progression in patients with and without (Kimberis and Segal), 811
- Scintigrams, myocardial, thallium-201, contrast enhancement of: improved sensitivity with diminished specificity in coronary disease detection (Massie et al.), 37
- Scintigraphic rest and exercise left ventricular ejection fractions for coronary disease detection, probabilistic analysis of: improved interpretation of a continuous variable in diagnostic testing (Diamond and Forrester), 189
- Scintigraphy, blood pool, new clinical application of for measuring limb venous volume, capacity, and blood flow: radionuclide evaluation of peripheral circulatory dynamics (Clements et al.), 980
- Scleroderma (systemic sclerosis), primary heart disease in: advances in clinical and pathologic features, pathogenesis, and new therapeutic approaches (Botstein and LeRoy), 913
- Sclerosis, systemic (scleroderma), primary heart disease in: advances in clinical and pathologic features, pathogenesis, and new therapeutic approaches (Botstein and LeRoy), 913
- Segmental abnormalities and global left ventricular function in coronary artery disease, relationship between: validation of a theoretical model (Beeder et al.), 330
- and global function of the canine right and left ventricle, effects of isolated interventricular septal ischemia on (Agarwal et al.), 654
- asynergy, reversible, determinants of postrevascularization surgery: ultrastructural correlates of LV contraction abnormalities in patients with chronic ischemic heart disease (Flameng et al.), 846
- Self-anchoring endocardial pacemaker leads: current spectrum of types, advances in design, and clinical results (Robicsek et al.), 775
- Septal defect patch dehiscence, ventricular, echocardiographic features of (Mostow, Riggs, and Borkat), 941 (Brief comm.)
- ischemia, isolated interventricular, effects of on global and segmental function of the canine right and left ventricle (Agarwal et al.), 654
- Septal—continued
- myocardial perfusion imaging with thallium-201 in the diagnosis of proximal left anterior descending coronary artery disease (Pichard et al.), 30
- rupture postmyocardial infarction, ventricular, role to two-dimensional echocardiography in the evaluation of patients with (Bishop et al.), 965
- Sequential regional phase mapping of radionuclide gated biventriculograms in patients with left bundle branch block (Swiryn et al.), 1000
- Serial echographic development of apparent hypertrophic cardiomyopathy with biventricular outflow obstruction: documentation in *Hemophilus influenzae* pericarditis during hypovolemia (Sheikh, Lee, and Koh), 1069 (Brief comm.)
- plasma catecholamine response early in the course of clinical acute myocardial infarction: relationship to infarct extent and mortality (Karlsberg, Cryer, and Roberts), 24
- Serum digoxin concentration, acute effects of intravenous furosemide administration on (Wilkerson), 63
- enzyme CK-B rise following exhaustive physical exercise (Bark et al.), 1079 (Letter)
- Reply (Marmor), 1079
- Reply (Lindsey and Finley), 1080
- Shy-Drager syndrome, effective treatment of orthostatic hypotension by propranolol in the (Brevetti et al.), 938 (Brief comm.)
- Siblings, single ventricle with truncus arteriosus in (Shapiro et al.), 456 (Brief comm.)
- Single-dose and dose-response studies with oral pirbuterol, a new beta agonist in chronic heart failure (Canepa-Anson et al.), 578
- ventricle with truncus arteriosus in siblings (Shapiro et al.), 456 (Brief comm.)
- Sinoatrial conduction time, antegrade, prevalence, and relevance to sinus node disease: clinical and electrophysiologic characteristics of sinoatrial entrance block evaluated by direct sinus node electrography (Reiffel et al.), 1011
- clinical comparison of indirectly and directly determined (Rakovec et al.), 292 (Brief comm.)
- entrance block evaluated by direct sinus node electrography, clinical and electrophysiologic characteristics of: prevalence, relation to antegrade sinoatrial conduction time, and relevance to sinus node disease (Reiffel et al.), 1011
- Sinus node disease, prevalence, relation to antegrade sinoatrial conduction time, and relevance to: clinical and electrophysiologic characteristics of sinoatrial entrance block evaluated by direct sinus node electrography (Reiffel et al.), 1011
- dysfunction, detection of: consideration of clinical application of testing methods (Vera and Mason), 308
- electrography, clinical and electrophysiologic characteristics of sinoatrial entrance block evaluated by direct: prevalence, relation to antegrade sinoatrial conduction time, and relevance to sinus node disease (Reiffel et al.), 1011
- ganglionitis and neuritis, sudden death with: prolonged QT interval-ventricular tachycardia syndrome from massive rapid weight loss utilizing the liquid-protein-modified-fast diet (Siegel, Cabeen, and Roberts), 121 (Brief comm.)
- region, demonstration of intra-atrial conduction block in the and possible role in reentrant supraventricular tachycardia: clinical recordings of monophasic action potentials (Fenici et al.), 124 (Brief comm.)
- Sodium and calcium concentrations, effects of on atrioventricular conduction: experimental study in rabbit hearts with clinical implications on heart block and slow calcium channel blocking agent usage (Watanabe), 883
- restriction, dietary, in mild hypertension, lack of response of salt tasted threshold and preference to (Gillum et al.), 138 (Letter)
- Spasm and clinical coronary artery disease, platelet activation in (Rubenstein et al.), 363
- coronary in patients with possible variant angina, application and safety of outpatient ergonovine testing in accurately detecting (Ginsburg et al.), 698

- Stenosis and occlusion, coronary artery, histologic, ultrastructural, and enzymatic measurements of infarct size following (White et al.), 686
- aortic, neurologic symptoms from calcific microemboli in (Martin, Moran, and Lesch), 471 (Letter)
- atherosclerotic, surgical bypass of remaining in acute myocardial infarction, intracoronary streptokinase thrombolytic recanalization and subsequent: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- mitral, nonejection systolic click in (Chun), 463 (Brief comm.)
- Stenotic vessels, fixed, comparison of diameter responses in normal and: regional coronary angiographic observations during cold stimulation in patients with exertional chest pain (Feldman et al.), 822
- Streptococci, viridans group of, virulent endocarditis involving the (Blair), 469 (Letter)
- Reply (Hosea), 469
- Streptokinase, experimental reversal of acute coronary thrombotic occlusion and myocardial injury in animals utilizing (Lee et al.), 1139
- infusion, intracoronary, in acute myocardial infarction, evaluation of the effectiveness of: postprocedure management and hospital course in 204 patients (Merx et al.), 1181
- in clinically evolving myocardial infarction, changes in left ventricular function after (Rentrop et al.), 1188
- intracoronary, beneficial effects of on left ventricular salvage and performance: coronary artery reperfusion in acute myocardial infarction (Reduto et al.), 1168
- in acute myocardial infarction, effects of (Cowley et al.), 1149
- intravenous, coronary thrombolysis by in clinical acute myocardial infarction (Lee et al.), 783 (Brief comm.)
- therapy of acute idiopathic superior vena cava thrombosis, successful (Herrera, Willis, and Williams), 1063 (Brief comm.)
- thrombolysis in patients with acute myocardial infarction, efficacy of percutaneous transluminal coronary recanalization utilizing (Lee et al.), 1159
- reperfusion in acute myocardial infarction, international experience with percutaneous transluminal coronary recanalization by: new, safe, landmark therapeutic approach salvaging ischemic muscle and improving ventricular function (Mason), 1126 (Chairman's address)
- thrombolytic recanalization, intracoronary, and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- Structure-function and dose-effect relationships in doxorubicin cardiomyopathy (Bristow et al.), 709
- Sudden cardiac death, recent advances in clinicopathologic correlates of (Rossi and Thiene), 478
- death while playing professional football (Roberts and Maron), 1061 (Brief comm.)
- with sinus node ganglionitis and neuritis: prolonged QT interval-ventricular tachycardia syndrome from massive rapid weight loss utilizing the liquid-protein-modified-fast diet (Siegel, Cabeen, and Roberts), 121 (Brief comm.)
- Sulfinpyrazone against catecholamine metabolite adrenochrome-induced arrhythmia, protective effect of (Beamish et al.), 149
- reduction in severity of myocardial infarction by (Innes and Weisman), 153
- therapy in postmyocardial infarction cardiomegaly, acute renal dysfunction due to: reversible hypersensitive interstitial nephritis (Howard et al.), 294 (Brief comm.)
- Superior vena cava thrombosis, acute idiopathic, successful streptokinase therapy of (Herrera, Willis, and Williams), 1063 (Brief comm.)
- Supraventricular tachyarrhythmia, postural-related, in the mitral valve prolapse syndrome (Oliven and Abinader), 130 (Brief comm.)

Supraventricular—continued

- tachycardia in children, electrophysiologic studies of. I. Clinical-electrophysiologic correlations (Garson and Gillette), 233
- II. Prediction of specific mechanism by noninvasive features (Garson and Gillette), 383
- long-term evaluation of persistent: clinical and electrocardiographic features (Epstein and Benditt), 80
- reentrant, demonstration of intra-atrial conduction block in the sinus node region and possible role in: clinical recordings of monophasic action potentials (Fenici et al.), 124 (Brief comm.)
- Surgical management of acute and chronic cardiac mechanical complications due to myocardial infarction (Cohn), 1049
- therapy, urgent, and medical therapy in randomizable patients with unstable angina pectoris, prospective study of: results of in-hospital and chronic mortality and morbidity (Brown et al.), 959
- treatment of atrial, junctional, and ventricular tachycardia unassociated with accessory connections in infants and children, successful (Gillette et al.), 984
- Survival for 20 years or longer after transmural acute myocardial infarction: analysis of eight well-documented necropsy patients (McManus and Roberts), 176
- Sympathomimetic amine, oral, a new, pirbuterol, for the treatment of congestive heart failure (Sharma et al.), 533
- Systemic and coronary hemodynamics in the dog, effects of prostacyclin on (Mehta et al.), 835
- and intracoronary calcium channel blocking agents on global and regional left ventricular function in conscious dogs, differential effects of (Walsh, Badke, and O'Rourke), 341
- embolization from a mitral valve papillary endocardial fibroma detected by two-dimensional echocardiography (Fowles et al.), 128 (Brief comm.)
- sclerosis (scleroderma), primary heart disease in: advances in clinical and pathologic features, pathogenesis, and new therapeutic approaches (Botstein and LeRoy), 913
- Systolic click(s) caused by rocks in the right heart chambers (Waller and Roberts), 459 (Brief comm.)
- nonejection, in mitral stenosis (Chun), 463 (Brief comm.)

T

- T wave alterations, postextrasystolic, evaluation of in identification of patients with coronary artery disease or left ventricular dysfunction (Leachman et al.), 658
- Tachyarrhythmia(s), malignant ventricular, associated with the use of encainide (Winkle et al.), 857
- resistant, adverse reactions and efficacy of high-dose procainamide therapy in (Boccardo, Pitchon, and Wiener), 797 (Brief comm.)
- supraventricular, postural-related, in the mitral valve prolapse syndrome (Oliven and Abinader), 130 (Brief comm.)
- ventricular, characterization of on ambulatory ECG recordings in post-myocardial infarction patients: arrhythmia detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility (Winkle, Peters, and Hall), 162
- life-threatening, clinical treatment of with the automatic implantable defibrillator (Mirowski et al.), 265
- recurrent, disparity between the clinical and electrophysiologic effects of amiodarone in the treatment of (Hamer et al.), 992
- Tachycardia, atrial, junctional, and ventricular, successful surgical treatment of unassociated with accessory connections in infants and children (Gillette et al.), 984
- dependent and bradycardia-dependent intraventricular conduction defects in acute myocardial infarction: electrocardiographic, electrophysiologic, and clinical correlates (Tavazzi et al.), 675
- reciprocating, permanent junctional, in an asymptomatic adult: further evidence for an accessory ventriculoatrial nodal structure (Klein, Kostuk, and Gulamhussein), 282 (Brief comm.)

Tachycardia—continued

- supraventricular, in children, electrophysiologic studies of. I. Clinical-electrophysiologic correlations (Garson and Gillette), 233
- II. Prediction of specific mechanism by noninvasive features (Garson and Gillette), 383
- persistent, long-term evaluation of in children: clinical and electrocardiographic features (Epstein and Benditt), 80
- ventricular, and slowed conduction, lack of: arrhythmogenic effects of carbon monoxide in experimental acute myocardial ischemia (Foster), 876
- early phase, prolonged QT interval at onset of acute myocardial infarction in predicting (Taylor et al.), 16
- in children with apparently normal hearts, arrhythmogenic right ventricular dysplasia, a cause of (Dungan, Garson, and Gillette), 745
- mechanisms of: wide, complex ignorance (Mason et al.), 1083
- Tachydyrhythmias in children, advances in the treatment and diagnosis of (Gillette), 111
- Thallium imaging in detecting cardiac neoplasms (Lubell), 947 (Letter)
- Thallium-201, evaluation using intracoronary injection of: myocardial salvage by intracoronary thrombolysis in evolving acute myocardial infarction (Maddahi et al.), 664
- myocardial scintigrams, contrast enhancement of: improved sensitivity with diminished specificity in coronary disease detection (Massie et al.), 37
- septal myocardial perfusion imaging with in the diagnosis of proximal left anterior descending coronary artery disease (Pichard et al.), 30
- Thrombolysis, coronary, by intravenous streptokinase in clinical acute myocardial infarction (Lee et al.), 783 (Brief comm.)
- intracoronary, in acute myocardial infarction: experimental background and clinical experience (Ganz et al.), 1145
- myocardial salvage by in evolving acute myocardial infarction: evaluation using intracoronary injection of thallium-201 (Maddahi et al.), 664
- streptokinase, in patients with acute myocardial infarction, efficacy of percutaneous transluminal coronary recanalization utilizing (Lee et al.), 1159
- Thrombolytic recanalization, intracoronary streptokinase, and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach effecting reduced infarct size, preventing reinfarction, and improving left ventricular function (Mathey et al.), 1194
- therapy and its application to acute coronary thrombosis, personal reflections on the development of (Sherry), 1134
- Thrombosis, acute idiopathic superior vena cava, successful streptokinase therapy of (Herrera, Willis, and Williams), 1063 (Brief comm.)
- coronary, acute, personal reflections on the development of thrombolytic therapy and its application to (Sherry), 1134
- Thrombotic occlusion, acute coronary, and myocardial injury in animals utilizing streptokinase, experimental reversal of (Lee et al.), 1139
- of coronary aneurysms, in Kawasaki disease: sequential angiographic demonstration (Lababidi and Mehran-Pour), 132 (Brief comm.)
- Thrombus, intracoronary, in syndromes of unstable myocardial ischemia (Vetrovec et al.), 1202
- right ventricular, pedunculated, due to repeated blunt chest trauma (Kessler et al.), 1064 (Brief comm.)
- Torsades de pointes, criteria of (Belhassen and Laniado), 1081 (Letter)
- Reply (Cocco, Chu, and Strozzi), 1081
- QT_c interval in (Motro and Neufeld), 1080 (Letter)
- Reply (Cocco, Chu, and Strozzi), 1081
- Transluminal coronary recanalization, percutaneous: procedure, results, and acute complications (Rutach et al.), 1178
- Transmural acute myocardial infarction, early, prognostic implications of reduction of LV filling pressure in (Shell et al.), 335

Transmural acute myocardial infarction—continued

- survival for 20 years or longer after: analysis of eight well-documented necropsy patients (McManus and Roberts), 176
- Transposition of the great arteries, complete: types and morphogenesis of ventriculoarterial discordance (de la Cruz et al.), 271
- of the great vessels, echocardiographic features before and after the Jatene procedure (anatomical correction) for (Duncan et al.), 27
- Transtelephonic electrocardiographic monitoring, long-term, in the detection and evaluation of variant angina (Ginsburg et al.), 196
- Trauma, blunt chest, repeated, pedunculated right ventricular thrombus due to (Kessler et al.), 1064 (Brief comm.)
- Treadmill exercise testing, predictive value of early postmyocardial infarction modified, in multivessel coronary artery disease detection (Starling et al.), 169
- Treatment and diagnosis of tachydyrhythmias in children, advances in (Gillette), 111
- Tricuspid atresia, aneurysm of the interatrial septum causing pulmonary venous obstruction in an infant with (Reder, Yeh, and Steinfeld), 786 (Brief comm.)
- regurgitation, detection of and estimation of central venous pressure by two-dimensional contrast echocardiography of the right superior hepatic vein (Reeves et al.), 374
- valve, partial avulsion of the by tined pacing electrode (Ong et al.), 798 (Brief comm.)
- Triple ventricular fusion due to intermittent ventricular parasystole in the Wolff-Parkinson-White syndrome (Kinoshita, Sakurai, and Yasukouchi), 290 (Brief communication)
- Truncus arteriosus with single ventricle in siblings (Shapiro et al.), 456 (Brief comm.)
- Twenty years or longer survival after transmural acute myocardial infarction: analysis of eight well-documented necropsy patients (McManus and Roberts), 176
- Two-dimensional echocardiographic evaluation of mitral bioprosthetic function in infants and children (Perry et al.), 1022
- identification of hemitruncus: anomalous origin of one pulmonary artery from ascending aorta with the other pulmonary artery arising normally from right ventricle (Duncan et al.), 892
- echocardiography and radionuclide ventriculography in ventricular pseudo-aneurysm diagnosis, complementary roles of (Levy et al.), 1066 (Brief comm.)
- in the evaluation of patients with ventricular septal rupture postmyocardial infarction, role of (Bishop et al.), 965
- systemic embolization from a mitral valve papillary endocardial fibroma detected by (Fowles et al.), 128 (Brief comm.)
- Type III hyperlipoproteinemia: quantification, distribution, and nature of atherosclerotic coronary arterial narrowing in five necropsy patients (Cabin et al.), 830

U

- Ultrasonic Doppler testing, noninvasive, importance of in the evaluation of patients with asymptomatic carotid bruits (Fell et al.), 221
- Unstable angina, management of: current status and new perspectives (Amsterdam, Lee, and Mason), 144
- pectoris, prospective study of medical and urgent surgical therapy in randomizable patients with: results of in-hospital and chronic mortality and morbidity (Brown et al.), 959
- myocardial ischemia, intracoronary thrombus in syndromes of (Vetrovec et al.), 1202

V

- Valve motion and heart chamber size, clinical assessment of during cardiopulmonary resuscitation by two-dimensional echocardiography (Rich, Wix, and Shapiro), 368

Valve—continued

- prolapse, mitral: primary, secondary, both or neither? (Barlow, Pocock, and Obel), 140
- versus secondary (Cheng), 946 (Letter)
- Variant angina, application and safety of outpatient ergonovine testing in accurately detecting coronary spasm in patients with possible (Ginsburg et al.), 698
- long-term transtelephonic ECG monitoring in the detection and evaluation of (Ginsburg et al.), 196
- pectoris refractory to nitrates, verapamil therapy in (Freeman, Peter, and Mandel), 358
- Vascular abnormalities, structural, functional, and metabolic, resulting in elevated arterial resistance, consideration of: recent advances in pathogenesis of hypertension (Webb and Bohr), 251
- dynamics, coronary, and myocardial energetics in patients with coronary artery disease, effects of respiratory alkalosis on (Wilson et al.), 202
- peripheral, and cardiac sympathetic activity before and after coronary artery bypass surgery, changes in: interrelationships with hemodynamic alterations (Kim et al.), 972
- Vasoconstriction, coronary, alkalosis-induced: effects of calcium, diltiazem, nitroglycerin, and propranolol (Yasue et al.), 206
- Vasodilator and inotropic agents in treatment of chronic cardiac failure: clinical experience and response in exercise performance (Weber et al.), 569
- and inotropic therapy of heart failure, combined: experimental and clinical concepts (Miller et al.), 500
- drug therapy, hemodynamic evaluation of in primary pulmonary hypertension (Gould et al.), 300 (Letter to Editor)
- VCG and ECG interpretations, limited reliability of calibrated signals in (Zenner et al.), 137 (Letter)
- Venous-injected and direct left ventricular contrast angiography, computer enhancement of (Vas et al.), 719
- pressure, central, estimation of and detection of tricuspid regurgitation by two-dimensional contrast echocardiography of the right superior hepatic vein (Reeves et al.), 374
- volume, capacity, and blood flow, limb, new clinical application of blood pool scintigraphy for measuring: radionuclide evaluation of peripheral circulatory dynamics (Clements et al.), 980
- Ventilatory responses, altered exercise, by apparent propranolol-diminished glucose metabolism: implications concerning impaired physical training benefit in coronary patients (Hossack, Bruce, and Kusumi), 378
- Ventricle, canine right and left, effects of isolated interventricular septal ischemia on global and segmental function of the (Agarwal et al.), 654
- single, with truncus arteriosus in siblings (Shapiro et al.), 456 (Brief comm.)
- Ventricular, atrial, and junctional tachycardia unassociated with accessory connections in infants and children, successful surgical treatment of (Gillette et al.), 984
- dysfunction and necrosis produced by adrenochrome metabolite of epinephrine: relation to pathogenesis of catecholamine cardiomyopathy (Yates, Beamish, and Dhalla), 210
- left, evaluation of postextrasystolic T wave alterations in identification of patients with coronary artery disease or (Leachman et al.), 658
- dysplasia, right, arrhythmogenic: a cause of ventricular tachycardia in children with apparently normal hearts (Dungan, Garson, and Gillette), 745
- ectopy, characteristics and prognosis of apparently healthy patients with frequent and complex: evidence for a relatively benign new syndrome with occult myocardial and/or coronary disease (Horan and Kennedy), 809
- fibrillation, fatal, due to bradycardia-dependent prolonged QT, with postextrasystolic reduced PVC-prematurity (Nikolic), 469 (Letter)
- Reply (Bissett), 469
- fusion, triple, due to intermittent ventricular parasystole in the Wolff-Parkinson-White syndrome (Kinoshita, Sakurai, and Yasukouchi), 290 (Brief comm.)
- myocardial ischemia and reperfusion, effects of nifedipine on conduction delay during (Fujimoto et al.), 45

Ventricular—continued

- parasystole, intermittent, in the Wolff-Parkinson-White syndrome, triple ventricular fusion due to (Kinoshita, Sakurai, and Yasukouchi), 290 (Brief comm.)
- preexcitation and associated arrhythmias by encainide, control of (Roden et al.), 794 (Brief comm.)
- premature beat localization in mitral valve prolapse syndrome (Klein and Feldman), 138 (Letter)
- Reply (Lichstein), 139
- pseudoaneurysm diagnosis, complementary roles of two-dimensional echocardiography and radionuclide ventriculography in (Levy et al.), 1066 (Brief comm.)
- pressure response, postextrasystolic, characteristic, in constrictive pericarditis (Kaul et al.), 461 (Brief comm.)
- refractory periods, determinants of in children with congenital heart disease: effects of cycle length and age (Mehta et al.), 75
- septal defect and interrupted aortic arch, balloon dilatation of ductus arteriosus in a newborn with (Corwin, Singh, and Karlson), 446 (Brief comm.)
- patch dehiscence, echocardiographic features of (Mostow, Riggs, and Borkat), 941 (Brief comm.)
- rupture postmyocardial infarction, role to two-dimensional echocardiography in the evaluation of patients with (Bishop et al.), 965
- tachyarrhythmias, characterization of on ambulatory ECG recordings in post-myocardial infarction patients: arrhythmia detection and duration of recording, relationship between arrhythmia frequency and complexity, and day-to-day reproducibility (Winkle, Peters, and Hall), 162
- life-threatening, clinical treatment of with the automatic implantable defibrillator (Mirowski et al.), 265
- malignant, associated with the use of encainide (Winkle et al.), 857
- recurrent, disparity between the clinical and electrophysiologic effects of amiodarone in the treatment of (Hamer et al.), 992
- tachycardia and slowed conduction, lack of: arrhythmogenic effects of carbon monoxide in experimental acute myocardial ischemia (Foster), 876
- early phase, prolonged QT interval at onset of acute myocardial infarction in predicting (Taylor et al.), 16
- in children with apparently normal hearts, arrhythmogenic right ventricular dysplasia, a cause of (Dungan, Garson, and Gillette), 745
- mechanisms of: wide, complex ignorance (Mason et al.), 1083
- prolonged QT interval syndrome, from massive rapid weight loss utilizing the liquid-protein-modified-fast diet: sudden death with sinus node ganglionitis and neuritis (Siegel, Cabene, and Roberts), 121 (Brief comm.)
- thrombus, pedunculated right, due to repeated blunt chest trauma (Kessler et al.), 1064 (Brief comm.)
- Ventriculoarterial discordance, types and morphogenesis of: complete transposition of the great arteries (de la Cruz et al.), 271
- Ventriculoatrial nodal structure, further evidence for an accessory: permanent junctional reciprocating tachycardia in an asymptomatic adult (Klein, Kostuk, and Gulam-husein), 282 (Brief comm.)
- Ventriculography, radionuclide, and two-dimensional echocardiography in ventricular pseudo-aneurysm diagnosis, complementary roles of (Levy et al.), 1066 (Brief comm.)
- equilibrium, comparison of upright and supine bicycle exercise in the detection and evaluation of extent of coronary artery disease by (Freeman et al.), 182
- Verapamil on conduction delay produced by myocardial ischemia and reperfusion, effect of (Hamamoto et al.), 350
- pharmacokinetics of (Hollmann and Stieren), 804 (Letter)
- therapy in variant angina pectoris refractory to nitrates (Freeman, Peter, and Mandel), 358
- Vessel occlusion, chronic major, evaluation of noncoronary sources of left ventricular perfusion to intercoronary collateral-dependent myocardium due to: absent contribution of luminal and extracardiac channels (Crystal, Downey, and Bashour), 841
- Viridans group of streptococci, virulent endocarditis involving the (Blair), 469 (Letter)
- Reply (Hosea), 469

Virulent endocarditis involving the viridans group of streptococci
(Blair), 469 (Letter)
Reply (Hosea), 469

W

Warfarin and heparin therapy, concurrent initiation of (Self), 470
(Letter)

Weight loss, massive rapid utilizing the liquid-protein-modified-
fast diet, prolonged QT interval-ventricular tachycar-
dia syndrome from:sudden death with sinus node
ganglionitis and neuritis (Siegel, Cabeen, and
Roberts), 121 (Brief comm.)

Welcome to Biomedical Research Symposium sponsored by
Pfizer (Bloom), 485

Wolff-Parkinson-White syndrome, triple ventricular fusion due
to intermittent ventricular parasystole in the (Kino-
shita, Sakurai, and Yasukouchi), 290 (Brief comm.)
with bilateral accessory pathways both exhibiting ante-
grade and retrograde conduction (Kaku et al.), 296
(Brief comm.)

